Intrinsic[®]

PRICE LIST | JANUARY 2023

For Canadian pricing, please visit Trendealer to see the current conversion rate being used or contact your local Trendway Representative.

Intrinsic Freestanding

Intrinsic Freestanding is a fully integrated line of laminate freestanding components including desks, credenzas, bridges, returns, hutches, bookcases, tables and laminate storage. This line offers high-end aesthetics, with a range of styling options and finishes.

Trendway product catalogs are available in the following design software: 20/20 (CAP/Giza) and Project Matrix. The Core price book is also available in .pdf (Acrobat Reader) format on www.trendealer.com. For Architects and Designers, a free FSL (Furniture Symbol Library) is available on www.trendway.com.

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (1219)-width.

Ordering Information

The most efficient way to enter an order is through Trendway On-Line Order Entry on dealer.trendway.com, which also accepts .sif files from the design software listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, ZFCD2436 represents an Intrinsic Corner Desk that is 24" (610)-deep and is 36" (914)-wide.

Order specification examples are shown throughout the price book at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Trendway will send an order acknowledgement that follows the sequence of information outlined below. Trendway encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

Placing an Order

To make placing an order simple, Trendway On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

- A complete "sold to" address with correct Zip code.
- 2. A complete "ship to" address with correct Zip code.

- A purchase order number. (The order is issued to Trendway Corporation, Holland, Michigan.)
- 4. A signature or name of person authorizing the purchase order.
- 5. A contact name and phone number at your company.
- 6. An actual calendar date for the requested delivery date (not ASAP).
- 7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.

(Refer to your price list for ordering options.)

- Special products referenced by their control numbers as well as their descriptions.
- 9. Line items that include price per unit, as well as extended totals.
- 10. A total dollar amount for the purchase order.
- 11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

Lead-Times

The majority of Intrinsic Freestanding products are shipped within Trendway's standard lead time. Extended lead-time items in the catalog are designated by shading.

Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Trendway Customer Care.

Product Questions, Quotes & Order Placement On-Line

dealer.trendway.com

Hours: 24 Hours, 7 Days a Week

Customer Care Representative

Hours: Monday-Friday

7:30 am to 5:30 pm EST Phone: 1-800-893-8115 Fax: 1-800-893-8121

e-mail: customercare@trendway.com

Trendway Custom Solutions

Phone: 1-800-893-8117

For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of the price book.

1. Transportation

All orders are shipped by Trendway truck or common carrier. List prices shown include Trendway specified freight cost on all orders. For additional information about transportation, contact Trendway Customer Care 1-800-893-8115.

2. Prices

Prices shown in this offering are F.O.B. origin, freight prepaid. Trendway reserves the right to change prices without notice.

Sequence Information


The table shows a sample of the price book format's sequence of information which will assist when placing an order and checking an order acknowledgement.


Sample Part Number:

Catalog	Top	Base	
Number	Color	Color	
ZFHD72	.XZ3	.XZ4	

Intrinsic® | Desk & Returns | Hutches | Filing & Storage | Reception Stations | Statement of Line

Desks and Returns






Wall Mounted Storage Unit

← → Denotes direction of wood grain laminate.

Hutches

2



Filing & Storage

Pedestals







Laterals



Н $24" \times 36" \times 28^{3}/4"$



24" x 36" x 53"



18" x 30" x 27³/₄" $18" \times 36" \times 27^{3/4}"$



W 22" x 31" x 27³/₄"

Double Door/Wardrobe Cabinets














W 18" x 36" x 27³/₄"

Storage Towers





W 24" x 24" x 65³/₄"

Credenzas



Reception Stations









W 30" x 72" x 42"


Tables

Collaborative, Café & Occasional Tables

Collaborative







Cafe





36"


Occasional



W 22" x 22" x 19" 22" x 48" x 19"


Conference Tables

Racetrack





Rectangle



36" x 72" 48" x 72" 48" x 96" 48" x 120"

Note: See the Tables price book for the complete tables offering.

Surface Material Program

The Trendway Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Trendway offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

Standard Program

Trendway's Standard Program of timeless and popular fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded and swatched by Trendway. Materials in the Trendway Standard Program offering are readily available for orders to ship within 2-4 weeks. Refer to individual panels for fire rating classifications.

Scheduled Program

Trendway's Schedule Program is made up of additional colors of standard patterns, as well as an evolving collection of fabrics from our textile partners designed to solve all your needs. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years and is not considered part of the standard program. To see the Scheduled fabrics go the the surface material page on our website at www.Trendway.com and filter for "Scheduled" under "Lead-Times". Scheduled fabrics may have different lead time than standard fabrics. Please call Trendway customer care for estimated ship dates.

Both Standard and Scheduled Materials in this program comply with the industry standards for quality and performance.

They all pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

COM

4

Customers Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. For detailed information see item #11 (COM) in the Pricing, Procedures and Policies section in the back of the price list or on Trendealer.com.

Pre-Approved COM

Select from popular COM fabrics pre-approved by Trendway. Customers are able to search the COM library on dealer.trendway.com for fabrics and specific applications that have passed manufacturability testing on Trendway product.

HOW TO ORDER SAMPLES

Standard Program Binder Cards

Seating and panel binder cards are available through Trendway fulfillment. dealer.trendway.com

Standard Program Samples

Samples of fabrics and finishes are available through Trendway fulfillment. dealer.trendway.com

Scheduled Samples Samples must be ordered directly through the supplier. Contact information is listed below and also on our website www.trendway.com/ surface-materials. Click on the link

Camira

www.camirafabrics.com 1-616-288-0655

next to the swatch samples.

Culp Contract

www.culpcontract.com 336-888-6274

Guilford Of Maine®

www.guilfordofmaine.com 1-800-544-0200

Mayer Fabrics

www.mayerfabrics.com 1-800-428-4415

Momentum® Textiles

www.memosamples.com 1-800-366-6839

Nevamar

www.nevamar.com 1-800-638-4380

Pionite

www.pionite.com 1-800-746-6483

Ultrafabrics®

www.ultrafabricsinc.com 914-460-1730

Wilsonart®

www.wilsonart.com 1-800-433-3222

Surface Material Legend



= 100% Recycled Content



= Bleach Cleanable.Refer to specific cleaning instructions for each fabric on www.Trendway.com.


	01	Choices Panels &	Tackboa		oards			O h.i
Pattern	Capture Tiles	All Systems Components	Screens	> 60"	< 60"	TrendWall	Volo	Cushion Tops
Amaze	+			R				•
Anchorage		+		R		•		•
Aurora	•	+	•	R		•		•
Chase	+	•		R				•
Framework	d}>	4	4	♦	♦	•	♦	•
Glint	•	•	•	R		•		•
Intermix	•	+	•	R		•		•
Intuition*		•	•	R		•		
Merge	d)>	€	\$	₫>	4	€	4	♦
Mingle		+		R		•	•	•
Netiquette**	•	•	•	R		•		•
Pact	+	•		R				•
Pursuit	+	•		R				•
Tabby Weave	dþ⊳	4>	€ >	4	4	d∳⊳	4	•

- Not Available
- Non Directional Pattern will be applied for best yield
- ▶ Down Roll The height dimension of the tile or component is parallel to the warp of the fabric
- R Railroaded The height dimension of the tile or component is perpendicular to the warp of the fabric
- * Multi-use fabric (seating and panel) available on Capture, Fabric Screens, and Volo
- ** Not available on Choices Panels, but approved on Choice's Tackboards and Flipper Doors

Down-Roll (♣)

Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).

Fig. A



COM Fabrics

COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

Railroad

Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B





Fig. C



Standard P	anel Fabrics							
Frameworl	K	Grade 0	Intermix		Grade 1	Tabby Wea	ve 🤝	Grade 2
Value Fabr			Guilford o			QQ3	Cement Mix	
KK1	Cappuccino		KDM	Foggy		175	Crystal Blue	
BJ7	Dove Gray		KDK	Husky		238	Grey Mix	
KK2	Espresso		KDT	Neptune		K99	Medium Grey	
B4Y	Eucalyptus		KDJ	Rocket Ship		380	Quartz	
B4X	Gray Blue		KDH	Seagull		BV2	Silver Papier	
KJX	Grotto		KDV	Smoky Quartz		150	Wedgewood	
BFP	Hunter Marble		KDR	Swan		130	weagewood	
BFR			NDN	Swaii		Anahayaya		Grade 3
B4V BG8	Sandy Pebble Twilight		Mingle		Grade 1	Anchorage Guilford Of		Grade 3
DGo	rwilignt		Guilford of	f Maine	Grade 1			
Merge		Grade 0	Z53	Biscuit		AR1	Angora	
Z42	Dove		Z33 Z4X	Carbon		AR0	Asteroid	
Z43	Driftwood		Z4X Z4Y			BF4	Aubergine	
Z44	Eucalyptus		Z41 Z52	Crystal Wheatberry		AQ8	Birch	
Z45	Fawn		Z52 Z51	Winter		BF9	Cobalt	
Z46	Fire Engine		231	vviillei		AQ7	Deep Water	
Z47	Graphite		Netiquette		Grade 1	BFM	Graphite	
Z49	Green Apple				Grade 1	BFF	Green Apple	
Z4A	lvy		KK5	Analog		BFA	Lapis	
Z4C	Mandarin		KK3	Chipset Dashboard		BFD	Midnight	
Z4D	Marshmallow		KK4			GEB	Onyx	
Z4F	Midnight		KK8	Gamma		KX1	Pool	
Z4H	Slate		KK7	Inkjet		BF2	Pumpkin	
	Jiaco		KKC	Pixel		AQ6	Quarry Blue	
			KKA	Refresh		BFN	Red Delicious	
Amaze		arade 1	KK6	Schema		AQ5	Slate	
Guilford of		arade i	KK9	Vector		BFC	Thistle	
			Pursuit		Grade 1	AQ1	Vanilla	
Z4W	Morel	A		f Maine	Grade 1	BXP	Waterfall	
Z4T	Platinum		1	_		BFG	Willow	
Z4V	Steel		KDG	Cement		BFJ	Wolf	
Z4U	Sky		KDA	Dove				
Aurora		Grade 1	KDF	Elephant				0 1 0
Guilford o		arado i	KDC	Mist Grey		Glint		Grade 3
Z55	Cloud		KD9	Whisper		Momentum		
Z54	Frost		KDD	White Linen		KG4	Caspian	
Z56	Latte					KG5	Column	
Z57	Pewter					KG7	Gypsum	
Z57 Z58	Granite					KG9	Opal	
230	Granile					KJ2	Pumice	
Chase		Grade 1	Pact		Grade 2	KGC	Relic	
Guilford of		arade i	Guilford o		Grade 2	KGE	Serene	
						KGF	Shale	
Z4K	Coin		BM5	Aloe				
Z4M	Ecru		BM8	Coastal				
Z4P	Mushroom		BMA	Dove		Intuition*		Grade 4
Z4R	Pumice		BME	Fern		Guilford of	f Maine	Grade 4
Z4N	Shadow		BMF	Harbour				
			BMJ	Midnight		Z27	Bisque	
			BMM	Patina		Z2C	Honey	
			BMN	Putty		Z2E	Peacock	
			BMU	Sketch		Z2G	Sage	
			BMW	Taupe				
			BMX	Toasty				

^{*} Available on Capture, Fabric Screens, and Volo

Standard Systems Finishes

Trendway standard paints include smooth and textured styles in our six trim colors.

Systems Paints and Trim

K CharcoalDW Designer WhiteG GrayL Light GrayY Sand

J Stucco
TK Textured Charcoal
TDW Textured Designer White
TG Textured Gray
TL Textured Light Gray

TL Textured Light Gra
TY Textured Sand
TJ Textured Stucco

Glazed Panels

Plexiglass

01 Clear E3A *Frosted

*Tempered Glass

03 Clear 05 Frosted

Ecoresin

The color options are semi-transparent with (or without) patterns.

*3form

E02 Solo Aqua Supermatte EcoresinE01 Solo Supermatte EcoresinE03 Spider Ecoresin

*Note: These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Premium Systems Finishes

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Smooth Metallic Paint

PA Platinum

Thermofused and High Pressure Laminates and Edge Color

Standa	rd Program		
Solid	Grade 1	Woodgra	ain Grade 1
XZ4	Black	XZ8	Beigewood
XZH	Designer White	XZE	Brazilwood
		XZ3	Empire Mahogany
		XY6	Espresso Pearwood
		XYZ	Finnish Oak
		XZ2	Fusion Maple
		XZZ	Walnut
		XZ1	Wild Cherry
		Woodgra	in Grade 2
		XY2	Phantom Charcoal
		XY1	Phantom Ecru
		XY0	Phantom Pearl

^{*} Available on Capture, Fabric Screens, and Volo

CROSS REFERENCE

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid Color Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Finish Code	Panel Vinyl Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	JOC	XZH	E1	DW	V52
Graphite	J9D		E6		
Gray**				G	
Light Gray**	573		L	L	V51
Platinum**				PA	V53
Sand**	J20		Y	Y	V48
Shadow	J04		E7		
Stucco**	J11		J	J	V49

Pattern Color Name	HPL Capture, Choices, Pack, Worksurfaces	Edgeband
Casual Linen	J6B	E8
Classic Linen	J6A	E9
Crisp Linen	J69	EB
Earthen Twill	J9H	EG
Graphite Twill	J9J	EH
Sarum Twill	J9G	EE

Woodgrain Pattern Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Wood Veneer Volo	Panel Vinyl TrendWall
Beigewood	JOG	XZ8	W8	M4	
Brazilwood	JOD	XZE	WE	M5	
Empire Mahogany		XZ3	W7	M8	
Espresso Pearwood	J9X	XY6	ER		
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2	E5		
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XYO	E3		
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

^{**} Trendway standard trim paint color

Intrinsic Keying Order Form

This form can be used as a worksheet or an order form to determine what key-alike Intrinsic Core/Key Sets are needed for key-alike Intrinsic filing and storage, Intrinsic locks on Choices flipper units and for additional Intrinsic Lock Keys, Core Keys and Master Keys*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Trendway's design software, or through Trendway On-line Order Entry on trendealer.com using the catalog numbers listed below or it can be used as an order form and faxed to Trendway Customer Care.

Intrinsic Core/Key Set

Intrinsic Core/Key Set includes a lock core and 1 lock key. Intrinsic Core/Key Set numbers are randomly selected from existing inventory unless otherwise specified on this form. Requesting specific numbers** may delay shipment of your key-alike order and may require partial or delayed shipment of your lock cores and keys separately from your order. Additional lock keys are available.

Intrinsic Core Installation/Removal Key

Intrinsic Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Intrinsic lock cores. One Core Key is included at no charge for every 1 to 50 Core/Key Sets ordered.

*Intrinsic Master Key

Intrinsic Master Key is used to open any Intrinsic style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.

	ndw	ay. >			
frendway Corporation 13467 Quincy St. Holland MI 49424 Phone: (800) 893-8115 Fax: (800) 893-8121 www.trendway.com					Intrinsic Keying Order Form
ustome	r P.O. Numbe	12345			Trendway Order Number
hip to a	ddress if diffe	rent from P.O			
ntrins	ic Core/K	ey Set – ZFL	СК		
		•			Key-Alike Special Tagging Instructions
Qty.	List Price \$16	Key Number S101-S200	Floor	Office	
2	\$32	S101	3	5	John's Office
6	\$96	S101	2		Offices 201, 252
		Ç		3	A 0
dditi		sic Lock Key	y(s) – Z	FKEY	
Qty.	List Price \$8	Key Number S101-S200			
1	\$8				
alaliti	anal lute!	ole Comp lie	halls#:-	m/D =	nucl Kov(a) ZECK
Qty.	List Price \$4	isic core ins			key is included at no charge for every 50 lock sets ordered.
3	\$12				

Intrinsic Master Keys are used to open any Intrinsic style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.

Trendway Corporation 13467 Quincy St. Holland MI 49424 Phone: (800) 893-8115 Fax: (800) 893-8121 www.trendway.com

Intrinsic Keying Order Form

		y Set – ZFLC	. ` T		Key-Alike Special Tagging Instructions
Qty.	List Price \$16	Key Number S101-S200	Floor	Office	ney raine opeolar ragging menasione
dditic		ic Lock Key(s) – ZFł	KEY	
Qty.	List Price \$8	Key Number S101 -S200			
dditic	T	ic Core Instal	lation/F	Remova	l Key(s) – ZFCK
Qty.	List Price \$4		One co	ore remova	key is included at no charge for every 50 lock sets ordered.

1-800-893-8121. Orders are shipped within 24-hours of receipt.

The Intrinsic Core/Key Set must be ordered when the Key-Alike Lock option is chosen to replace the "disposable" core that ships with Intrinsic filing units in order for these units to lock. This set can also be ordered to replace an existing Intrinsic Core/Key Set. Includes an Intrinsic lock core, 1 lock key and 1 Core Installation/Removal Key for every 1 to 50 Core/Key Sets ordered.

Intrinsic Core Installation/Removal Key

The Intrinsic Core Installation/Removal Key is needed to install or remove Intrinsic Cores in Intrinsic filing units or in Intrinsic Locks for Choices Flipper Units (ZCHFLA and ZCTAFLA). One Core Key is included at no charge with every 1 to 50 Intrinsic Core/Key Sets ordered. This key is available if additional Installation/Removal Keys are needed.


Intrinsic Lock Key

Intrinsic Lock Keys have a unique fold-away design to allow for a larger key grip area. These keys are available if additional Intrinsic Lock Keys are needed.

	Intrinsic Core/Key Set			
		List Price	Catalog Number	Key Number
		\$16	ZFLCK	S101-S200
	Intrinsic Core Installation/Remova	al Key		
		List Price	Catalog Number	
		\$4	ZFCK	
	Intrinsic Lock Key			
		List Price	Catalog Number	Key Number
55 50 1		\$8	ZFKEY	S101-S200
	Build your co Part Number	omplete here:		

Sample Part Number:

Total Cost \$8 =



12

Overview & Order Information

Intrinsic Freestanding

Typical Workstations	14
Overview & Ordering Information	15
Rectangular, Extended Rectangular Desks & Credenzas	21
Bowed Top & Extended Bowed Top Desks	23
D-Top & Extended D-Top Peninsula Desks	25
P-Top & Extended P-Top Peninsula Desks	27
Corner Desks	29
Extended Conference Desk	30
Freestanding Desks	31
Freestanding Desk Modesties	32
Returns & Bridges	33
Hutches (Including Wall Mounted Storage)	34
Pedestals – Laminate	38
Pedestal Accessories – Laminate	39
Lateral Files – Laminate	40
Storage Cabinets – Laminate	42
Storage Cabinet Accessories – Laminate	43
Storage Credenzas – Laminate	44
Storage Towers – Laminate	45
Storage Tower Accessories – Laminate	46
Bookcases – Laminate	47
Bookcase Shelves – Laminate	48
Reception Stations	49

Typical 6'x6' "L" Workstation		Lis	st Price \$5,369
		Quantity	Catalog Number
		1	ZFRD3072
	P	1	ZFSR2442
		1	ZFHD72
		1	ZFP6612
72" 72"	Ê	1	ZFP1212

Typical "U" Workstation		Lis	st Price \$5,630
		Quantity	Catalog Number
] 1	ZFBD3672
	`@	1	ZFSB2448
] 1	ZFRD2472
		1	ZFHD72
114" 72"	Ê] 1	ZFLAT236

Typical Peninsula "L" Worksta	ation	Li	st Price \$7,759
		Quantity	Catalog Number
] 1	ZFPDD3072
	Ŷ	1	ZFSR2442
	E] 1	ZFLAT236
		1	ZFHD72
72" 96"		1	ZFSTWL6612

Typical Peninsula "U" Workstat	tion	Lis	st Price \$5,274
		Quantity	Catalog Number
	TI.] 1	ZFPDR3672
	₽] 1	ZFSB2448
] 1	ZFRD2472
		1	ZFHD72
108" 72"	Î	1	ZFP6612
* *			


Typical Curved Corner "U"	Workstatio	on Li	st Price \$9,795
	Q	uantity	Catalog Number
		1	ZFERDR487236
	9	1	ZFSB2424
		1	ZFERDL247236
		1	ZFHD72.PM
100		1	ZFFC306612
108"		1	ZFWRF536
		1	ZFMP612W

Typical Desk with Credenza W	orkstatio/	n Li:	st Price \$6,510
	Qı	uantity	Catalog Number
		1	ZFRD3672
		1	ZFRD2472
		1	ZFHD72
	ß	2	ZFP1212
138" 72"		1	ZFP6612

Typical Mirrored "L" Workstat	List Price \$9,056			
		Quantity	Catalog Number	
		1	ZFERDR367224	
		1	ZFERDL247236	
	Ŷ	2	ZFSR2442	
		2	ZFP6612	
		2	ZFHD72	
78" > 144"				

Typical Reception Worksta	ation	Lis	st Price \$4,133
		Quantity	Catalog Number
] 1	ZFRSL7272
	Ĩ] 1	ZFP6612
72" 72"	Ĵ	1	ZFP1212
~ · · -			

Typical Executive Office		Lis	t Price \$10,389
	(Quantity	Catalog Number
		1	ZFBD3672
		1	ZFDDF236
		1	ZFLATF236
		1	ZFHD72
	×	2	ZFBCC524
106" 120"		1	ZFP6612
		1	ZFP1212



Intrinsic Freestanding Overview

Trendway. >

Intrinsic Freestanding is a fully integrated line of quality freestanding desks and modular case goods. The collection includes desks, credenzas, hutches, modular filing and storage, and conference tables. This line offers high-end aesthetics, with a range of styling options and finishes.

Ordering Information

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example. ZFCD2436 represents an Intrinsic Corner Desk, 24" (610)-deep by 36" (762)-wide.

By following the Sample Part Number Example at the bottom of each page, you create a Part Number for each product. This Part Number will match your acknowledgement and packing slip.

When ordering filing and storage units, list the following:

- 1. Quantity (combine same products)
- Complete Part Number, see Sample Part Number at the bottom of each page for correct number sequence.
- 3. For ease of reading, place a period between each option number (ZFERDR427230.F.XZ1.XZ4.XZ1).


Intrinsic Key Option


Intrinsic Laminate filing and storage units have two lock options to choose from. Units can be randomly keyed (option "R") or they can be key-alike (option "T") for no additional upcharge (see page 9 for more information). When the randomly keyed option "R" is chosen the Intrinsic Laminate filing and storage unit will ship with a randomly numbered core/key.

When the key-alike option "T" is chosen the Intrinsic Laminate filing unit will ship with a "disposable" core in place of the core/key and the specified Intrinsic Core/Key set(s) will be packaged separately for field installation. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic Laminate filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the Intrinsic Keying order form.

Sample Part Number:

Total Cost \$1180 =





STANDARD FEATURES

Modesties

Modesty panels are available as fullheight or half-height. Half-height modesties provide 12" (305) of space under the modesty for accessing wall

End Panels and Supports

Desks come with full depth end panels or Adjustable Support Column and T-base (Peninsula and Extended Conference desks only). Returns come with a full or recessed end panel.

Edgebanding

Components are finished with PVC edgebanding. The edgeband color will always match the color of the Thermofused Laminate unless an option pick is noted. All work surfaces and storage component tops have 3mm edgebanding. All remaining components have 1mm edgebanding.

Wire Management

All desks, credenzas, returns, bridges, and reception stations are equipped, at work surface level, with one or multiple grommets. An optional grommet is available for field installation in all modesty panels. Grommets are available in black only.

All drawers are built for trouble-free performance:

- Chrome plated fully progressive ball bearing suspensions with over-travel on all lateral file drawers with 150 lbs rated load capacity.
- Chrome plated ball bearing suspensions on all box drawers and file drawers with 75 lbs rated load capacity.
- Drawer construction is laminated particleboard sides with MDF bottom.
- Integrated PVC top rails for file storage on lateral drawers and 12" pedestal drawers.
- Interlock standard on all freestanding laterals.

Doors

Hutch and Storage doors have 95 degree hinges and shock absorbent bumpers.


Leveling Glides


Desks, Čredenzas, Returns, Bridges, Reception Stations, Tables and Bookcases allow up to 1" height adjustment.


Pedestals, Laterals, File Centers, Storage Cabinets and Towers allow up to 15/8" height adjustment, and are adjustable from inside the storage unit.


Pull Style Options

Intrinsic Laminate Freestanding filing and storage units have four 128mm center applied pull options (Classic, Streamline, Designer and Mod2) and one 256mm center pull (Modern). These are all plated nickel finish.











Dimensions

All dimensions listed are nominal unless otherwise noted.

Certification

All components of the Intrinsic Freestanding offering meet or exceed ANSI/BIFMA x5.5-2014 performance standards unless noted.

Special Products and Finishes

Please contact Trendway Custom Solutions 1-800-893-8117 for product availability and pricing on non-standard products.

Special finishes (i.e. non-standard) may be ordered at an upcharge. Minimum quantity may be required. Please verify with our Custom Solutions Department. Delivery may take longer depending on the choice of finish or type of material.

SPECIFICATIONS

Component Capacities

Trendway Corporation will not, under any circumstances, guarantee or assume responsibility for loading performance beyond the basic individual component capacities given below.

Desks:

5 lbs. (2.3kg) per linear inch, uniformly distributed.

Hutches and Bookcases:

3 lbs. (1.4kg) per linear inch of usable space.

Overhead Storage Units: Inside — 3 lbs. (1.4kg) per linear inch. Top — 2 lbs. (.9kg) per linear inch of usable space.

Pedestal:

6" (152) Pedestal Drawer — 20 lbs. (9kg) 12" (305) Pedestal Drawer — 40 lbs. (18kg) Top — 90 lbs. (41kg)

Laterals:

Drawer — approx. 2.6 lbs. (1.17kg) per

Top — approx. 4.6 lbs. (2.1kg) per linear inch

Storage Towers:

6" (152) Pedestal Drawer — 20 lbs. (9kg) 12" (305) Pedestal Drawer — 40 lbs. (18kg) Top — 140 lbs. (64kg) Wardrobe Shelf — 30 lbs. (14kg) Wardrobe Bottom — 50 lbs. (23kg) Cupboard Shelf — 60 lbs. (27kg) Cupboard Bottom — 90 lbs. (41kg) Coat Rod — 55 lbs. (25kg)

Double-Door Storage Units:

Shelf — 100 lbs. (45kg) Top — 160 lbs. (73kg) Bottom of Cabinet — 160 lbs. (73kg) Coat Rod — 55 lbs. (25kg)

Tables:

36" (914) - 60" (1524) — 200 lbs. (276kg) 72"(1829) and longer — 400 lbs. (552kg)

Reception Stations:

Counter Caps: 3.5 lbs. (1.6kg) per linear inch, uniformly distributed.

Maximum Load Capacity For Any Storage Unit

Trendway, >

The maximum load capacity for any storage unit is calculated by multiplying the above stated lbs. for each shelf or drawer that is included with the unit and adding them together (includes the top of the unit and the inside bottom).

Eg: Maximum load capacity for a ZFDDF536 = load capacity for bottom + 3 shelves + unit top

- $= 160 \text{ lbs.} + 100 \text{ lbs.} \times 3 + 160 \text{ lbs.}$
- = 620 lbs. maximum load

Eg: Maximum load capacity for a ZFLATF236 = load capacity for drawer x 2 drawers + unit top

- = 2.6 lbs./linear in. x 36" x 2 + 4.6lbs./ linear in. x 36"
- = approx. 352 lbs. maximum load (for actual load capacities for each size Intrinsic Laminate Lateral File contact Trendway Customer Care or visit trendealer.com).

Note: The addition of more shelves does not increase the maximum amount a unit can be loaded.


WARNING:

Failure to observe the recommended practices, such as loading beyond listed capacities, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not be responsible for product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Laminate Lateral Files and File Center Specifications


Intrinsic Laminate Lateral Files and Lateral File Centers are factory configured for side-to-side filing. If front-to-back filing is desired, the side-to-side filing bars may be removed. No additional parts are necessary to convert drawer to front-to-back filing.




For use with Intrinsic Laminate Lateral Files and File Center

Legal Size Filing

30" - Wide & File Center



- 1 Pair Intrinsic Laminate Front-to-Back Filing Bars
- 36" Wide




1 Pair Intrinsic Laminate Front-to-Back Filing Bars

30" - Wide & File Center



- 1 Intrinsic Laminate Front-to-Back Filing Bar
- 36" Wide



1 Pair Intrinsic Laminate Front-to-Back Filing Bars

Lateral Files

CAUTION: Any freestanding lateral file, if improperly used or loaded, can tip. Since files may contain significant weight, this tipping can result in serious damage and/or personal injury. For proper and safe performance, read and follow instructions provided with each file.

Do not attempt to open more than one lateral file drawer at a time. Do not use drawers as steps. Failure to follow these instructions may cause tipping of cabinet, resulting in personal injury.

Use counterbalance weights whenever lateral files or pedestals are not anchored or ganged back-to-back. Side-by-side ganging does not improve stability.

To avoid tipping, always load bottom drawers before loading top drawer.


Intrinsic Freestanding Components Planning

These planning guidelines provide instructions for safely configuring Intrinsic Freestanding product applications. The following diagrams illustrate the proper use of supporting elements, connecting hardware, and overhead components.

C-Leg Supports and Recessed Support Leg Kits

 In many applications, C-Legs or Recessed Support Leg Kits (ZFRL) can be used for additional support and stability (Fig. A).


Fig. A



Peninsula P-Top and D-Top Desks

Peninsula P-Top and D-Top Desks are required to be attached to a Return or Bridge. They are not to be used as freestanding desks (Fig. B).

Fig. B



Bridges


When a 48" (1219) Bridge is attached to any desk, a Peninsula C-Leg or Recessed Support Leg Kit is required near center of Bridge. When a 36" (914) or wider Bridge is attached to an extended desk on either side, a Peninsula C-Leg or Recessed Support Leg Kit is required near the center of the Bridge (Fig.B). Bridges are shipped with all necessary attachment hardware.

Returns

Returns are non-handed and available with a full end panel or a recessed end panel. Returns are shipped with all necessary attachment hardware (Fig. C).

The recessed end panel support may not be used as an end of run support. Returns specified with the recessed end panel are designed to be used with an extended conference desk (ZFEC2448) and will allow additional leg clearance.


Fig. C



Corner Desk

The Corner Desk is required to have a Return or Bridge on at least one side. It is not a freestanding desk (Fig. D).


Fig. D




Extended Conference Desk


The Extended Conference Desk must be attached to two Returns. The recessed end panel is recommended for increased leg clearance and accessibility (Fig. E).

Fig. E




Rectangular and Bowed Front Desks






Rectangular/Credenza Desks



Returns and Bridges



Work Surfaces

The Intrinsic Freestanding work surfaces are 1" thick. Please consider this prior to attaching anything to the underside of the work surface. Using incorrectly sized mounting hardware may cause damage to the top of the work surface. It is also recommended that a pilot hole be drilled prior to fastening any mounting hardware.

Hutch Component Planning

All Hutches are attached to work surface with double-sided foam tape. All Hutches require a floor supported element (Pedestal, Lateral, File Center, Double-Door Storage Cabinet, end panel, Recessed Support Leg Kits or C-Leg) directly under each Hutch side panel. In addition, the Desk/ Credenza that the hutch is attached to is required to be attached to a Return, Bridge or be situated against a wall.


Corner Desks


Intrinsic Freestanding Hutch and Open Hutch Placement Guide

The following illustrations show valid locations for attaching Freestanding Hutches with Doors and Open Hutches to Desk modules.

Extended Peninsula Desks P-Top and D-Top

Hutches with Doors may be placed on Extended Peninsula Desks if accompanied by proper length Return or Bridge with required floor support element (Fig. F).






Extended Rectangular Desks accept Hutches with Doors and Open Hutches

Extended Rectangular Desks

Rectangular Desks




Grommets

Work surface grommets are standard on all desk units, bridges and returns.

Grommets are available in black only. The following drawings show standard grommet locations.


Contact your Customer Care representative for more information.


Grommet Dimensions



Standard Grommet Locations


Rectangular/Credenza and Bowed Front Desks






Freestanding Rectangular and


Freestanding Kidney Desks




D-Shaped Peninsula Desks




P-Shaped Peninsula Desks




Extended D- and P-Shaped Peninsula Desks







Corner Desks



Returns/Bridges



Extended Rectangular/Credenza Desks



Right-Hand

Left-Hand

Rectangular Desks/Credenza

The Rectangular Desk has a Thermofused Laminate top with vinyl edging. Standard features include a modesty, end panels, leveling glides and grommets. See grommet information in the planning section for standard grommet locations.

End panels are non-handed and can be field installed on either the left or right side.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are

specified separately for maximum flexibility. These units are offered in the filing and storage section.


If using a 24" (610)-deep desk as a Credenza, the inside dimensions are $57^{5/8}$ " (1464) for a 60" (1524)-wide and $69^{5/8}$ " (1768) for a 72" (1829)-wide. Therefore, two 30" (762)-wide storage units will not fit under a ZFRD2460 and two 36" (914)-wide storage units will not fit under a ZFRD2472.

Shipped ready to assemble.

Intrinsi	c Rectangular	Desk/0	Crede	nza				
Dime Depth	nsions Width	List F Thermo Gra 1	fused	Catalog Number	Modesty Panel/ Support	Top Color	Top Edge Color	Modesty/ End Panel Color
24" (610)	48" (1219) 60" (1524) 66" (1676) 72" (1829)	\$785 802 820 834	\$863 880 898 912	ZFRD2448 ZFRD2460 ZFRD2466 ZFRD2472	No Cost H Half	Thermo- fused Laminate	Thermo- fused Laminate	See Surface Materials Page 7
30" (762)	48" (1219) 60" (1524) 66" (1676) 72" (1829)	\$894 921 950 993	\$972 999 1028 1071	ZFRD3048 ZFRD3060 ZFRD3066 ZFRD3072	F Full	See Surface Materials Page 7	See Surface Materials Page 7	Modesty and End Panel Edge will match color.
36" (914)	72" (1829)	\$1056	\$1196	ZFRD3672				
		l your con Number h			_			

Sample Part Number:

Total Cost \$950 =




Extended Rectangular Desks/Credenza

The Extended Rectangular Desk has a Thermofused Laminate top with vinyl edging. Standard features include a modesty, end panels, leveling glides and grommets. See grommet information in the planning section for standard grommet locations.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.

If using a 24" (610)-deep extended desk as a Credenza, the inside dimensions are $57^5/8$ " (1464) for a 60" (1524)-wide and $69^5/8$ " (1768) for a 72" (1829)-wide. Therefore, two 30" (762)-wide storage units will not fit under a ZFERDR366024 and two 36" (914)-wide storage units will not fit under a ZFERDL247236.

Shipped ready to assemble.



Bowed Front Desks

The Bowed Front Desk has a Thermofused Laminate top with vinyl edging. Standard features include a modesty, end panels, leveling glides and grommets. See grommet information in the planning section for standard grommet locations.


The Bowed Front Desk has a bowed top that is curved on the guest side extending 6" at the center.

End panels are non-handed and can be field installed on either the left or right side.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.


Shipped ready to assemble.

Intrinsic Bowed Front Desk



Sample Part Number:

Total Cost \$1079 =




Extended Bowed Front Desks

The Extended Bowed Front Desk has a Thermofused Laminate top with vinyl edging. Standard features include a modesty, end panels, leveling glides and grommets. See grommet information in the planning section for standard grommet locations.

The Extended Bowed Front Desk has a bowed top that is curved on the guest side extending 6" at the center.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.

Shipped ready to assemble.



Trim

Color

Standard

Finish

No Cost

Premium

See Surface

Materials Page 7 Specify Only if T-Base Selected

Finish +\$42

Trendway. >

D-Top Peninsula Desks

D-Top Peninsula and Extended D-Top Peninsula Desks have Thermofused Laminate D shaped top with vinyl edging. Standard features include a T-base support with adjustable height support column, or a modesty with end panels, leveling glides and grommets. See grommet information in the planning section for standard grommet locations.

D-Top Peninsula Desks are non-handed and Extended D-Top Peninsula Desks are handed.


If T-Base is chosen, specify a trim color for the support column.

Note: A D-Top Peninsula Desk must be connected to other Freestanding units for proper stability. Refer to planning guidelines for more information.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.


Shipped ready to assemble.


Intrinsic D-Top Peninsula Desk



Sample Part Number:


Build your complete Part Number here:







T-Base

Extended D-Top Peninsula Desks, continued








Intrinsi	c Extend	ed D-Top	Penins	ula D	esk -	- Right-Han	d				
Depth 1	Dimens Width 1	ions Width 2	Depth 2	Thermo	Price ofused ade 2	Catalog Number	Modesty Panel/ Support	Top Color	Top Edge Color	Modesty/ End Panel Color	Trim Color
24" (610) 24" (610) 24" (610) 24" (610)	42" (1067) 42" (1067) 42" (1067) 48" (1219)	60" (1524) 66" (1676) 72" (1829) 72" (1829)	30" (762) 30" (762) 30" (762) 36" (914)	1422 1435	\$1478 1500 1513 1602	ZFEDDR426030 ZFEDDR426630 ZFEDDR427230 ZFEDDR487236	No Cost H Half F Full T T-Base	Thermo- fused Laminate See Surface Materials Page 7	Thermo- fused Laminate See Surface Materials Page 7	See Surface Materials Page 7 Modesty and End Panel Edge will match color.	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7 Specify
Intrinsion	c Extendend	ed D-Top	Penins	ula D	esk -	-					Only if T-Base Selected
Depth 1	Dimens Width 1	ions Width 2	Depth 2	Thermo	Price ofused ade 2	Catalog Number					

	Depth 1	Width 1	Width 2	Depth 2	1	2	Number			
	30" (762) 30" (762) 30" (762) 36" (914)	60" (1524) 66" (1676) 72" (1829) 72" (1829)	42" (1067) 42" (1067) 42" (1067) 48" (1219)	24" (610) 24" (610) 24" (610) 24" (610)	1422 1435	1500 1513	ZFEDDL306042 ZFEDDL306642 ZFEDDL307242 ZFEDDL367248			
	_W1	W2	, ,	, ,						
D1			D2 1							
	Left	-Hand w/Full M	lodesty							
					_					

Sample Part Number:





P-Top Peninsula Desks

P-Top Peninsula and Extended P-Top Peninsula Desks have Thermofused Laminate P shaped top with vinyl edging. Standard features include a T-base support with adjustable height support column, or a modesty with end panels, leveling glides and grommets. See grommet information in the planning section for standard grommet locations.


If T-Base is chosen, specify a trim color for the support column.

Note: A P-Top Peninsula Desk must be connected to other Freestanding units for proper stability.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.

Shipped ready to assemble.


Intrinsic P-Top Peninsula Desk - Right-Hand





Left-Hand w/T-Base

Sample ZFPDL3672 H. .XZ2 .XZ4 .XZ4 Part Number: N/C **→** N/C **→** N/C N/C = Total Cost \$1255 \$1255

Extended P-Top Peninsula Desks, continued








Depth 1	Dimer Width 1	nsions Width 2	Depth 2	1	Price ofused ade 2	Catalog Number	Modesty Panel/ Support	Top Color	Top Edge Color	Modesty/ End Panel Color	Trim Color
24" (610) 24" (610) 24" (610)	42" (1067) 42" (1067) 42" (1067)	60" (1524) 66" (1676) 72" (1829)	36" (914) 36" (914) 36" (914)	\$1589 1606 1618	1684	ZFEPDR426036 ZFEPDR426636 ZFEPDR427236	No Cost H Half F Full T T-Base	See Surface	Thermo- fused Laminate See Surface Materials Page 7	See Surface Materials Page 7 Modesty and End Panel Edge will match color.	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7
Intrinsic Extended P-Top Peninsula Desk – Left-Hand											Specify Only if T-Base Selected

		Dimer	nsions			ofused ade	Catalog
	Depth 1	Width 1	Width 2	Depth 2	1	2	Number
	36" (914)	60" (1524)	42" (1067)	24" (610)	\$1589	\$1667	ZFEPDL366042
	36" (914)	66" (1676)	42" (1067)	24" (610)	1606		ZFEPDL366642
	36" (914)	72" (1829)	42" (1067)	24" (610)	1618	1696	ZFEPDL367242
	<i>,</i>						
	W1 /		2				
//	6" (152)		D2				
4	()						
D1	×						
Left-Hand w/Fu	ıll Modestv						
			_	Build you			
				Part Num	iber he	re:	

List Price



Corner Desks

The Corner Desk has a Thermofused Laminate top with a curved or straight front. Standard features include full end panels, leveling glides and grommet. See grommet information in the planning section for standard grommet locations.

A Corner Desk must be connected to other freestanding units for proper stability.


Shipped ready to assemble.

Intrinsic Corner Desk

	Depth	Dimensions Width	Front Width	List P Thermot Grad	fused	Catalog Number	Front	Top Color	Top Edge Color	Modesty/ End Panel Color
W Fron	24" (610)	36" (914)	17" (432)	\$918	\$973	ZFCD2436	No Cost S Straight C Curved	Thermo- fused Laminate See Surface Materials Page 7	See Surface	See Surface Materials Page 7 Modesty and End Panel Edge will match color.
	t Width –									
				d your con Number h						

Sample Part Number:

Total Cost \$918 =




Extended Conference Desk

The Extended Conference Desk provides a shared conferencing surface at the end of two adjacent work stations. Must be attached to two 24" (610)-deep Rectangular Desk/Credenzas or Returns.

The Extended Conference Desk has a Thermofused Laminate top with vinyl edge.

The Extended Conference Desk includes an adjustable support column and all necessary attachment hardware. Support Column available in standard and premium trim colors.


Shipped ready to assemble



Intrinsic Extended Conference Desk List Price Thermofused Top Catalog **Dimensions** Grade Edge Trim Top Width Number Color Depth Color Color Stan-Thermofused Thermofused 24" (610) 48" (1219) \$699 \$757 **ZFEC2448** dard Finish See Surface See Surface Cost Materials Materials Page 7 Page 7 Premium Finish +\$42 See Surface Materials Page 7 **Build your complete** Part Number here:

Sample Part Number:

Total Cost \$699 =



Freestanding Desks

Intrinsic Freestanding Desks have a 1" Thermofused Laminate top with a 3mm vinyl edgeband. They are available with the following top shapes: Kidney, Rectangular and Bowed. They can be configured with 4" column legs with either adjustable leveling glides or locking casters. Freestanding desks also offer multiple grommet options. See grommet information in the planning section.


Accessories include field-installed laminate and mesh modesties, steel front center drawers (CDW), pencil drawers (PDR), Pop-up Power/ Data Modules (SICELECM).

Note: The Kidney shaped desk may only be used in a freestanding application. It cannot be attached to a bridge or return.

Note: Freestanding Rectangular and Bowed front desks include a steel hat section and mounting hardware that must be installed on the underside of the worksurface.

The Freestanding Rectangular and Bowed front desks may be attached to a bridge or return when the return includes a recessed support leg (i.e. 60"-72" Returns) or when a Recessed Support Leg Kit (ZFRL) is ordered and placed within 4" of the modesty edge on the end that connects to the freestanding desk.

Shipped ready to assemble.




Laminate Modesty

The Laminate Modesty is made of 5/8" Thermofused laminate. It is available in standard Intrinsic Freestanding Thermofused laminate colors with matching edge color. The modesty should be ordered to match the style and length of the Intrinsic Freestanding Desk ordered. Modesties include mounting hardware. Freestanding Desks are pre-drilled to accommodate the modesty.


Mesh Modesty

The Mesh Modesty provides privacy with a lighter feel. The modesty is a dimensional knit of polyester with a nylon pouch for cable management. The modesty should be ordered to match the length of the Intrinsic Freestanding Desk ordered. Modesties include mounting hardware. Freestanding Desks are pre-drilled to accommodate the modesty.



Laminate Modesty

Dime Height	nsions Length	Desk Style	Therm	Price ofused ade 2	Catalog Number	Modesty Color
73/4" (197)	32" (813) 37" (940) 53" (1346) 59" (1499)	66" Kidney 72" Kidney 66" Rect/Bowed 72" Rect/Bowed		\$194 199 194 199	ZFFDML66K ZFFDML72K ZFFDML66RB ZFFDML72RB	Thermofused Laminate See Surface Materials Page 7



Mesh Modesty

Dime Height	nsions Length	Desk Style	List Price	Catalog Number	
12'/²" (318)	37" (940)	66" Kidney 72" Kidney 66" Rect/Bowed 72" Rect/Bowed	\$264 275 303 313	ZFFDMM66K ZFFDMM72K ZFFDMM66RB ZFFDMM72RB	
		Build yo Part Nur			

Sample Part Number:

Total Cost \$188 =



Returns

Returns are designed to be used as an extension off the front edge of a Freestanding Desk, the sides of a Corner Desk or the side of a Peninsula Desk.

The Return has a rectangular Thermofused Laminate top with vinyl edging. Standard features include a modesty, end panel, leveling glides and grommet. See grommet information in the planning section for standard grommet locations. All necessary attachment hardware included.

Returns are non-handed and can be field installed on either the left or right side.

Shipped ready to assemble.

Note: Intrinsic Returns may be ordered with a 14" (356) recessed end panel for applications requiring additional leg clearance. Refer to planning guidelines for more information.

Bridges


The Bridge is designed to be used as a connection between two desks to create a U-shaped configuration. The Bridge has a rectangular Thermofused Laminate top with vinyl edging. Standard features include a modesty and grommet. See grommet information

in the planning section for standard grommet locations. All necessary attachment hardware included.

Shipped ready to assemble.

C-Leg or Recessed Support Leg Kit

The C-Leg or Recessed Support Leg Kit is required in certain applications as outlined in the planning section. The C-Leg kit is available in all Trendway standard smooth trim colors. The recessed support leg kit is available in all Intrinsic Thermofused laminate colors. All necessary attachment hardware is included.



Filing & Storage

Hutches with Doors

The Intrinsic Hutch with doors is available in a variety of widths, and is available with two door style options. Standard features include equally proportioned non-locking hinged doors (2 doors for 36" to 48" hutches and 4 doors for wider hutches), 1" (25)-thick top, full-coverage back panel with finished wire management ring at task light level, and integrated 11/2" full-length cord management gap at base of the back panel.

Available accessories include full-width paper management slots, tackboard, task lights,cord management gap guard, and framed door kits.

The optional Hutch with doors and standard Low Profile paper management

slot quantities and dimensional widths are as follows:

Width	Slot qty	Slot width
36" (914)	3	107/8" (276)
42" (1067)	3	124/5" (325)
48" (1219)	3	147/8" (378)
60" (1524)	5	11" (2 7 9) ´
66" (1676)	5	12¹/²" (31́8)
72" (1829)	5	13³/8" (340)

The color of the paper management option on the Hutch with doors will always match the unit color.

Note: Unit color refers to side panels, back panel and valance.

Note: Framed door option includes silver frame and choice of available insert options.


Note: All Hutches attach to work surface with double-sided foam tape. Shipped assembled.

Low-Profile Paper Management Hutch

The Low-Profile Paper Management Hutch is available in a variety of widths. Standard features include paper management slots as defined on this page, ⁵/₈" (16) top, full-coverage back panel with finished wire management ring at task light level, and integrated 11/₈" full length cord management gap at base of the back panel.

Available accessories include tackboards, task lights, and cord management gap guard.

Shipped assembled.



Intrinsic Hutch with Doors

Depth Width Height 14" (356) 36" (914) 42" (1067) 48" (1219) 60" (1524) 66" (1676) 72" (1829) Low-Profile Paper Man		List Price Thermofused Grade 1 2 \$1104 \$1182 1248 1388 1292 1397 1465 1605 1520 1660 1552 1692		Catalog Number Management ZFHD36 N No Cost No Paper Manage- ZFHD48 Management ZFHD66 Ment	Door Style LD No Cost Laminate Door FD + \$421 36"-48" Silver Framed Door + \$691 60"-72"	Framed Door Insert No Cost Plexiglass Frosted Plexiglass + \$106 36"-48" + \$130 60"-72" 3form + \$366 36"-48" + \$500 60"-72" See Surface Materials Page 7	Unit Color Thermo- fused Laminate See Surface Materials Page 7 Unit Edge will match unit color	Top Color Thermo- fused Laminate See Surface Materials Page 7	Top Edge Color Thermo- fused Laminate See Surface Materials Page 7	Door Color Door Edge will match Door Color Door frame will be Silver if FD option is chosen.	Gap Guard XN No Cost No Gap Guard XG +\$60 Gap Guard		
Depth	Dimensions Width	Height	List Therm	Price	Catalog Number								
14" (356)	36" (914) 2 42" (1067) 48" (1219) 60" (1524) 66" (1676) 72" (1829)	23³/e" (940)	\$968 1088 1139 1300 1419 1475	\$999 1166 1217 1378 1497 1553	ZFLPH36 ZFLPH42 ZFLPH48 ZFLPH60 ZFLPH66 ZFLPH72								
Build your complete Part Number here:													
Sample Part Number:				ZFHD72	.PM 	.FD 	.01	.XZ4	.XZ1	.XZ4	.XZ1	.XN 	
Total Cost \$2565 =			\$1552 =	\$322	\$691	N/C	N/C	N/C	► N/C ■	■ N/C ■	N/C		

Framed Hutch Door Kits

The Intrinsic Framed Hutch Door Kits are available for Hutches with Doors and Wall Mounted Storage Units. The kits include silver framed doors, door hinges and your choice of available insert options. The framed doors can be mounted in place of existing laminate doors. Requires use of original hinge and screws for installation.




Framed Hutch Door Kits

Description	Kit Door Qty.	List Price	Catalog Number	Framed Door Insert
· · · · · · · · · · · · · · · · · · ·	200. 4.7.			
Hutch with Doors		A 400		No Cost
For use with ZFHD36	_	\$483	ZFFDKIT36	Plexiglass
For use with ZFHD42	_	511	ZFFDKIT42	Frosted
For use with ZFHD48	_	525	ZFFDKIT48	Plexiglass
For use with ZFHD60		804	ZFFDKIT60	+ \$106
For use with ZFHD66	•	829	ZFFDKIT66	36"-48"
For use with ZFHD72	4	844	ZFFDKIT72	
				+ \$130
Wall Mounted				60"-72"
For use with ZFWS30)H 2	\$441	ZFFDKIT30W	3form
For use with ZFWS36	SH 2	483	ZFFDKIT36W	+ \$366
				36"-48"
				* =00
				+ \$ 500 60"-72"
				60 -72"
				See
				Surface
				Materials
				Page 7
				191
	Build your cor			
	Part Number h			

Sample Part Number:

Total Cost \$1304 =



Open Hutch

The Open Hutch is available in 30" (762) and 36" (914) widths. The units are for use above work surfaces, above the 24" (610)-deep 2-high Double Door Storage Cabinet and above the 24" (610)-deep two-drawer lateral. The open hutches have a 3/8" (10) cord pass through gap behind the shelves and a 1" (25) full length cord management gap at base of the back panel. Each unit comes standard with two adjustable shelves and necessary shelf mounting pins. Each shelf is adjustable in 21/2" (64) increments.

Available accessories include additional shelves with mounting pins, tackboards and task lights.

Shipped ready to assemble.

Wall Mounted Storage Unit with Doors

The Wall Mounted Storage Unit with Doors is available in 30" (762) and 36" (914) widths. Each unit has two hinged non-locking doors. Attachment for Wall Mounted Storage Unit requires individual cabinet to be secured by a minimum of two wall mounting locations/studs.


The Wall Mounted Storage Unit is designed for installation on interior and

perimeter walls that are constructed of wood or metal studs.

Note: The back of the unit is recessed to eliminate visibility of the wall mount brackets.

Note: The unit includes mounting brackets to accommodate most installation applications. It is the responsibility of the dealer or installer to obtain any additional fasteners that may be needed to safely attach the unit to the wall.

Shipped assembled.



Tackboards

Can be mounted under Hutch with Doors or paper management, Open Hutches and Wall Mounted Storage Units.

Tackboard has a tackable panel fabric front and velcro attachment tabs.


Shipped assembled.

Note: Review Fabric Planning guidelines on page 5 to better understand directional fabric application details for Intrinsic freestanding tackboards.

Cord Management Gap Guard

The Cord Management Gap Guard bridges the open space between a hutch back and the top of the work surface below. Made of flexible material, it allows easy passage of electrical and data cables. The Cord Management Gap Guard is attached with adhesive tape (included). The Gap Guards are sized to fit on the Intrinsic Hutch with Doors. Find your correct corresponding sizes and catalog numbers on page 36. The

Cord Management Gap Guard can also be cut to size to be used on all other hutches. Available in black only.



Intrinsic Tackboards

Dimens Width	sions Height	0/1		ist Prici bric G 3		5	6	Catalog Number	Fabric Color
275/8" (702) 335/8" (854) 395/8" (1006) 455/8" (1159) 575/8" (1464) 635/8" (1616) 695/8" (1768))))	\$ 70 88 163 182 207 233 248	\$ 86 119 194 213 238 264 279	\$ 95 \$ 138 213 232 257 283 298	101 3 154 229 249 273 299 315	\$ 121 173 248 267 304 337 355	198 269 299	ZFTB30 ZFTB36 ZFTB42 ZFTB48 ZFTB60 ZFTB66 ZFTB72	See Surface Materials Page 6



Cord Management Gap Guard

Depth	Dimensions Length	Width	List Price	Catalog Number
s/e" (16)	27 ⁵ /s ^{II} (702) 33 ⁵ /s ^{II} (854) 33 ⁵ /s ^{II} (1006) 45 ⁵ /s ^{II} (1159) 51 ⁵ /s ^{II} (1311) 63 ⁵ /s ^{II} (1616) 69 ⁵ /s ^{II} (1768)	2" (51)	\$239 260 303 316 330 359 385	SIZFCMGG30 SIZFCMGG36 SIZFCMGG42 SIZFCMGG48 SIZFCMGG60 SIZFCMGG72
		Build your co Part Number l	•	

Sample Part Number:

Total Cost \$232 =

ZFTB48	.BFJ
\$232	N/C

Hutches

INTRINSIC LAMINATE PEDESTALS

When the key-alike lock option "T" is chosen, the Core/Key Set (ZFLCK) must be ordered separately or by using the Keying Order Form.

Shipped assembled.

Laminate Modular Pedestals

The Intrinsic Laminate Modular Pedestal is designed to be used beneath the work top.

Intrinsic Laminate Pedestals offer two drawer configurations: 12/12 with two 12" drawers or 6/6/12 with two 6" and one 12" drawer. 6/6/12 Pedestals include one pencil tray.

The Laminate Modular Pedestal has full extension ball bearing slides on both 6" and 12" drawers and includes lockable drawers and leveling glides.

Available accessories include Side-to-Side Filing Bars and additional Pencil Trays.

Laminate ³/₄ Mobile Pedestal

The Intrinsic Laminate Mobile ³/₄ Pedestal is designed with a full skirt that conceals the pedestal's casters. The ³/₄ Pedestal has full extension ball bearing slides on both 6" and 12" drawers and includes lockable drawers, one pencil tray, four casters and counterbalance weight.

Available accessories include Sideto-Side Filing bars and Cushion Top.

Intrinsic Laminate Modular Pedestals

Depth	Dimensions Width	Height		Price ofused ade 2	Catalog Number	Pull Style	Unit Color	Drawer Color	Lock
22" (559)	151/2" (394)	273/4" (705)	\$1062 1003	\$1093 1034	ZFP6612 ZFP1212	No Cost Applied	Thermo- fused Laminate	Thermo- fused Laminate	R No Cos Randoi
8						L Classic	See Surface Materials Page 7	See Surface Materials Page 7	*T Deduct - \$ -16
]				E Streamline	J	Drawer edge will	Key-Alik
						AZ Designer		match drawer color	Be sure to orde Core/Ke Sets
		,				MM Mod2			(ZFLCK separate (1 per unit)
						MD Modern			anit)

Intrinsic Laminate 3/4" Mobile Pedestal

Depth	Dimensions Width	Height	Therm	t Price nofused rade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Lock
22" (559)	151/2" (394)	23" (584)	\$1240	\$1271	ZFMP612W	No Cost Applied	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	R No Cost Random
		≥				L Classic	See Surface Materials	See Surface Materials	See Surface Materials	See Surface Materials	*T Deduct
					E Streamline	Page 7	Page 7	Page 7	Page 7 Drawer	- \$-16 Key-Alike	
						AZ Designer				edge will match	*Note: Be sure to
					MM Mod2				drawer color	order Core Key Sets (ZFLCK)	
						MD Modern					separately (1 per unit
			your co			_					_
			ample art Number:		ZFP1212	.E -	.XZ2	.XZ2	.XZ2	.XZ2	. <u>T</u>
Total Cost \$987 =				\$1003	N/C	N/C	N/C	■ N/C ■	N/C	-\$-16	

Laminate Mobile Pedestal Cushion Top Kit

The Pedestal Cushion Top Kit includes upholstered cushion and four attached velcro tabs to affix cushion to mobile pedestal.

Pedestal Pencil Tray

The Pencil Tray organizes small items in both the 6" (152) and 12" (305) Intrinsic Pedestal drawers and Lateral File Center drawers.

Available in black only.

Laminate Pedestal Side-to-Side Filing Bars


Side-to-Side Filing Bars convert Intrinsic Laminate 12" Pedestal and storage tower drawers to side-to-side or legalsize filing.

Available in black only.




Laminate Mobile Pedestal Cushion Top Kit

Α	В		ist Prica bric Gra D		F	G	Catalog Number	Seating Fabric Color
\$270	\$293	\$312	\$337	\$370	\$400	\$437	ZFMPEDCTK	See Seating price book Surface Material section



Pedestal Pencil Tray

Depth	Dimensions Width	Height	Description	List Price	Catalog Number	
51/2" (140)	133/8" (340)	1" (25)	Includes 1 pencil tray.	\$23	HPPT	



Laminate Pedestal Side-to-Side Filing Bars

Description	List Price	Catalog Number	
ncludes 6 hanging bars. Requires 1 per drawer.	\$79	ZFPSSB	
Build your c Part Numbe	complete r here:		_

Sample
Part Number:

_HPPT

Total Cost \$23 =

Laminate Two-Drawer Lateral Files

The Intrinsic Laminate Two-Drawer Lateral Files include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

The 18" (457)-deep lateral files are intended for use under work surfaces and may not be used in freestanding applications. The 24" (610)-deep, full-depth lateral is a freestanding element.

Shipped assembled.

Laminate Combination Lateral File Center

The Laminate Combination Lateral File Center combines the functionality of a pedestal and the lateral file into a single cabinet that fits below a work surface. The lateral file center has a handed drawer configuration as shown below.

The laminate file center includes full extension ball bearing slides, side-to-side filing bars and front-to-back filing bars in the lateral drawer, one pencil tray and leveling glides.

The laminate file center is intended for use under a work surface and may not be used in freestanding applications.

One lock secures the 12" file drawer and lateral drawer. The 6" box drawers are non-locking.

Shipped assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form.

Intrinsic Laminate Two-Drawer Lateral File with Top List Price Thermofused **Dimensions** Grade Catalog Pull Unit Top Edge Drawer Depth Width Number Style Color Color Height Color Color Lock Thermo-Thermo-Thermo Thermo-36" (914) 283/4" (730) \$1762 \$1840 ZFLATF236 No Cost 24" (610) No Cost Applied fused fused fused fused Laminate Laminate 24' Laminate Laminate Random Top (610)See See See See Surface Surface Surface Surface Classic Materials Materials Deduct Materials Page 7 Page 7 Page 7 Page 7 **- \$**-16 Key-Alike Ε Drawer Drawer Streamline Edge will *Note: match Be sure ΑZ door to order Designer color Core/Key Sets (ZFLCK) MM **Intrinsic Laminate Two-Drawer** separately Mod2 (1 per **Lateral File** unit) **List Price** MD Thermofused Modern **Dimensions** Grade Catalog Depth Width Height Number 30" (762) 273/4" (705) \$1370 \$1425 18" (457) ZFLAT230 36" (914) 1638 ZFLAT236 1560 Intrinsic Laminate Combination **Lateral File Center** 22" List Price (559)Thermofused **Dimensions** Grade Catalog Depth Width Height Number 22" (559) 31" (787) 273/4" (705) \$1828 \$1906 ZFFC306612 **Build your complete** Part Number here: Sample ZFLAT236 .E ZX4 XZ2 .R Part Number: N/C N/C Total Cost \$1560 = \$1560 N/C N/C

Laminate Four-Drawer Lateral Files

The Intrinsic Laminate Four-Drawer Lateral Files include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Shipped assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form.

Intrinsic Laminate Four-Drawer Lateral File

	Depth	Dimensions Width	Height	List I Thermo Gra 1		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Lock
Тор	24" (610)	36" (914) - Drawer	53" (1346)	\$4347	\$4447		No Cost Applied L Classic E Streamline AZ Designer MM Mod2 MD Modern	See Surface Materials	See Surface	Thermo- fused Laminate See Surface Materials Page 7	Laminate See Surface Materials	No Cost Random *T Deduct
Build your complet Part Number here:						_					_	

Sample	
Part Number	1:

Total Cost \$4347 =

ZFLATF436	.E _	.XZ4	.XZ1	.XZ1	.XZ4	.R _
\$4347	N/C	N/C	N/C	N/C	N/C	N/C

Laminate Double-Door Storage Cabinets

The Laminate Double-Door Storage cabinet is available in two depths (18" and 24") and two heights, two- and five-high.

Features include hinged locking double-doors with one adjustable shelf in the two-high unit and three adjustable shelves in the five-high unit. Shelves adjust vertically in 21/2" increments. Units also includes leveling glides.

Available accessories include additional Double-Door Storage Shelves and wardrobe bars.

Note: The 18" (457)-deep Double-Door Storage Cabinet is intended for use under the work surface and may not be used in freestanding applications. The 24" (610)deep Double-Door Storage Cabinet is a freestanding element.

Shipped assembled.

Laminate Wardrobe Storage Cabinet

The Laminate Wardrobe Storage cabinet is available as a five-high unit. Features include hinged locking double-doors, one shelf, a full-width wardrobe bar and leveling glides.

Available accessories include Double-Door Storage shelves.

Shipped assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form. Check Customer Care for availability.

Intrinsic Laminate Double-Door Storage Cabinet **List Price** Thermofused Top Pull Dimensions Catalog Unit Top Grade Edge Door Depth Width Number Style Height Color Color Color Color Lock Thermo-Thermo-No Cost Thermo-Thermo 283/4" (730) \$1413 \$1553 ZFDDF236 24" (610) 36" (914) No Cost Applied fused fused fused fused -24" (610) 65³/₄" (1670) 2339 2527 ZFDDF536 qoT Laminate Laminate Laminate Laminate Random See See See See Surface Surface Surface Surface *T Classic Materials Deduct Door Materials Materials Materials Page 7 Page 7 Page 7 Page 7 **- \$**-16 E Key-Alike Door Streamline Edge will *Note: match Be sure Two-High ΑZ door to order Designer color Core/Key Sets (ZFLCK) Five-High MM separately Mod2 (1 per unit) **Intrinsic Laminate Wardrobe Storage** MD **List Price** Modern Thermofused Catalog Dimensions Grade Depth Width Height Number 24" (610) 36" (914) 653/4" (1670) \$1979 \$2167 ZFWRF536 Intrinsic Laminate Double-Door 18" (457) Storage Cabinet List Price Thermofused Catalog Dimensions Grade Depth Width Height Number 273/4" (705) \$1149 \$1254 18" (457) 36" (914) ZFDD236 **Build your complete** Part Number here: Sample ZFDDF236 .AZ XZ2 XZ4 XZ4 XZ2 T. Part Number: N/C N/C Total Cost \$1397 = \$1413 N/C N/C N/C

Laminate Double-Door Storage Shelf

The Intrinsic Laminate Double-Door Storage Shelf fits in Intrinsic Laminate Double-Door Storage and Wardrobe Cabinets for additional shelf space. Includes one shelf and mounting hardware.

Wardrobe Bars

The Wardrobe Bar converts a laminate five-high Double-Door Storage Unit to a Wardrobe Unit. Wardrobe Bar attaches to the sides of the storage cabinet. Includes mounting hardware.

Available in black only.




Intrinsic Laminate Double-Door Storage Shelf (For ZFDD236)

Depth	Dimensions Width	Height	Therm	Price nofused rade 2	Catalog Number	Shelf Color
16¹/8" (352)	341/2" (876)	⁷ /8" (19)	\$144	\$150	ZFDDS	Thermofused Laminate
						See Surface Materials Page 7

Intrinsic Laminate Double-Door Storage Shelf (For ZFDDF236, ZFDDF536 and ZFWRF536)

	Dimensions		Therm	Price nofused rade	Catalog
Depth	Width	Height	1	2	Number
22" (352)	341/2" (876)	⁷ /8" (19)	\$152	\$168	ZFDDFS



Wardrobe Bars (For Five-High Laminate Wardrobe Storage Cabinet)

Dimensions Width	Height	List Price	Catalog Number	
343/8" (873)	1" (25) Diameter	\$120	ZFWRB36E	
	Puild vo			
	Build you Part Num			

Sample Part Number:

\$144

ZFDDS

.XZ3

N/C


Intrinsic Storage Credenzas

The Intrinsic Storage Credenzas come in three configurations, each with a unified Thermofused Laminate top. The **lateral units** include full extension ball bearing slides, an interlock mechanism (for each 2-drawer unit) allowing only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. The **double-door units** include hinged locking double doors with one adjust-able shelf and leveling glides. Shelves adjust vertically in 21/2" increments.

Note: The storage credenza with a double-door and lateral unit (ZFSCLATDD) is unhanded. Therefore, storage components can be placed on the left or right depending on user preference.

All versions ship in three pieces and require some assembly.

Intrinsic Storage Credenza List Price Thermofused Unit/ Door/ Top **Dimensions** Catalog Pull Shelf Top Grade Edge Drawer Depth Width Number Style Lock Height Color Color Color Color No Cost Thermo-Thermo Thermo-283/4" (730) \$4517 \$4657 **ZFSC2LAT** 24" (610) 72" (1829) Applied fused fused fused Surface No Cost 4009 4197 ZFSC2DD Laminate Laminate Laminate Materials Random **ZFSCLATDD** 4347 4535 Page 7 Classic See See See Surface Surface Surface Door/ Deduct Ε Materials Materials Materials drawer **- \$**-32 Page 7 Streamline Page 7 Page 7 edge Key-Alike color will ΑZ Unit shelf match *Note: Be sure Designer edge door/ to order color will drawer ZFSC2LAT Core/Key MM match color Mod2 unit/shelf Sets (ZFLCK) color MD separately Modern (2 per unit) ZFSC2DD **Build your complete** Part Number here: **ZFSCLATDD**



Laminate Storage Towers

The Laminate Storage Tower provides wardrobe, drawer and cupboard storage in a single cabinet. Each of these storage areas can be locked independently to allow for varying levels of security. Storage Towers are available in either a Right-Hand version with the wardrobe on the right side, or a Left-Hand version with the wardrobe on the left side.


Storage Towers have adjustable leveling glides. The wardrobe unit includes a wardrobe bar and one adjustable

shelf. The cupboard unit includes two adjustable shelves. Shelves adjust vertically in 21/2" (64) increments. The pedestals have full extension ball bearing slides on both 6" and 12" drawers. 6/6/12 pedestals include one pencil tray.

Available accessories include, side-toside filing bars, additional shelves, and a pencil tray.

Shipped assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form. Check Customer Care for availability.



Hutches

Laminate Storage Tower Cupboard Shelf

The Cupboard Shelf fits in Intrinsic Laminate Storage Tower units in the cupboard storage area for additional shelf space. Includes one cupboard shelf and mounting hardware.

Laminate Storage Tower Wardrobe Shelf

The Wardrobe Shelf fits in Intrinsic Laminate Storage Tower units in the wardrobe storage area for additional shelf space. Includes one wardrobe shelf and mounting hardware.

Laminate Pedestal Side-to-Side Filing Bars

Side-to-Side Filing Bars convert 12" (305) Intrinsic Laminate Pedestal and Storage Tower drawers to side-to-side or legal-size filing. One side-to-side filing bar required per drawer (Shipped 6 per package).

Available in black only.




Intrinsic Laminate Storage Tower Cupboard Shelf

Depth	Dimension Width	Height	Ther	t Price mofused Grade 2	Catalog Number	Shelf Color
22" (505)	14¹/₅" (394)	⁷ /8" (19)	\$106	\$112	ZFSTWCS	Thermo- fused Laminate
						See Surface Materials Page 7



Intrinsic Laminate Storage Tower Wardrobe Shelf

Depth	Dimension Width	Height	List Price Thermofused Grade		Catalog Number
22" (505)	71/4" (394)	7/8" (19)	\$82	\$88	ZFSTWWS



Intrinsic Laminate Pedestal Side-to-Side Filing Bars

Description	List Price	Catalog Number	
Includes 6 hanging bars. Requires 1 per drawer.	\$79	ZFPSSB	
	ld your complete t Number here:		

Sample Part Number:	ZFSTWCS	.XZ4
Total Cost \$106 =	\$106 -	N/C

Laminate Bookcases


The Bookcase is complete with laminate top and base with leveling glides. The Two-high cases have one adjustable shelf. The three-high case has two adjustable shelves. The four-high case has two adjustable shelves and one fixed shelf. The five-high cases have three adjustable shelves and one fixed shelf (see picture). The shelves are 1" (25)-thick, and adjust in 21/2" (64) increments. Two, and three-high bookcase heights are designed to accommodate standard binders on all

shelves. The four-high bookcase will only accommodate binder storage on three of the four shelves and the five-high on four of the five shelves.

Additional Bookcase Shelves are available.

Note: Fixed shelf on four and five-high Bookcases is fixed at work surface height.

Shipped ready to assemble.



Sample

Part Number:

Total Cost \$1242 =

ZFBCC524

\$1242

XZ2

N/C

XZ4

N/C

.XZ4

N/C

Bookcase and Open Hutch Shelves

Shelves are used for additional shelf space. Includes one shelf and mounting hardware. Shelves accommodate Intrinsic Freestanding Laminate Bookcases and Open Hutches.




Intrinsic Laminate Rectangular Bookcase and Open Hutch Shelves

				, a c c a	а орон.		
Fits Bookc Width	ase Depth	Dimensions Actual Width	Height		Price nofused nde 2	Catalog Number	Shelf Color
30" (762) 36" (914)	113/4" (298)	27 ⁷ /s ¹¹ (702) 33 ⁷ /s ¹¹ (854)	1" (25)	\$ 151 163	\$157 169	ZFRS30 ZFRS36	Thermo- fused Laminate See Surface Materials Page 7



Intrinsic Laminate Corner Bookcase Shelf

			1			
Fits Bookcase Width Depth	Dimensions Actual Width	Actual		t Price nofused ade 2	Catalog Number	
24" (610) 23" (584)	23" (584)	1" (25)	\$ 130	\$146	ZFCS24	
			ld your co			




Reception Station


The Intrinsic Reception Station is constructed of 1" (25) Thermofused Laminate with matched 3mm vinyl edging on work surface and transaction top. Available in right or left configuration with full modesty. Three grommets (2 in the desk and 1 in the return) and leveling glides are standard.

Note: Transaction top overhang is 6" (152).

Shipped ready to assemble.

Intrinsic Reception Station - Right-Hand **List Price** Thermofused Top **Dimensions** Catalog Edge Grade Top Base Depth 1 Depth 2 Width 1 Width 2 Height Number Color Color Color Thermo-Thermo-Thermo-ZFRSR7272 30" (762) 72" (1829) 72" (1829) 42" (1067) \$2068 \$2208 fused fused fused Laminate Laminate Laminate See See See Surface Surface Surface Materials Materials Materials Page 7 Page 7 Page 7 Height Base edge will match base laminate color Intrinsic Reception Station - Left-Hand **List Price** Thermofused **Dimensions** Grade Catalog Depth 1 Width 1 Width 2 Number Depth 2 Height 30" (762) 24" (610) 72" (1829) 72" (1829) 42" (1067) \$2068 ZFRSL7272 \$2208 **Build your complete** Part Number here: Height






Reception Station Desk

The Intrinsic Reception Station Desk is constructed of 1" (25) Thermofused Laminate with matched 3mm vinyl edging on work surface and transaction top. Available with full modesty only. Can be configured with any Intrinsic Freestanding bridge or return. Two grommets and leveling glides are standard.

Note: Transaction top overhang is 6" (152).

Shipped ready to assemble.


Intrinsi	c Receptio	n Statio	n Desk					
Depth	Dimensions Width	Height	Therm	Price ofused ade 2	Catalog Number	Top Color	Top Edge Color	Base Color
30" (762) W1 Hei	72" (1829)	42" (1067)	\$1847	\$1987	ZFRS3072	Thermo- fused Laminate See Surface Materials Page 7	Thermo- fused Laminate See Surface Materials Page 7	See Surface Materials Page 7 Base edge will match base laminate color
-								
			ld your co					



Intrinsic Executive Freestanding


l ypical Workstations	<i>52</i>
Overview & Ordering Information	<i>53</i>
Rectangular, Extended Rectangular Desks & Credenzas	<i>59</i>
Bowed Top & Extended Bowed Top Desks	61
D-Top & Extended D-Top Peninsula Desks	<i>63</i>
P-Top & Extended P-Top Peninsula Desks	<i>65</i>
Corner Desks	<i>67</i>
Extended Conference Desk	<i>68</i>
Freestanding Desks	<i>69</i>
Freestanding Desk Modesties	70
Returns & Bridges	71
Hutches (Including Wall Mounted Storage)	72
Pedestals – Laminate	76
Pedestal Accessories – Laminate	77
Lateral Files – Laminate	<i>78</i>
Storage Cabinets – Laminate	80
Storage Cabinet Accessories – Laminate	81
Storage Credenzas - Laminate	82
Storage Towers – Laminate	83
Storage Tower Accessories – Laminate	84
Bookcases – Laminate	<i>85</i>
Bookcase Shelves – Laminate	86
Reception Stations	<i>87</i>


Typical Executive Office



		1	ZEFPDD3072			1	ZEFPDR3672
	(Quantit	y Catalog Numbe		C	uantity	/ Catalog Numb
Typical Peninsula "L" V	Vorkstation	L	ist Price \$8,97	Typical Peninsula "U" Work	station	Li	st Price \$6,74
,_				114" 72"			
72" 72"		1	ZFP1212		1	1	ZFLAT236
		1	ZFP6612			1	ZEFHD72
		1	ZEFHD72			1	ZEFRD2472
	Ŷ	1	ZEFSR2442			1	ZEFSB2448


Typical "U" Workstation






List Price \$6,909

Quantity Catalog Number ZEFBD3672



Typical Desk with Credenza	Workstati	ion Li	st Price \$7,541
		Quantity	Catalog Number
		1	ZEFRD3672
		1	ZEFRD2472
		1	ZEFHD72
	Î	2	ZFP1212
138" 72"		1	ZFP6612
100 × 12			



Typical Reception Workst	List Price \$4,772				
		Quantity	Catalog Number		
	R] 1	ZEFRSL7272		
	Đ] 1	ZFP6612		
72"	Î	1	ZFP1212		
,					

		Quantity	Catalog Number
		1	ZEFBD3672
B		1	ZEFDDF236
		1	ZEFLATF236
		1	ZEFHD72
		2	ZEFBCC524
106" 120'		1	ZFP6612
	Œ	1	ZFP1212

Typical Expanded Executive Of	fice	List	Price \$14,472
		Quantity	Catalog Number
		1	ZEFBD3672
] 1	ZEFRD2472
	Ê	2	ZEFLATF236
		1	ZEFHD72
		2	ZEFH36
114"	Î	2	ZFP1212
	Û	2	ZFP6612

List Price \$12,003

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example. ZEFCD2436 represents an Intrinsic Executive Corner Desk, 24" (610)-deep by 36" (762)-wide.

By following the Sample Part Number Example at the bottom of each page, you create a Part Number for each product. This Part Number will match your acknowledgement and packing slip.

When ordering filing and storage units, list the following:


- 1. Quantity (combine same products)
- Complete Part Number, see Sample Part Number at the bottom of each page for correct number sequence.
- 3. For ease of reading, place a period between each option number (ZEFERDR427230.F.XS.XZ1.XZ1.XZ4).

Intrinsic Key Option

Intrinsic Laminate filing and storage units have two lock options to choose from. Units can be randomly keyed (option "R") or they can be key-alike (option "T") for no additional upcharge (see Page 9 for more information). When the randomly keyed option "R" is chosen the Intrinsic Laminate filing and storage unit will ship with a randomly numbered core/key.

When the key-alike option "T" is chosen the Intrinsic Laminate filing unit will ship with a "disposable" core in place of the core/key and the specified Intrinsic Core/Key set(s) will be packaged separately for field installation. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic Laminate filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the Intrinsic Keying order form.

	Catalog Number	Modesty Panel/ Support	Edge Detail	Top Color	Top Edge Color	Modesty/ End Panel Color	
Sample Part Number:	ZEFERDR427230	. <u>F</u>	.XF	.XZ1	.XZ1	.XZ4	
Total Cost \$1836 =	\$1807 -	N/C	\$29	N/C	■ N/C ■	N/C	



STANDARD FEATURES

Modesties


Modesty panels are available as full-height or half-height. Half-height modesties provide 12" (305) of space under the modesty for accessing wall outlets.

End Panels and Supports

Desks come with full depth end panels or Adjustable Support Column and T-base (Peninsula and Extended Conference desks only). Returns come with a full or recessed end panel.

Edgebanding

All components are finished with a thick PVC edgebanding. The edgeband color will always match the color of the Thermofused Laminate. All work surfaces and storage component tops have 3mm edgebanding. All remaining components have 1mm edgebanding. The Intrinsic Executive Freestanding product offering is available with optional fluted detail or flat.



Wire Management

All desks, credenzas, returns, bridges, and reception stations are equipped, at work surface level, with one or multiple grommets. An optional grommet is available for field installation in all modesty panels. Grommets are available in black only.

Drawers

All drawers are built for trouble-free performance:

- Chrome plated fully progressive ball bearing suspensions with over-travel on all lateral file drawers with 150 lbs rated load capacity.
- Chrome plated ball bearing suspensions on all box drawers and file drawers with 75 lbs rated load capacity.
- Drawer construction is laminated particleboard sides with MDF bottom.
- Integrated PVC top rails for file storage on lateral drawers and 12" pedestal drawers.
- Interlock standard on all freestanding laterals.

Doors

Hutch and Storage doors have 95 degree hinges and shock absorbent bumpers.

Leveling Glides

Desks, Credenzas, Returns, Bridges, Reception Stations, Tables and Bookcases allow up to 1" height adjustment.


Pedestals, Laterals, File Centers, Storage Cabinets and Towers allow up to 15/8" height adjustment, and are adjustable from inside the storage unit


Work Surfaces and Tops


Intrinsic Executive Freestanding work surfaces and tops are constructed of 1¹/₂" High-Pressure Laminate.


Pull Style Options

Intrinsic Executive Laminate
Freestanding filing and storage units
have four 128mm center applied pull
options (Classic, Streamline, Designer,
and Mod2) and one 256mm center pull
(Modern). These are all plated nickel
finish.









Dimensions

All dimensions listed are nominal unless otherwise noted.

Certification

All components of the Intrinsic Freestanding offering meet or exceed ANSI/BIFMA x5.6-2016 performance standards unless noted.

Special Products and Finishes

Please contact Trendway Custom Solutions 1-800-893-8117 for product availability and pricing on non-standard products.

Special finishes (i.e. non-standard) may be ordered at an upcharge. Minimum quantity may be required. Please verify with our Custom Solutions Department. Delivery may take longer depending on the choice of finish or type of material.

SPECIFICATIONS

Load Capacities

All Intrinsic Laminate filing units meet or exceed the following load requirements. For a complete listing of load capacities, contact Trendway Customer Care or visit trendealer.com

Desks:

5 lbs. (2.3kg) per linear inch, uniformly distributed.

Hutches and Bookcases:

3 lbs. (1.4kg) per linear inch of usable space.

Overhead Storage Units: Inside — 3 lbs. (1.4kg) per linear inch. Top — 2 lbs. (.9kg) per linear inch of usable space.

Pedestal:

6" (152) Pedestal Drawer — 20 lbs. (9kg) 12" (305) Pedestal Drawer — 40 lbs. (18kg) Top — 90 lbs. (41kg)

Laterals:

Drawer — approx. 2.6 lbs. (1.17kg) per linear inch
Top — approx. 4.6 lbs. (2.1kg) per linear inch

Storage Towers:

6" (152) Pedestal Drawer — 20 lbs. (9kg) 12" (305) Pedestal Drawer — 40 lbs. (18kg) Top — 140 lbs. (64kg) Wardrobe Shelf — 30 lbs. (14kg) Wardrobe Bottom — 50 lbs. (23kg) Cupboard Shelf — 60 lbs. (27kg) Cupboard Bottom — 90 lbs. (41kg) Coat Rod — 55 lbs. (25kg)

Double-Door Storage Units:

Shelf — 100 lbs. (45kg) Top — 160 lbs. (73kg) Bottom of Cabinet — 160 lbs. (73kg) Coat Rod — 55 lbs. (25kg)

(Satin nickel)

Counter Caps: 3.5 lbs. (1.6kg) per linear inch, uniformly distributed.

Maximum Load Capacity For Any Storage Unit

The maximum load capacity for any storage unit is calculated by multiplying the above stated lbs. for each shelf or drawer that is included with the unit and adding them together (includes the top of the unit and the inside bottom).

Eq: Maximum load capacity for a ZEFDDF536 = load capacity for bottom + 3 shelves + unit top

- $= 160 \text{ lbs.} + 100 \text{ lbs.} \times 3 + 160 \text{ lbs.}$
- = 620 lbs. maximum load

Eq: Maximum load capacity for a ZEFLATF236 = load capacity for drawer x 2 drawers + unit top

- = 2.6 lbs./linear in. x 36" x 2 + 4.6lbs./ linear in. x 36"
- = approx. 352 lbs. maximum load (for actual load capacities for each size Intrinsic Laminate Lateral File contact Trendway Customer Care or visit trendealer.com).

Note: The addition of more shelves does not increase the maximum amount a unit can be loaded.


WARNING:

Failure to observe the recommended practices, such as loading beyond listed capacities, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not be responsible for product warranty if modifications are made to the product or if the capacities referenced are exceeded.


Laminate Lateral Files and File Center Specifications

Intrinsic Laminate Lateral Files and Lateral File Centers are factory configured for side-to-side filing. If front-to-back filing is desired. the side-to-side filing bars may be removed. No additional parts are necessary to convert drawer to front-to-back filing.




For use with Intrinsic Laminate Lateral Files and File Center Letter Size Filing

30" - Wide & File Center




1 Pair Intrinsic Laminate Front-to-Back Filing Bars

36" - Wide




1 Pair Intrinsic Laminate Front-to-Back Filing Bars

30" - Wide & File Center



1 Intrinsic Laminate Front-to-Back Filing Bar

36" - Wide



1 Pair Intrinsic Laminate Front-to-Back Filing Bars

Lateral Files

CAUTION: Any freestanding lateral file, if improperly used or loaded, can tip. Since files may contain significant weight, this tipping can result in serious damage and/or personal injury. For proper and safe performance, read and follow instructions provided with each file.

Do not attempt to open more than one lateral file drawer at a time. Do not use drawers as steps. Failure to follow these instructions may cause tipping of cabinet, resulting in personal injury.

Use counterbalance weights whenever lateral files or pedestals are not anchored or ganged back-to-back. Side-byside ganging does not improve stability.

To avoid tipping, always load bottom drawers before loading top drawer.


Intrinsic Executive Freestanding Components Planning

These planning guidelines provide instructions for safely configuring Intrinsic Executive Freestanding product applications. The following diagrams illustrate the proper use of supporting elements, connecting hardware, and overhead components.

C-Leg Supports and Recessed Support Leg Kits

 In many applications, C-Legs or Recessed Support Leg Kits (ZFRL) can be used for additional support and stability (Fig. A).


Fig. A



Peninsula P-Top and D-Top Desks

Peninsula P-Top and D-Top Desks are required to be attached to a Return or Bridge. They are not to be used as freestanding desks (Fig. B).

Fig. B



Bridaes


When a 48" (1219) Bridge is attached to any desk, a Peninsula C-Leg or Recessed Support Leg Kit is required near center of Bridge. When a 36" (914) or wider Bridge is attached to an extended desk on either side, a Peninsula C-Leg or Recessed Support Leg Kit is required near the center of the Bridge (Fig.B). Bridges are shipped with all necessary attachment hardware.

Returns

Returns are non-handed and available with a full end panel or a recessed end panel. Returns are shipped with all necessary attachment hardware (Fig. C).

The recessed end panel support may not be used as an end of run support. Returns specified with the recessed end panel are designed to be used with an extended conference desk (ZEFEC2448) and will allow additional leg clearance.


Fig. C



Corner Desk

The Corner Desk is required to have a Return or Bridge on at least one side. It is not a freestanding desk (Fig. D).


Fig. D




Extended Conference Desk

The Extended Conference Desk must be attached to two Returns. The recessed end panel is recommended for increased leg clearance and accessibility (Fig. E).


Fig. E




Rectangular and Bowed Front Desks



Rectangular/Credenza Desks



Returns and Bridges



Work Surfaces

The standard Intrinsic Freestanding work surfaces are 1" thick. Please consider this prior to attaching anything to the underside of the work surface. Using incorrectly sized mounting hardware may cause damage to the top of the work surface. It is also recommended that a pilot hole be drilled prior to fastening any mounting hardware.

The Intrinsic Executive Freestanding work surfaces are 11/2" thick.

The nominal height of the top of the standard Intrinsic Freestanding product is 28³/₄" (730). The nominal height of the top of the Intrinsic Executive Freestanding offering is 29¹/₄" (743).

Intrinsic standard work surfaces and Executive work surfaces are not designed or intended to be used together in the same office configuration.


Intrinsic Freestanding Hutch and **Open Hutch Placement Guide**

The following illustrations show valid locations for attaching Freestanding Hutches with Doors and Open Hutches to Desk modules.


Extended Peninsula Desks P-Top and D-Top

Hutches with Doors may be placed on Extended Peninsula Desks if accompanied by proper length Return or Bridge with required floor support element (Fig. F).

Fig. F




Rectangular Desks



Note: The overall height of the Intrinsic Executive Hutches is the same as the standard Intrinsic Hutches, but the Executive top is 11/2" thick and the standard top is 1" thick. The side panels and back panel of the Executive Freestanding Hutches have been shortened by 1/2" to allow a consistent overall height of stacked components and shared storage units between offerings.

Corner Desks




Corner Desks accept Freestanding 36" (914) Open Hutch.

72" Hutch

with Doors

Corner Desk



Extended Rectangular Desks

Open

Hutch

C-Leg or ZFRL

Hutch

with Doors

(Required)

Corner Desks accept 72" (1829) Hutch with properly sized Return to allow floor support under Hutch side panel.

36" Return

C-Leg

or ZFRL

(Required)

48" Return

Extended Rectangular Desks accept Hutches with Doors and Open Hutches

C-Leg or ZFRL

(Required)

Grommets are available in black only. The following drawings show standard grommet locations.


Contact your Customer Care representative for more information.

Grommet Dimensions




Standard Grommet Locations


Rectangular/Credenza and Bowed Front Desks




Freestanding Rectangular and Bowed Front Desks




Freestanding Kidney Desks




D-Shaped Peninsula Desks




P-Shaped Peninsula Desks




Extended D- and P-Shaped Peninsula Desks







Corner Desks



Returns/Bridges



Extended Rectangular/Credenza Desks



End panels are non-handed and can be field installed on either the left or right side.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum

Guest Side

flexibility. These units are offered in the filing and storage section.

If using a 24" (610)-deep desk as a Credenza, the inside dimensions are 57⁵/s" (1464) for a 60" (1524)-wide and 69⁵/s" (1768) for a 72" (1829)-wide. Therefore, two 30" (762)-wide storage units will not fit under a ZEFRD2460 and two 36" (914)-wide storage units will not fit under a ZEFRD2472.

Shipped ready to assemble.

Intrinsic Executive Rectangular Desk/Credenza **List Price** Thermofused

Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.

Top


Modesty/

Modesty

Sample Part Number:

Build your complete Part Number here:

Total Cost \$1248 =



The Extended Rectangular Desk has a High-Pressure Laminate top with vinyl edging. Standard features include a modesty, end panels, leveling glides and grommets. See grommet information in the planning section for standard grommet locations.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.

If using a 24" (610)-deep extended desk as a Credenza, the inside dimensions are 575/8" (1464) for a 60" (1524)-wide and 69⁵/8" (1768) for a 72" (1829)-wide. Therefore, two 30" (762)-wide storage units will not fit under a ZEFERDR366024 and two 36" (914)-wide storage units will not fit under a ZEFERDL247236.

Shipped ready to assemble.


Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.

Intrinsic Executive Extended Rectangular Desk/Extended Credenza - Right-Hand

Depth 1	Dimen: Width 1	sions Width 2	Depth 2	Therm	Price nofused ade 2	Catalog Number	Modesty Panel/ Support	Edge	Top Color	Top Edge Color	Modesty/ End Panel Color
24" (610) 24" (610) 24" (610) 24" (610) 24" (610) 24" (610)	36" (914) 36" (914) 36" (914) 42" (1067) 42" (1067) 48" (1219)	60" (1524) 66" (1676) 72" (1829) 66" (1676) 72" (1829) 72" (1829)	24" (610) 24" (610) 24" (610) 30" (762) 30" (762) 36" (914)	\$1654 1780 1788 1797 1807 1822	\$1888 2014 2022 2031 2041 2089	ZEFERDR366024 ZEFERDR366624 ZEFERDR367224 ZEFERDR426630 ZEFERDR427230 ZEFERDR487236	No Cost H Half F Full	XS No Cost Flat XF + \$29 Fluted	Laminate See Surface Materials Page 7	Laminate See Surface Materials Page 7	See Surface Materials Page 7 Modesty and End Panel Edge will match color.
	Executive		Rectangul	ar Des	k/Exten	ded					

Credenza – Left-Hand

	Dimen	sions		Therm	Price nofused rade	Catalog	
Depth 1	Width 1	Width 2	Depth 2	1	2	Number	
24" (610)	60" (1524)	36" (914)	24" (610)	\$1654	\$1888	ZEFERDL246036	
24" (610)	66" (1676)	36" (914)	24" (610)	1780	2014	ZEFERDL246636	
24" (610)	72" (1829)	36" (914)	24" (610)	1788	2022	ZEFERDL247236	
30" (762)	66" (1676)	42" (1067)	24" (610)	1797	2031	ZEFERDL306642	
30" (762)	72" (1829)	42" (1067)	24" (610)	1807	2041	ZEFERDL307242	
36" (914)	72" (1829)	48" (1219)	24" (610)	1822	2089	ZEFERDL367248	
	W1	-W2_					
		~>>	Pa	ırt Numbe	er here:		



Sample Part Number:



The Bowed Front Desk has a bowed top that is curved on the guest side extending 6" at the center.

End panels are non-handed and can be field installed on either the left or right side. Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.


Shipped ready to assemble.

Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.

36" (914) Full Modesty ~ 36" (914) Half Modesty Guest Side

Intrinsi	trinsic Executive Bowed Front Desk													
Dimer Depth	Dimensions Depth Width		Price nofused rade 2	Catalog Number	Modesty Panel/ Support	Edge Detail	Top Color	Top Edge Color	Modesty/ End Panel Color					
36" (914)	60" (1524) 66" (1676) 72" (1829)	1659	\$1893 1926 1954	ZEFBD3660 ZEFBD3666 ZEFBD3672	No Cost H Half F Full	XS No Cost Flat XF + \$29 Fluted	Laminate See Surface Materials Page 7	Laminate See Surface Materials Page 7	See Surface Materials Page 7 Modesty and End Panel Edge will match color.					
	Build yo				_									

Sample Part Number:



N/C

Executive Extended Bowed Front

The Extended Bowed Front Desk has a High-Pressure Laminate top with vinyl edging. Standard features include a modesty, end panels, leveling glides and grommets. See grommet information in the planning section for standard grommet locations.

The Extended Bowed Front Desk has a bowed top that is curved on the guest side extending 6" at the center.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.

Shipped ready to assemble.

Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.

10) 42" (1067) 10) 42" (1067)	66" (1676) 72" (1829)	30" (762)	1 2	Number	Support	Detail	Top Color	Edge Color	End Pane Color
0 W2	(152)	30" (762)	\$2058 \$2292 2092 2326	ZEFEBDR426630 ZEFEBDR427230	No Cost H Half F	XS No Cost Flat XF + \$29	See Surface Materials Page 7	See Surface Materials Page 7	Surface Material Page 7 Modesty and End
Modesty	DZ		Half Modesty	0		Fluted			Panel Edge will match color.
Dim			Front Desk List Price Thermofused Grade 1 2	- Left-Hand Catalog Number					
62) 72" (1829)	42" (1067) 42" (1067)	24" (610) 24" (610)	\$2058 \$2292 2092 2326	ZEFEBDL306642 ZEFEBDL307242					
	D2								
Full Modesty	•	Build Part	l your complete Number here:		-				
Holf	Modesty			ZEFEBDR427230	.H _	.xs	.XZ1	.XZ4	.XZ1
	Dim 1 Width 1 (62) 66" (1676) (62) 72" (1829) (6" (152) Full Modesty	Dimensions 1 Width 1 Width 2 662) 66" (1676) 42" (1067) 662) 72" (1829) 42" (1067) 67" (152) Full Modesty	Dimensions 1 Width 1 Width 2 Depth 2 62) 66" (1676) 42" (1067) 24" (610) 62) 72" (1829) 42" (1067) 24" (610) 6" (152) Full Modesty Build Part San Pai	Dimensions 1 Width 1 Width 2 Depth 2 G2) 66" (1676) 42" (1067) 24" (610) 60) 72" (1829) 42" (1067) 24" (610) Full Modesty Build your complete Part Number here: Sample Part Number:	And the state of t	Nodesty Node	Nodesty Half Modesty List Price Thermofused Grade Grade Grade (Catalog Number 2) 24" (1067) 24" (10	Nodesty Half Modesty List Price Thermofused Grade 1 2 Number Number Catalog Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Number Num	Nodesty Half Modesty Catalog Number Catalog Number Catalog Number ZEFEBDL306642 ZEFEBDL307242 ZEFEBDL307242 ZEFEBDL307242 ZEFEBDL307242 Sample Part Number Part Number Part Number Number ZEFEBDR427230 J.H. J.XS. J.XZ4 J.XZ

D-Top Peninsula Desks are non-handed and Extended D-Top Peninsula Desks are handed.


If T-Base is chosen, specify a trim color for the support column.


Note: A D-Top Peninsula Desk must be connected to other Executive Freestanding units for proper stability. Refer to planning guidelines for more information.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.

Shipped ready to assemble.

Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.





Depth 1	Dimen Width 1	sions Width 2	Depth 2	List Price Thermofused Grade 1 2		Thermofused Grade		Thermofused Grade		Catalog Number	Modesty Panel/ Support	Edge Detail	Top Color	Top Edge Color	Modesty/ End Panel Color	Trim Color
24" (610) 24" (610)	42" (1067) 42" (1067) 42" (1067) 48" (1219)	60" (1524) 66" (1676) 72" (1829) 72" (1829)	30" (762) 30" (762) 30" (762) 36" (914)	\$2208 2235 2262 2390	\$2442 2469 2496 2624	ZEFEDDR426030 ZEFEDDR426630 ZEFEDDR427230 ZEFEDDR487236	No Cost H Half F Full T T-Base	XS No Cost Flat XF + \$29 Fluted	Laminate See Surface Materials Page 7	Laminate See Surface Materials Page 7	See Surface Materials Page 7 Modesty and End Panel Edge will match color.	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7 Specify Only if				

E Depth 1 Width	Dimensions n 1 Width 2	Depth 2	Therm	Price nofused ade 2	Catalog Number
30" (762) 60" (1 30" (762) 66" (1 30" (762) 72" (1	1524) 42" (1067) 1676) 42" (1067) 1829) 42" (1067) 1829) 48" (1219) W.	24" (610) 24" (610) 24" (610) 24" (610)	2235 2262	2469 2496	ZEFEDDL306042 ZEFEDDL306642 ZEFEDDL307242 ZEFEDDL367248
		Build yo			

Sample
Part Number:

Total Cost \$2291 =



If T-Base is chosen, specify a trim color for the support column.

Note: A P-Top Peninsula Desk must be connected to other Freestanding units for proper stability.

Pedestals, File Centers, Pencil Drawers and other Filing and Storage units are specified separately for maximum flexibility. These units are offered in the filing and storage section.

Shipped ready to assemble.

Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.

Left-Hand w/T-Base

14"1

ZEFPDL3672

\$2018

H.

N/C

.XF

\$29

.XZ2

N/C

XZ4

N/C

XZ4

➡ N/C


Sample


Part Number:


Total Cost \$2047 =

N/C

Executive Extended P-Top Peninsula Desks, continued







Intrinsic Executive Extended P-Top Peninsula Desk - Right-Hand

Depth 1	Dimens Width 1	ions Width 2	Depth 2	_	Price ofused ade 2	Catalog Number	Modesty Panel/ Support	Edge Detail	Top Color	Top Edge Color	Modesty/ End Panel Color	Trim Color
24" (610) 24" (610) 24" (610)	42" (1067) 42" (1067) 42" (1067)	60" (1524) 66" (1676) 72" (1829)	36" (914) 36" (914) 36" (914)	2530 2558	\$2732 2764 2792	ZEFEPDR426636 ZEFEPDR427236	No Cost H Half F Full T T-Base	XS No Cost Flat XF + \$29 Fluted	Laminate See Surface Materials Page 7	See Surface Surface Materials Page 7	See Surface Materials Page 7 Modesty and End Panel Edge will match color.	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7 Specify
Left-Ha		live Exte	enaea P	-1op	Penin	ısula Desk –						Only if T-Base Selected

Intrinsic Executive Extended P-Top Peninsula Desk -Left-Hand

Sample Part Number:	ZEFEPDR427236	.H _	.XS	.XZ3	.XZ4	.XZ3	
Total Cost \$2558 =	\$2558 -	N/C =	N/C	N/C	■ N/C ■	N/C =	N/C

A Corner Desk must be connected to other freestanding units for proper stability.

Shipped ready to assemble.

Front Width

Front Width

Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.

> **List Price** Thermofused

Intrinsic Executive Corner Desk

Build your complete Part Number here:

Modesty/

Top

Executive Extended Conference Desk


The Extended Conference Desk provides a shared conferencing surface at the end of two adjacent work stations. Must be attached to two 24" (610)-deep Rectangular Desk/Credenzas or Returns.

The Extended Conference Desk has a High-Pressure Laminate top with vinyl edge.

The Extended Conference Desk includes an adjustable support column and all necessary attachment hardware. Support Column available in standard and premium trim colors.

Shipped ready to assemble

Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.




Intrinsic Executive Extended Conference Desk

List Price

24" (610)	Dimensions Depth Width		Thermofused Grade 1 2	Catalog Number	Edge Detail	Top Color	Top Edge Color	Trim Color
Build your complete			\$878 \$944		No Cost Flat XF + \$29	Laminate See Surface Materials	Laminate See Surface Materials	Standard Finish No Cost Premium Finish +\$42 See Surface Materials Page 7
Part Number here:			d your complete Number here:					_

Sample Part Number:

Total Cost \$878 =



Accessories include field-installed laminate and mesh modesties, steel front center drawers (CDW),

pencil drawers (PDR), Pop-up Power/ Data Modules (SICELECM).

Note: The Kidney shaped desk may only be used in a freestanding application. It cannot be attached to a bridge or return.

Note: Freestanding Rectangular and Bowed front desks include a steel hat section and mounting hardware that must be installed on the underside of the worksurface.

The Freestanding Rectangular and Bowed front desks may be attached to

a bridge or return when the return includes a recessed support leg (i.e. 60"-72" Returns) or when a Recessed Support Leg Kit (ZFRL) is ordered and placed within 4" of the modesty edge on the end that connects to the freestanding desk.

Shipped ready to assemble.

Note: The Intrinsic Executive Freestanding Desk work surface is 1/2" higher than the standard Intrinsic work surface. Refer to planning guidelines for more information.

	Dimen Depth	sions Width	Therm	Price ofused ade 2	Catalog Number	Grommet Option	Leg Support Option	Edge Detail	Top Color	Top Edge Color	Leg Trim Color
	32" (813) 36" (914)	66" (1676) 72" (1829)	\$2051 2208	\$2252 2409	ZEFFDK3266 ZEFFDK3672	GN No Cost No Grommet GY2 + \$29 Two Grommets (1 Left/ 1 Right)	GL No Cost Column Leg with Adjustable Glide BC + \$277 Column Leg with Caster	XS No Cost Flat XF + \$29 Fluted	See Surface	See Surface Materials	Standar Finish No Cost Premiur Finish + \$87 See Surface Materials
	Intrinsio Desk – I	Executiv Rectangu	ve Fre ılar	estano	ding		340.01				Page 7
	Dimen Depth	sions Width	Therm	Price ofused ade 2	Catalog Number	Grommet Option					
	30" (813) 36" (914)	66" (1676) 72" (1829)	\$1364 1741	\$1565 1942	ZEFFDR3066 ZEFFDR3672	GN No Cost No Grommet					
	7					GY1 + \$19 One Grommet (Center)					
wn with optional locking caste		Executiv	ve Fre	estano	dina	+ \$29 Two Grommets (1 Left/					
	Desk - I	Bowed				1 Right)					
	Dimen Depth	sions Width	Therm	Price ofused ade 2	Catalog Number						
	30" (813) 36" (914)	66" (1676) 72" (1829)	\$1836 1943	\$2037 2144	ZEFFDB3066 ZEFFDB3672						
	7—		our com								
U		Samp	ole Number		ZEFFDK3672	.GY2	.BC	.XF	.XZ3	.XZ4	.J

The Laminate Modesty is made of 5/8" Thermofused laminate. It is available in the five standard Intrinsic Freestanding Thermofused laminate colors with matching edge color. The modesty should be ordered to match the style and length of the Intrinsic Freestanding Desk ordered. Modesties include mounting hardware. Freestanding Desks are pre-drilled to accommodate the modesty.

Mesh Modesty

The Mesh Modesty provides privacy with a lighter feel. The modesty is a dimensional knit of polyester with a nylon pouch for cable management. The modesty should be ordered to match the length of the Intrinsic Freestanding Desk ordered. Modesties include mounting hardware. Freestanding Desks are pre-drilled to accommodate the modesty.

Laminate Modesty

Dimensions Desk Height Length Style		Desk	Therm	Price ofused ade 2	Catalog Number	Modesty Color
7°/4" (197)	32" (813) 37" (940) 53" (1346) 59" (1499)	66" Kidney 72" Kidney 66" Rect/Bowed 72" Rect/Bowed		\$194 199 194 199	ZFFDML66K ZFFDML72K ZFFDML66RB ZFFDML72RB	Thermofused Laminate See Surface Materials Page 7



Mesh Modesty

Dimensions Desk Height Length Style			List Price	Catalog Number	
12¹/ɛ̂" (318)	2'/z" (318) 32" (813) 66" Kidney 37" (940) 72" Kidney 53" (1346) 66" Rect/Bowed 59" (1499) 72" Rect/Bowed			ZFFDMM66K ZFFDMM72K ZFFDMM66RB ZFFDMM72RB	
		Build yo Part Nur			

Executive Hutches

Sample Part Number:

Total Cost \$188 =



The Return has a rectangular High-Pressure Laminate top with vinyl edging. Standard features include a modesty, end panel, leveling glides and grommet. See grommet information in the planning section for standard grommet locations. All necessary attachment hardware included.

Returns are non-handed and can be field installed on either the left or right side.

Shipped ready to assemble.

Note: Intrinsic Returns may be ordered with a 14" (356) recessed end panel for applications requiring additional leg clearance. Refer to planning guidelines for more information.

Executive Bridges


The Bridge is designed to be used as a connection between two desks to create a U-shaped configuration. The Bridge has a rectangular Highpressure Laminate top with vinyl edging. Standard features include a modesty and grommet. See grommet information

in the planning section for standard grommet locations. All necessary attachment hardware included.

Shipped ready to assemble.

C-Leg or Recessed Support Leg Kit

The C-Leg or Recessed Support Leg Kit is required in certain applications as outlined in the planning section. The C-Leg kit is available in all Trendway standard smooth trim colors. The recessed support leg kit is available in all Intrinsic Thermofused laminate colors. All necessary attachment hardware is included.



Available accessories include full-width paper management slots, tackboard, task lights, cord management gap guard, and framed door kits.

The optional Hutch with doors and standard Low Profile paper management slot quantities and dimensional widths are as follows:

Width	Slot qty	Slot width
36" (914)	3	10 ⁷ /s ^a (276)
42" (1067)	3	12 ⁴ /s ^a (325)
48" (1219)	3	14 ⁷ /s ^a (378)
60" (1524)	5	11" (279)
66" (1676)	5	12 ¹ /2" (318)
72" (1829)	5	13 ³ /s ^a (340)

The color of the paper management option on the Hutch with doors will always match the unit color.

Note: Unit color refers to side panels. back panel and valance.


Note: Framed door option includes silver frame and choice of available insert options. Note: All Hutches attach to work surface with double-sided foam tape. Shipped assembled.

Low-Profile Paper Management Hutch The Low-Profile Paper Management

Hutch is available in a variety of widths. Standard features include paper management slots as defined on this page, 11/2" (38) top, full-coverage back panel with finished wire management ring at task light level, and integrated 11/2" full length cord management gap at base of the back panel.

Available accessories include tackboards, task lights, and cord management gap guard.

Shipped assembled.



Build your complete Part Number here:

Sample

Part Number:

Total Cost \$2782 =

Intrins	ic Execu	tive Hu	tch w	ith Do	oors									
Depth	Dimensions Width	s Height	List I Therm Gra 1	ofused	Catalog Number	Manage- ment	Paper Door Style	Edge Detail	Door Insert	Framed Unit Color	Top Color	Edge Color	Top Door Color	Gap Guard
Executive the same Intrinsic I back par Hutches by 1/2" to heights v	36" (914) 42" (1067) 48" (1219) 60" (1524) 66" (1676) 72" (1829) rerall height of the elements on the Expandation convith Five-High	hes is lard side and xecutive shortened sistent	\$ 1383 \$ 1593 1636 1688 1736 1769	3 1483 1693 1768 1820 1868 1901	ZEFHD36 ZEFHD42 ZEFHD60 ZEFHD66 ZEFHD72	No Cost No Paper Manage-	LD No Cost Laminate Door FD + \$421 36"-48" Silver Framed Door + \$691 60"-72"	XS NO Cost Flat XF + \$29 Fluted	No Cost Plexiglass Frosted Plexiglass + \$106 36"-48" + \$130 60"-72" 3form + \$366 36"-48" + \$500 60"-72" See Surface Materials Page 7	Thermo- fused Laminate See Surface Materials Page 7 Unit Edge will match unit color	See Surface	Laminate See Surface Materials Page 7	Edge will match	XN No Cost No Gap Guard XG + \$60 Gap Guard
Low-P	rofile Ex	ecutive	Pape	r Mar	nagement	Hutch								
Depth	Dimensions Width	s Height	List I Therm Gra	ofused	Catalog Number									
14" (356)	36" (914) 42" (1067) 48" (1219) 60" (1524) 66" (1676) 72" (1829)	23³/º" (940)	\$ 1045 \$ 1179 1230 1419 1538 1609	3 1111 1279 1330 1519 1638 1709	ZEFLPH36 ZEFLPH42 ZEFLPH60 ZEFLPH66 ZEFLPH72									

Executive Hutches

Executive Desks

Executive Returns & Bridges

Executive Filing & Storage

Note: The tops on Executive Intrinsic

Hutches and Wall

Mounted Storage Units are 11/2" thick High-Pressure Laminate.

.FD

\$691

.xs

N/C

.01

N/C

.XZ4

N/C

.XZ1

N/C

.XZ4

♣ N/C ♣ N/C

.XZ1

.PM

\$322

ZEFHD72

\$1769

.XN

The Intrinsic Framed Hutch Door Kits are available for Hutches with Doors and Wall Mounted Storage Units. The kits include silver framed doors, door hinges and your choice of available insert options. The framed doors can be mounted in place of existing laminate doors. Requires use of original hinge and screws for installation.



Framed Hutch Door Kits

	Kit	List	Catalog	Framed
Description	Door Qty.	Price	Number	Door Insert
Hutch with Doors				No Cost
For use with ZEFHD	36 2	\$483	ZFFDKIT36	Plexiglass
For use with ZEFHD		511	ZFFDKIT42	
For use with ZEFHD	48 2	525	ZFFDKIT48	Frosted
For use with ZEFHD	60 4	804	ZFFDKIT60	Plexiglass + \$106
For use with ZEFHD	66 4	829	ZFFDKIT66	36"-48"
For use with ZEFHD	72 4	844	ZFFDKIT72	00 .0
				+ \$130
Wall Mounted				60"-72"
For use with ZEFWS	30H 2	\$441	ZFFDKIT30W	3form
For use with ZEFWS	36H 2	483	ZFFDKIT36W	+ \$366
				36"-48"
				+ \$500
				+ \$500 60"-72"
				00 72
				See
				Surface
				Materials
				Page 7
	Build your cor			
	Part Number h	nere:		
				·

 Sample Part Number:
 ZFFDKIT60
 .E01

 Total Cost \$1304 =
 \$804
 \$500

The Open Hutch is available in 30" (762) and 36" (914) widths. The units are for use above work surfaces, above the 24" (610)-deep 2-high Double Door Storage Cabinet and above the 24" (610)-deep two-drawer lateral. The open hutches have a 3/8" (10) cord pass through gap behind the shelves and a 1" (25) full length cord management gap at base of the back panel. Each unit comes standard with two adjustable shelves and necessary shelf mounting pins. Each shelf is adjustable in 21/2" (64) increments.

Available accessories include additional shelves with mounting pins, tackboards and task lights.

Shipped ready to assemble.

Executive Wall Mounted Storage Unit with Doors

The Wall Mounted Storage Unit with Doors is available in 30" (762) and 36" (914) widths. Each unit has two hinged non-locking doors. Attachment for Wall Mounted Storage Unit requires individual cabinet to be secured by a minimum of two wall mounting locations/studs.

The Wall Mounted Storage Unit is

designed for installation on interior and perimeter walls that are constructed of wood or metal studs.

Note: The back of the unit is recessed to eliminate visibility of the wall mount brackets.

Note: The unit includes mounting brackets to accommodate most installation applications. It is the responsibility of the dealer or installer to obtain any additional fasteners that may be needed to safely attach the unit to the wall.

Shipped assembled.

	Depth	Dimensions Width	s Height	Thern	t Price nofused rade 2	Catalog Number		Unit/ Edge Detail		Top Shelf Color		Edge Color	Gap Guard
	Note: O Executive sam Intrinsic and bac Executive been s maintain with Five Intrinsic		at of atches is andard the side in the have of 1/2" to a heights cutive hits.	781	\$840 881	ZEFH30 ZEFH36		XS No Cost Flat XF + \$29 Fluted		Thermo- fused Laminate See Surface Materials Page 7	Laminate See Surface Materials Page 7	Laminate See Surface Materials Page 7	XN No Cost No Ga Guard XG + \$60 Gap Guard
	Unit with	Dimensions Width	s Height	Thern	t Price nofused rade 2	Catalog Number	Door Style		Framed Door Insert				Door Color
Laminate I	14" (356)	30" (762) 36" (914)	16" (406)	\$1383 1511	\$1449	ZEFWS30H ZEFWS36H	LD No Cost Laminate Door FD + \$421 Silver Framed		No Cost Plexi- glass Frosted Plexi- glass + \$106				See Surface Materia Page Door Edge v match Door color
Framed Do	poors						Door		3form + \$366 See Surface Materials Page 7				Door frame will be Silve if FD option chose
Contract of the Contract of th	Vall Mount Brancluded)	ackets	Build you Part Num										
Note: The tops o	n Executive		Sampl	e umber		ZEFWS30H	.LD	.xs	.01	.XZ1	.XZ2	.XZ2	.XZ

Tackboard has a tackable panel fabric front and velcro attachment tabs.

Shipped assembled.

Note: Review Fabric Planning guidelines on page 5 to better understand directional fabric application details for Intrinsic freestanding tackboards.

Cord Management Gap Guard

The Cord Management Gap Guard bridges the open space between a hutch back and the top of the work surface below. Made of flexible material, it allows easy passage of electrical and data cables. The Cord Management Gap Guard is attached with adhesive tape (included). The Gap Guards are sized to fit on the Intrinsic Hutch with Doors. Find your correct corresponding sizes and catalog numbers on Page 74. The

Cord Management Gap Guard can also be cut to size to be used on all other hutches. Available in black only.



Intrinsic Tackboards

Dimensions Width Height	0/1		ist Pri bric G 3		5	6	Catalog Number	Fabric Color
27 ⁵ / ₈ " (702) 17" (356) 33 ⁵ / ₈ " (854) 39 ⁵ / ₈ " (1006) 45 ⁵ / ₈ " (1159) 57 ⁵ / ₈ " (1464) 63 ⁵ / ₈ " (1616) 69 ⁵ / ₈ " (1768)	\$ 70 88 163 182 207 233 248	\$ 86 119 194 213 238 264 279	\$ 95 \$ 138 213 232 257 283 298	101: 154 229 249 273 299 315	\$ 121 173 248 267 304 337 355	198	@ZFTB30 @ZFTB36 ZFTB42 ZFTB48 @ZFTB60 ZFTB66 @ZFTB72	See Surface Materials Page 6



Cord Management Gap Guard

Depth	Dimensions Length	Width	List Price	Catalog Number	
5/s" (16)	27 ⁵ /s ¹¹ (702) 33 ⁵ /s ¹¹ (854) 39 ⁵ /s ¹¹ (1006) 45 ⁵ /s ¹¹ (1159) 63 ⁵ /s ¹¹ (1616) 69 ⁵ /s ¹¹ (1768) 6 per box.	2" (51)	\$239 260 303 316 359 385	SIZFCMGG30 SIZFCMGG36 SIZFCMGG42 SIZFCMGG68 SIZFCMGG66 SIZFCMGG72	
		Build your co Part Number l	•		

Sample Part Number:

Total Cost \$232 =

ZFTB48	.BFJ
\$232	N/C

INTRINSIC LAMINATE PEDESTALS

When the key-alike lock option "T" is chosen, the Core/Key Set (ZFLCK) must be ordered separately or by using the Keying Order Form.

Shipped assembled.

Laminate Modular Pedestals

The Intrinsic Laminate Modular Pedestal is designed to be used beneath the work top.

Intrinsic Laminate Pedestals offer two drawer configurations: 12/12 with two 12" drawers or 6/6/12 with two 6" and

one 12" drawer. 6/6/12 Pedestals include one pencil tray.

The Laminate Modular Pedestal has full extension ball bearing slides on both 6" and 12" drawers and includes lockable drawers and leveling glides.

Available accessories include Laminate Modular Freestanding Pedestal Conversion Kit, Side-to-Side Filing Bars and additional Pencil Trays.


Executive Laminate 3/4 Mobile Pedestal

The Intrinsic Laminate Mobile 3/4 Pedestal is designed with a full skirt that conceals the pedestal's casters. The 3/4 Pedestal has full extension ball bearing slides on both 6" and 12" drawers and includes lockable drawers, one pencil tray, four casters and counterbalance weight.

Available accessories include Side-to-Side Filing bars and Cushion Top.

Note: The Executive 3/4 Mobile Pedestal has 11/2" thick High-Pressure Laminate top.

Intrinsic Laminate Modular Pedestals



Intrinsic Executive Laminate 3/4" Mobile Pedestal

Depth	Dimensions Width	Height	List Price Thermofused Grade 1 2	Catalog Number	Edge Detail	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Lock
22" (559)	151/2" (394)	231/2" (597)	\$1460 \$152	6 ZEFMP612W	XS No Cost Flat XF + \$29 Fluted	No Cost Applied L Classic E Streamline AZ Designer MM Mod2 MD Modern	Thermo- fused Laminate See Surface Materials Page 7	Laminate See Surface Materials Page 7	Laminate See Surface Materials Page 7	Thermo- fused Laminate See Surface Materials Page 7 Drawer edge will match drawer color	R No Cost Random *T Deduct - \$-16 Key-Alike *Note: Be sure to order Core/ Key Sets (ZFLCK) separately (1 per unit)
			your complete lumber here:			-					_
			mple rt Number:	ZFP1212		.E _	.XZ2	.XZ2			. <u>т</u> -
		То	tal Cost \$987	s1003 •	+ -	N/C	■ N/C ■	N/C	-	+ -	-\$-16

The Pedestal Cushion Top Kit includes upholstered cushion and four attached velcro tabs to affix cushion to mobile pedestal.

Pedestal Pencil Tray

The Pencil Tray organizes small items in both the 6" (152) and 12" (305) Intrinsic Pedestal drawers and Lateral File Center drawers.

Available in black only.


Laminate Pedestal Side-to-Side Filing Bars

Side-to-Side Filing Bars convert Intrinsic Laminate 12" Pedestal and storage tower drawers to side-to-side or legal-size filing.

Available in black only.




Lami	nate	Mobil	e Ped	estai	Cusi	nion I op	Kit	1
Α	В		List Price Fabric C		_	G	Catalog Number	Seating Fabric Color
A	D	U	ע			G	Number	Color
\$270	\$293	\$312	\$337	\$370	\$400	\$437	ZFMPEDCTK	See Surface Materials Page 6



Pedestal Pencil Tray

[Depth	Dimensions Width	Height	Description	List Price	Catalog Number	
51/2" (140)	133/8" (340)	1" (25)	Includes 1 pencil tray.	\$23	НРРТ	

Laminate Pedestal Side-to-Side Filing Bars



Description	List Price	Catalog Number	
Includes 6 hanging bars. Requires 1 per drawer.	\$79	ZFPSSB	
Build your comp Part Number he	olete re:		
Sample Part Numb	er:	HPPT	

Total Cost \$23 =



Laminate Two-Drawer Lateral Files

The Intrinsic Laminate Two-Drawer Lateral Files include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, frontto-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

The 18" (457)-deep lateral files are intended for use under work surfaces and may not be used in freestanding applications. The Executive 24" (610)-deep, full-depth lateral is a freestanding element.

Shipped assembled.

Laminate Combination Lateral File Center

The Laminate Combination Lateral File Center combines the functionality of a pedestal and the lateral file into a single cabinet that fits below a work surface. The lateral file center has a handed drawer configuration as shown below.

The laminate file center includes full extension ball bearing slides, side-to-side filing bars and front-to-back filing bars in the lateral drawer, one pencil tray and leveling glides.

The laminate file center is intended for use under a work surface and may not be used in freestanding applications.

One lock secures the 12" file drawer and lateral drawer. The 6" box drawers are non-locking.

Shipped assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form.

Intrinsic Executive Laminate Two-Drawer Lateral File with Top **List Price** Thermofused Top Dimensions Catalog Pull Unit Grade Edge Top Edge Drawer Width Number Detail Depth Height Style Color Color Color Color Lock XS No Cost No Cost Applied No Cost Thermo-Laminate Laminate Thermo- R 24" (610) 291/4" (743) 36" (914) \$2109 \$2209 ZEFLATF236 fused fused No Cost 24" Flat Laminate See See aminate Random Top (610) Surface Surface See Materials Materials See + \$29 Surface |∗T Page 7 Surface Page 7 Classic Fluted Materials Deduct Materials Page 7 Page 7 **- \$**-16 Key-Alike Door Note: The Executive Streamline Edge will Laminate Two-Drawer match Lateral has 11/2" thick *Note: door ΑZ Be sure High-Pressure Laminate top color Designer to order Core/Key Intrinsic Laminate Two-Drawer Lateral File Sets MM (ZFLCK) Mod2 separately **List Price** (1 per Thermofused unit) **Dimensions** Grade Catalog MD Depth Width Height Number Modern 273/4" (705) \$1370 \$1425 18" (457) 30" (762) ZFLAT230 36" (914) 1560 1638 ZFLAT236 **Intrinsic Laminate Combination Lateral File Center** 22" (559). **List Price** Thermofused Catalog **Dimensions** Grade Width Depth Height Number 22" (559) 273/4" (705) \$1828 \$1906 ZFFC306612 31" (787) **Build your complete** Part Number here: Sample Note: The ZFLAT230, ZFLAT236 and ZFLAT236 .E .R XZ2 XZ4 Part Number: FFC306612 are designed for use with Executive and standard Intrinsic office configurations. N/C ♣ N/C ■ N/C

Executive Desks

Executive Returns & Bridges

Executive Hutches

\$1560

Total Cost \$1560 =

N/C

Intrins	ic Execu	itive Lam	inate	Four-	Drawer La	teral	File					
Depth	Dimensior Width	ıs Height	Therm	Price ofused ade 2	Catalog Number	Edge Detail	Pull Style	Unit Color	Top Color	Edge Color	Top Drawer Color	Lock
24" (610)	36" (914) — Drawer	53 ¹ /2 ¹¹ (1359)	\$4811	\$4943	ZEFLATF436	XS No Cost Flat XF +\$29 Fluted	No Cost Applied L Classic E Stream-line AZ Designer MM Mod2 MD Modern	Thermo- fused Laminate See Surface Materials Page 7	See Surface	Laminate See Surface Materials Page 7	fused Laminate See Surface Materials	No Cost Random *T Deduct
		Build you Part Numl					_					_

Sam	ple
Part	Number:

Total Cost \$4811 =

ZEFLATF43	6 .XS	. <u>E</u>	.XZ4	.XZ1	.XZ1	.XZ4	. <u>R</u>
\$4811	N/C	N/C	N/C	N/C	N/C	N/C	N/C

Laminate Double-Door Storage Cabinets

The Laminate Double-Door Storage cabinet is available in two depths (18" and 24") and two heights, two- and five-high.

Features include hinged locking double-doors with one adjustable shelf in the two-high unit and three adjustable shelves in the five-high unit. Shelves adjust vertically in 21/2" increments. Units also includes leveling glides.

Available accessories include additional Double-Door Storage Shelves and wardrobe bars.

Note: The 18" (457)-deep Double-Door Storage Cabinet is intended for use under the work surface and may not be used in freestanding applications. The Executive 24" (610)-deep Double-Door Storage Cabinet is a freestanding element.

Shipped assembled.

Executive Laminate Wardrobe Storage Cabinet

The Laminate Wardrobe Storage cabinet is available as a five-high unit. Features include hinged locking double-doors, one shelf, a full-width wardrobe bar and leveling glides.

Available accessories include Double-Door Storage shelves.

Shipped assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form. Check Customer Care for availability.


Intrinsic Executive Laminate Double-Door Storage Cabinet with Top **List Price** Thermofused Top Catalog **Dimensions** Edge Pull Unit Top Door Grade Edge Depth Width Number Detail Style Height Color Color Color Color Lock Thermo-fused No Cost Laminate Random 291/4" (743) ZEFDDF236 XS Thermo-24" (610) 36" (914) \$1705 \$1837 No Cost _aminate Laminate 661/4" (1683) 2910 3111 ZEFDDF536 No Applied fused Cost Laminate See See Flat Surface Surface See See Materials Materials 24" (610) Surface *T Top XF Surface Page 7 Classic Page 7 + \$29 Fluted Materials **Deduct** Materials Page 7 Page 7 **- \$**-16 Key-Alike Door Door Note: The ZEFDDF Streamline Edge will AND ZEFWRF units match have 11/2" thick High-*Note: door Be sure Pressure Laminate ΑZ color to order Designer top. Core/Key **Executive** Desks Two-High Sets (ZFLCK) MM separately Mod2 (1 per **Intrinsic Executive Laminate** unit) Wardrobe Storage Cabinet MD Executive Returns & Bridges **List Price** Modern Thermofused **Dimensions** Grade Catalog Depth Width Height Number 661/4" (1683) \$2092 \$2258 ZEFWRF536 36" (914) **Executive Hutches** Intrinsic Laminate Double-Door Storage Cabinet **List Price** 18" (457) Thermofused **Dimensions** Grade Catalog Depth Width Heiaht Number 18" (457) 36" (914) 273/4" (705) \$1149 \$1254 **ZEDD236 Build your complete** Part Number here: Note: The ZFDD236 is designed for use with Sample Executive and standard ZEFDDF236 .xs .AZ .ZX2 XZ2 .XZ4 .XZ4 T. Part Number: Intrinsic office configurations. **★**N/C **★** N/C N/C N/C N/C Total Cost \$1689 = \$1705 N/C

Intrinsic Laminate Double-Door Storage Shelf (For ZFDD236)

Depth	Dimensions Width	Height	Therm	Price ofused ade 2	Catalog Number	Shelf Color
16¹/e" (352)	341/2" (876)	⁷ /8" (19)	\$144	\$150	ZFDDS	Thermofused Laminate See Surface Materials Page 7

Intrinsic Laminate Double-Door Storage Shelf (For ZFDDF236, ZFDDF536 and ZFWRF536)

Depth	Dimensions Width	Height	Therm	Price nofused ade 2	Catalog Number
22" (352)	341/2" (876)	⁷ /8" (19)	\$152	\$168	ZFDDFS



Wardrobe Bars (For Five-High Laminate Wardrobe Storage Cabinet)

Dimensions Width	Height	List Price	Catalog Number	
34³/8" (873)	1" (25) Diameter	\$120	ZFWRB36E	
		ur complete nber here:		

Sample Part Number:

Total Cost \$144 =

	ZFDDS		.XZ3
=	\$144	4	N/C

Executive Storage Credenzas

The Intrinsic Storage Credenzas come in three configurations, each with a unified High-Pressure Laminate top. The **lateral units** include full extension ball bearing slides, an interlock mechanism (for each 2-drawer unit) allowing only one drawer to open at a time, side-to-side filling bars, front-to-back filling bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. The **double-door units** include hinged locking double doors with one adjustable shelf and leveling glides. Shelves adjust vertically in $2^1/2^n$ increments.

Note: The storage credenza with a double-door and lateral unit (ZEFSCLATDD) is unhanded. Therefore, storage components can be placed on the left or right depending on user preference.


All versions ship in three pieces and require some assembly.

Note: The Executive Storage Credenzas have a 1½" thick High-Pressure Laminate top.

Intrinsic Executive Storage Credenza List Price Thermofused Top Catalog **Dimensions** Edge Pull Unit Drawer Grade Top Edge Depth Width Number Style Lock Height Detail Color Color Color Color Thermo-**ZEFSC2LAT** XS No Laminate Laminate See 24" (610) 72" (1829) 291/411 (743) \$5150 \$5351 No Cost Flat Cost Surface No Cost fused 4769 5036 ZEFSC2DD Laminate See Materials Applied See Random 5055 5289 **ZEFSCLATDD** Surface Surface Page 7 See Materials Materials ΧF Surface Classic Page 7 Page 7 Door/ Deduct + **\$**29 Fluted Materials drawer **- \$**-32 Ε Page 7 edge Key-Alike Streamcolor will Unit shelf match *Note: edge door/ Be sure ZEFSC2LAT color will ΑZ drawer to order match Designer color Core/Kev unit/shelf Sets (ZFLCK) MM color Mod2 separately (2 per MD unit) Modern ZEFSC2DD **Build your complete** Part Number here: ZEFSCLATDD

Sample Part Number:

Total Cost \$5118 =



Executive Desks

Executive Returns & Bridges

> Executive Hutches

Storage Towers have adjustable leveling glides. The wardrobe unit includes a wardrobe bar and one adjustable

shelf. The cupboard unit includes two adjustable shelves. Shelves adjust vertically in 21/2" (64) increments. The pedestals have full extension ball bearing slides on both 6" and 12" drawers. 6/6/12 pedestals include one pencil tray.

Available accessories include, side-toside filing bars, additional shelves, and a pencil tray.

Shipped assembled.

Note: The Executive Storage Towers have a 11/2" thick High-Pressure Laminate top.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with an Intrinsic Core/Key set in order for the Intrinsic filing unit to lock. The Core/Key set (ZFLCK) must be ordered separately or by using the keying order form. Check Customer Care for availability.

Laminate Storage Tower Wardrobe Shelf

The Wardrobe Shelf fits in Intrinsic Laminate Storage Tower units in the wardrobe storage area for additional shelf space. Includes one wardrobe shelf and mounting hardware.

Laminate Pedestal Side-to-Side Filing Bars

Side-to-Side Filing Bars convert 12" (305) Intrinsic Laminate Pedestal and Storage Tower drawers to side-to-side or legalsize filing. One side-to-side filing bar required per drawer (Shipped 6 per package).

Available in black only.




Intrinsic Laminate Storage Tower Cupboard Shelf

Depth	Dimension Width	Height	Therm	t Price ofused ade 2	Catalog Number	Shelf Color
22" (505)	14 ¹ /8" (394)	⁷ /8" (19)	\$106	\$112	ZFSTWCS	Thermo- fused Laminate
						See Surface Materials Page 7



Intrinsic Laminate Storage Tower Wardrobe Shelf

Depth	Dimension Width	Height	Therm	t Price ofused ade 2	Catalog Number
22" (505)	71/411 (394)	⁷ /8" (19)	\$82	\$88	ZFSTWWS



Intrinsic Laminate Pedestal Side-to-Side Filing Bars

Description	List Price	Catalog Number	
Includes 6 hanging bars. Requires 1 per drawer.	\$79	ZFPSSB	
Build your o			

Sample Part Number:

Part Number:	ZFSTWCS	.XZ4
Total Cost \$106 =	\$106 -	N/C

The Bookcase is complete with High-Pressure Laminate top and base with leveling glides. The Two-high cases have one adjustable shelf. The three-high case has two adjustable shelves. The four-high case has two adjustable shelves and one fixed shelf. The five-high cases have three adjustable shelves and one fixed shelf (see picture). The shelves are 1" (25)-thick, and adjust in 21/2" (64) increments.

Two, and three-high bookcase heights are designed to accommodate standard binders on all shelves. The four-high bookcase will only accommodate binder storage on three of the four shelves and the five-high on four of the five shelves.

Additional Bookcase Shelves are available.

Intrinsic Executive Corner Bookcases

Note: Fixed shelf on four and five-high Bookcases is fixed at work surface height. Shipped ready to assemble.

Note: The Executive Bookcases have a 1¹/²" thick High-Pressure Laminate top and are not available in XZ4 Black.

Sample

Part Number:

Total Cost \$1363 =

ZEFBCC524

\$1334

.XF

\$29

XZ2

N/C

.XZ4

N/C

.XZ4

N/C

Fits Booke Width	Dimensions Fits Bookcase Actual Width Depth Width Height					Catalog Number	Shelf Color
30" (762) 36" (914)	113/4" (298)	27 ⁷ /s ¹¹ (702) 33 ⁷ /s ¹¹ (854)	1" (25)	\$151 163	\$157 169	ZFRS30 ZFRS36	Thermo- fused Laminate See Surface Materials Page 7

esks

Xecutiv Seturns Bridges

ecutive


xecutive Filing & Storage

Executive Receptior Stations

Intrinsic Laminate Corner Bookcase Shelf

Fits Booko Width	case Depth	Dimensions Actual Width	Height	Ther	t Price mofused rade 2	Catalog Number
24" (610)	23" (584)	23" (584)	1" (25)	\$130	\$146	ZFCS24
			Build you Part Num			

Sample Part Number:



Total Cost \$130 =

The Intrinsic Reception Station is constructed of 1" (25) thick Thermofused Laminate shell with a 1½" thick High-Pressure Laminate work surface and transaction top with matched 3mm vinyl edging on work surface and transaction top. Available in right or left configuration with full modesty. Three grommets (2 in the desk and 1 in the return) and leveling glides are standard.

Note: Transaction top overhang is 6" (152).

Shipped ready to assemble.

Intrinsic Executive Reception Station - Right-Hand **List Price** Thermofused Top **Dimensions** Grade Catalog Edge Top Edge Base Depth 1 Depth 2 Width 1 Width 2 Height Color Number Detail Color Color Thermo-XS Laminate Laminate 24" (610) 30" (762) 72" (1829) 72" (1829) 421/211 (1080) \$2707 \$3044 ZEFRSR7272 No fused Cost Laminate Flat See See See XF + \$29 Fluted Surface Surface Surface Materials Materials Materials Page 7 Page 7 Page 7 Heiaht Base edge will match laminate color Intrinsic Executive Reception Station – Left-Hand **List Price** Thermofused Catalog **Dimensions** Grade Depth 1 Depth 2 Width 2 Width 1 Height Number 30" (762) 24" (610) 72" (1829) 72" (1829) 421/2" (1080) \$3044 **ZEFRSL7272** \$2707 **Build your complete** Part Number here: Height

The Intrinsic Reception Station Desk is constructed of 1" (25) thick Thermofused Laminate with a 11/2" thick High-Pressure Laminate shell work surface and transaction top with matched 3mm vinyl edging on work surface and transaction top. Available with full modesty only. Can be configured with any Intrinsic Freestanding bridge or return. Two grommets and leveling glides are standard.

Note: Transaction top overhang is 6" (152).

Shipped ready to assemble.


Intrinsic Executive Reception Station Desk

Depth	Dimension Width	s Height	Therm	Price ofused rade 2	Catalog Number	Edge Detail	Top Color	Top Edge Color	Base Color
30" (762)	72" (1829)	421/2" (1080)	\$2034	\$2301	ZEFRS3072	XS No Cost Flat	Laminate	Laminate	Thermo- fused Laminate
_						XF + \$29 Fluted	See Surface Materials Page 7	See Surface Materials Page 7	See Surface Materials Page 7
	Height								Base edge will match base laminate color

Sample Part Number:

Total Cost \$2063 =

Build your complete Part Number here:



ccessories

Intrinsic Freestanding Accessories

Accessories	90
I FD Lighting & Task Lights	94

Available in black only.

Vertical Wire Channel

The Vertical Wire Channel encloses power or light cords on the face of a panel. It attaches to back panel with self-adhesive backing. Packaged in boxes of three.

Grommet for Modesty Panel


The Modesty Grommet is available for situations that require additional wire management through any modesty or back panel. All modesty panel grommets must be field installed.

Available in black only.

Grommet for Work Surface

The Work Surface Grommet is available for situations that require grommets in addition to those that are standard on all desks or as replacements.

Available in black only.



Horizontal Wire Manager

Depth	Dimensions Length	Width	List Price	Catalog Number	
3" (76)	30" (762)	2" (51)	\$44	НWМ30	



Vertical Wire Channel

Length	Dimensions Width	Depth	List Price	Catalog Number	Trim Color
24" (610)	1/2" (13)	1/2" (13)	\$30	VWC3	Standard Smooth Finish Only
Раскаде Co	ntains 3 Wire Ch	anneis			See Surface Materials Page 7



Grommet for Modesty Panel

Depth	Dimensions Grommet Diameter	Drill Hole Diameter	List Price	Catalog Number	
3/8" (9)	2" (51)	13/4" (44)	\$57	SIZGMP	
Includes 6 gr	rommets.				




Grommet for Work Surface

Depth	Dimensions Grommet Diameter	Drill Hole Diameter	List Price	Catalog Number	
¹⁵ / ₁₆ " (24)	2.8" (71)	2 ³ /8" (60)	\$75	SIZGWS	
Includes 6 gro	ommets.				
		Build your co	•		_

Sample Part Number:

Total Cost \$30 =



The Intrinsic Freestanding Assembly Tool makes assembling freestanding products much easier. The tool fits into a power driver chuck and provides a guide for driving quarter-turn cam pins into Thermofused Laminate surfaces. This tool will save you time during the installation process, and reduce laminate surface chipping.

Intrinsic Freestanding Touch Up Markers

The Touch Up Markers are for use with the Thermofused Laminate. They are available individually or as a kit. The kit includes one marker of each color.



nsic Freestanding Assembly Tool		
Dimensions Length	List Price	Catalog Number
31/2" (89)	\$40	ZFPT

Intrinsic Freestanding Touch Up Markers

List	Catalog
Price	Number
\$81	ZFTUPXZ1
81	ZFTUPXZ2
81	ZFTUPXZ3
81	ZFTUPXZ4
228	ZFTUPKIT
	\$81 81 81 81 81

Build your complete Part Number here:

Sample Part Number:

Total Cost \$81 =

\$81

ZFTUPXZ3

Center Drawer

The Center Drawer mounts beneath any work surface except certain Corner Work Surfaces*. The drawer includes a built-in pencil tray and dividers, full-extension ball-bearing slides, and attachment hardware. Drawer is non-locking, painted metal and available in black only.


*Note: The Center Drawer will fit on Choices Panel Hung Corner Work Surfaces and Freestanding Corner Desks with front widths greater than 22" (559).

Pencil Drawer

The Pencil Drawer mounts beneath any work surface except the Corner Desk. The plastic drawer includes a built-in pencil tray and dividers, nylon slides and attachment hardware. Drawer is non-locking and offered in black only.

Note: When mounting the Pencil Drawer to an Intrinsic Freestanding work surface use a 5/s" screw.

Center Drawer



Depth	Dimensions Width	Height	List Price	Catalog Number
18" (457)	201/2" (521)	1 ⁵ /8" (41)	\$355	CDW

Pencil Drawer

Depth	Dimensions Width	Height	List Price	Catalog Number
161/8" (410)	211/2" (546)	2" (51)	\$64	PDR



Build your complete Part Number here:


> Sample Part Number:

CDW

Total Cost \$355 =

\$355

The Pop-up Power/Data Module provides two grounded outlets and two openings for communication connectors. The module can be installed in any table or work surface greater than 18" (457)-deep. A 6' power cord is included. UL and CUL Listed/CSA Certified. Available in Black only.



Pop-up Power/Data Module			
	List Price	Catalog Number	
	\$433	SICELECM	
	Build your complete Part Number here:		

Sample Part Number:

Total Cost \$433 =

SICELEM

\$433

LED Task Light Complete

The LED Task Light Complete includes the light, mounting hardware and power source. It is the equivalent of a regular fluorescent task light.

LED Task Light Main Power Daisy Chain

The Task light with main power provides the light and mounting hardware plus a 60 watt power supply capable of powering more than one light. The power supply can accommodate a maximum of 60 watts. Please see the chart-for appropriate wattages as to not overload the power supply.


Width	Watts
17	9
31	18
44	25

LED Task Light Daisy Chain Jumper Cord

The LED Daisy Chain Jumper Cord Task Light includes the light and mounting hardware, plus an 8" and 30" jumper cord to attach to another task light. The jumper cord can attach to a Daisy Chain Main Power Task Light or another Daisy Chain Jumper Cord Task Light. Each connected light will have an independent power switch.


LED Task Light Occupancy Sensor

The LED Occupancy Sensor will automatically turn off all interlinked fixtures after 30 minutes of no movement. One occupancy sensor can 'control' all the lights that are daisy chained together.




LED Task Light Complete

Fixture Dimensions		Fits Shelf	List	Catalog	
Depth Height Width		Width	Price	Number	
2" (51)	⁴ /7" (14)	17" (432) 31" (787) 44" (1118)	24"-60" (610-1524) 36"-60" (914-1524) 48"-60" (1219-1524)	\$417 673 964	LEDTL17 LEDTL31 LEDTL44




LED Task Light - Daisy Chain with Main Power

Fixt	ure Dimens	sions	Fits Shelf	List	Catalog
Depth	Height	Width	Width	Price	Number
2" (51)	⁴ /7" (14)	17" (432) 31" (787) 44" (1118)	24"-60" (610-1524) 36"-60" (914-1524) 48"-60" (1219-1524)	\$525 673 964	LEDTL17DCMP LEDTL31DCMP LEDTL44DCMP



LED Task Light - Daisy Chain with Jumper Cord

	Dimensions	List	Catalog
	eight Width	Price	Number
2" (51) 4/7"	(14) 17" (432) 31" (787) 44" (1118)	579 LE	DTL17DCJC DTL31DCJC DTL44DCJC



LED Task Light - Occupancy Sensor

Fixtu Depth	re Dimens Height	ions Width	List Price	Catalog Number
⁷ /10" (5 1)	2" (51)	2 3/10" (432)	\$301	LEDTLOS

Build your complete Part Number here:

Sample Part Number: LEDTL17DCMP

Total Cost \$525 =

\$525

Terms & Policies

Terms & Policies

96

Trendway. >

1. Prices

Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement price changes effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices include coverage of prepaid standard, Trendway-specified freight cost.

2. Order Placement

Trendway Corporation requires all orders to be submitted electronically via on-line order entry at www.trendealer.com, or in writing following Ordering Procedures on page 1. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

3. Confirmation

Upon receiving an order,
Trendway Corporation will send an
acknowledgement with exact pricing
information and scheduled shipping
date. Orders can also be confirmed
on-line at www.trendealer.com.
Customer is responsible for checking
acknowledgements to ensure that
the order is correct. Order will be
processed as acknowledged.

4. Lead-Times

Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

5. Buyer's Credit

If, in the judgment of Trendway, the financial condition of the Buyer at any time does not justify the terms specified, Trendway may at any time by notice to the Buyer require prepayment or other terms of payment differing from those specified in Section

8 or other satisfactory security to insure prompt payment of invoices.

6. Order Changes

To change an order, the customer must call Trendway Customer Care for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

7. Cancellation

All cancellations must be approved by Trendway Corporation. Orders in production cannot be cancelled without incurring substantial or full purchase price. Customers shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Nonstandard items may not be cancelled.

8. Terms of Sale

Terms of sale on all invoices to approved Trendway customers are Net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

9. Taxes

Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes that Trendway Corporation, Trendway Corporation subcontractors, or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

10. Past-Due Accounts

Past-due accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of past-due balances.

11. Customer's Own Material (COM)

The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

- 1. Select the COM material.
- Check first with www.trendealer.com/ COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
- If the material is pre-approved in the COM Library, customer must submit a COM Order Submission Form (available from Trendway Customer Care Representative).
- 4. If the material requested is not in the COM Library, customer must submit a COM test request on-line at www.trendealer.com, send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
- 5. Ship COM samples to:
 - U.S. Mail and UPS, FedEx Shipment: Trendway Corporation 13467 Quincy Street Holland, MI 49424 Attn: COM Request
- You will be notified within five working days of receiving the material sample by Trendway, whether your COM has been approved or disapproved for application.

TEST YARDAGE REQUIREMENTS yard Capture Tiles 11/2 yards Choices panels Fabric screens vards Flipper doors $^{2}/_{3}$ yard Intrinsic Freestanding 1 yard Ped Cushions 1 yard Tackboards 1 yard TrendWall vards Volo tiles yards

NOTE: Most fabric houses have a yardage minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or damage shall remain with Buyer. Buyer must assume responsibility for any use spoilage that takes place in the course of processing or during transportation.

Trendway, >

Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyerfurnished materials will not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Trendway Customer Care PRIOR to placing your order.

11a. Custom Color

Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See www.trendealer.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on www.trendealer.com).
- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample. signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- If applicable, dealer will be sent an invoice for \$250 color matching fee per customer, per color. See Custom Color Request form for details.

12. Special Product

When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

13. Delays

Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to, compliance with a ny regulations, orders, or instructions of any Federal, State, or Municipal Government, or

any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

14. Postponement of Delivery

If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

15. Storage

When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges 1/4 of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as Buver-specified destination: except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

16. Transportation

All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Friday's will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 2 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of \$150. This charge does not

apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.

- Lift gate service will have an additional charge of \$85 for an LTL carrier. For lift gate service on a truckload, contact Customer Care.
- Inside delivery service starts at \$50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at \$50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

Shipping Note:

Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products in using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

17. Product Ownership

Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

18. Damaged Materials

Trendway Corporation is not responsible for shipped products when the common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.

Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 5 days after receipt. Trendway assumes no liability for such damage.

19. Shortage on Order

Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.

20. Product Usage and Compliance

Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.

21. Post-Delivery Assistance

Installation and servicing of Trendway products are normally handled directly by Trendway-authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan.

22. Returned Goods

As a basic policy, Trendway does not accept returned material, because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 35% will apply. To receive authorization to return goods, please contact Trendway's Customer Care Department.

All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after 30 days will be refused and returned to sender collect.

Electrical components, nonstandard items, and fabric- covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original

Trendway packing cartons. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. As a general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.

23. Intrinsic Key-Alike Option

The Intrinsic Key-Alike option is available on all Intrinsic filing units for no additional upcharge. When the Key-Alike option is chosen, the list price of the purchased Intrinsic filing unit is reduced by the same amount that is charged when ordering the Intrinsic Core/Key Set (ZFLCK) needed for that unit.

The unit is assembled with a "disposable" core in place of the lock core to temporarily secure the drawers/doors for transit. In order for Key-Alike Intrinsic units to lock, the "disposable" core must be field replaced with an Intrinsic Core/Key Set (ZFLCK) which is ordered separately.

Intrinsic Core/Key Set orders should be placed with the Intrinsic filing order to ensure being installed at the time of product installation. The Core/Key Set (ZFLCK) can be ordered separately or by using the key-alike order form which can also be used as a worksheet to help combine and tag Core/Key Sets.

24. Special Marking or Tagging

Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. **Tag designations must be specified at the time an order is placed.**

25. Trendway Field Technical and Installation Support:

On-site field measurement and installation support is available as a service. The fees are listed below: Field Installation Assistance: 2 Day On-Site. \$1,200

Field Installation Assistance: 3 Days On-Site, \$1,800

Field Installation Assistance: 4 Days On-site, \$2,400

Field Installation Assistance: 5 Days On-Site, \$3,000

Days include 1/2 day travel to and 1/2 day travel from location. These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.

Find the most current terms and conditions on www.Trendway.com, in the Price list section.

I IMITED I IFFTIME WARRANTY

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Systems	Architectural Products	Seating	
10 Year	Height-Adjustable Table Frame Electrical Components	•Electrical Components	•Pneumatic Cylinders •Mechanisms	
5 Year	Drawer Slides Systems Textiles Laminate, Paint, Plastic Electronic Ballasts Height-Adjustable Table Mechanical Components Screens	•Systems Textiles •Laminate, Paint, Plastic		
3 Year	Veneer Magnetic Ballasts	•Veneer	•Trim •Foam •Upholstery •Arm Pads	
2 Year	Surface Trend Fabrics Height-Adjustable Table Electrical Components	•Surface Trend Fabrics		
1 Year	•Non-Standard Product •Personal Task Lighting	•Non-Standard Product	•Non-Standard Product	
Not Covered	Light Bulbs Customer's Own Material	•Customer's Own Material	•Customer's Own Material	

The following exceptions apply to all product lines:

- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift usage.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:

- Changes in wood color resulting from exposure to light or aging
- · Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Trendway>

January 2023