

---

# Trig<sup>®</sup> Desking

PRICE LIST | JANUARY 2023

For Canadian pricing, please visit Trendealer to see the current conversion rate being used or contact your local Trendway Representative.

**Trig Desking**

Trig Desking is a fully integrated line of laminate freestanding components including desks, credenzas, tables and laminate storage. This line offers high-end aesthetics, with a range of styling options and finishes.

Trendway product catalogs are available in the following design software: 20/20 (CAP/Giza) and Project Matrix. The Core price book is also available in .pdf (Acrobat Reader) format on [www.trenddealer.com](http://www.trenddealer.com). For Architects and Designers, a free FSL (Furniture Symbol Library) is available on [dealer.trendway.com](http://dealer.trendway.com).

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (1219)-width.

**Ordering Information**

The most efficient way to enter an order is through Trendway On-Line Order Entry on [dealer.trendway.com](http://dealer.trendway.com), which also accepts .sif files from the design software listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TRGRECD2048 represents a Trig Rectangle Desk that is 20" (508) deep and 48" (1219)-wide.

Order specification examples are shown throughout the price book at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Trendway will send an order acknowledgement that follows the sequence of information outlined below. Trendway encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

**Placing an Order**

To make placing an order simple, Trendway On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

1. A complete "sold to" address with correct Zip code.

2. A complete "ship to" address with correct Zip code.
3. A purchase order number. (The order is issued to Trendway Corporation, Holland, Michigan.)
4. A signature or name of person authorizing the purchase order.
5. A contact name and phone number at your company.
6. An actual calendar date for the requested delivery date (not ASAP).
7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.

(Refer to your price list for ordering options.)

8. Special products referenced by their control numbers as well as their descriptions.
9. Line items that include price per unit, as well as extended totals.
10. A total dollar amount for the purchase order.
11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

**Lead-Times**

The majority of Trig Desking products are shipped within Trendway's standard lead time.

**Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Trendway Customer Care.**

**Product Questions, Quotes & Order Placement On-Line**

[dealer.trendway.com](http://dealer.trendway.com)

Hours: 24 Hours, 7 Days a Week

**Customer Care Representative**

Hours: Monday–Friday

7:30 am–5:30 pm EST

Phone: 1-800-893-8115

Fax: 1-800-893-8121

e-mail: [customercare@trendway.com](mailto:customercare@trendway.com)

**Trendway Custom Solutions**

Phone: 1-800-893-8117

**For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of the price book.**

**1. Transportation**

All orders are shipped by Trendway truck or common carrier. List prices shown include Trendway specified freight cost on all orders. For additional information about transportation, contact Trendway Customer Care 1-800-893-8115.

**2. Prices**


Prices shown in this offering are F.O.B. origin, freight prepaid. Trendway reserves the right to change prices without notice.

**Sequence Information**

The table shows a sample of the price book format's sequence of information which will assist when placing an order and checking an order acknowledgement.

	Catalog Number	Top Color
Sample Part Number:	TRGRECD2048	.XZ3


### Desks



\*widths in increments of 6"


↔ Denotes direction of wood grain

### Work Surfaces





\*widths in increments of 6"

### Work Surface Support Legs




Supports surfaces that are next to each other – no need for separate legs on each surface.

### Screens & Modesties




## Filing & Storage

### Credenzas



D W H  
20" x 75" x 26<sup>3</sup>/<sub>4</sub>"




D W H  
20" x 60" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 45" x 26<sup>3</sup>/<sub>4</sub>"




D W H  
20" x 30" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 45" x 26<sup>3</sup>/<sub>4</sub>"




D W H  
20" x 30" x 26<sup>3</sup>/<sub>4</sub>"  
20" x 36" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 60" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 30" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 75" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 60" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 45" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 45" x 26<sup>3</sup>/<sub>4</sub>"




D W H  
20" x 45" x 26<sup>3</sup>/<sub>4</sub>"




D W H  
20" x 45" x 26<sup>3</sup>/<sub>4</sub>"

### Bench-Height Storage




D W H  
20" x 75" x 21"



D W H  
20" x 60" x 21"



D W H  
20" x 45" x 21"



D W H  
20" x 45" x 21"



D W H  
20" x 30" x 21"



D W H  
20" x 30" x 21"  
20" x 36" x 21"

### Freestanding Storage



D W H  
20" x 30" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 15<sup>1</sup>/<sub>2</sub>" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 30" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 30" x 27<sup>3</sup>/<sub>4</sub>"  
24" x 30" x 27<sup>3</sup>/<sub>4</sub>"  
30" x 30" x 27<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>"  
24" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>"  
30" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 30" x 27<sup>3</sup>/<sub>4</sub>"  
24" x 30" x 27<sup>3</sup>/<sub>4</sub>"  
30" x 30" x 27<sup>3</sup>/<sub>4</sub>"

### Under Desk Support Storage

### Stack Storage - Open Shelf\*



D W H\*  
14" x 30" x 27<sup>1</sup>/<sub>4</sub>"



D W H\*  
14" x 30" x 39<sup>1</sup>/<sub>4</sub>"


### Trig to Panel Bracket




Will allow Trig Work Surface Legs and Storage Units to directly connect to Choices Panels.

\*To match 54" & 66" high Storage Towers when placed on top of 26.75" high Credenzas.

### Overhead - Single and Dual Sliding Door



D W\* H  
14" x 48" x 37"  
14" x 72" x 37"




D W\* H  
14" x 48" x 37"  
14" x 72" x 37"

### Overhead - Open Shelf




D W\* H  
14" x 48" x 37"  
14" x 84" x 37"

### Overhead - Hinged Doors\*\*



D W\* H  
14" x 60" x 37"  
14" x 84" x 37"



\*\*The same door size is used for all units. Overheads 66" and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit.

\*Widths in 6" increments.

### Combination Storage



D W H  
20" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"  
24" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"  
30" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"  
24" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"  
30" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"




Filing & Storage Continued

Tower Storage



D W H  
20" x 30" x 65<sup>3</sup>/<sub>4</sub>"


D W H  
20" x 15" x 65<sup>3</sup>/<sub>4</sub>"




D W H  
20" x 30" x 53<sup>3</sup>/<sub>4</sub>"

D W H  
20" x 15" x 53<sup>3</sup>/<sub>4</sub>"

Door Style Options



Laminate Door



Framed Door Insert (Plexiglass)

Wardrobe Storage



D W H  
24" x 24" x 66"




D W H  
24" x 24" x 66"



D W H  
20" x 15" x 53<sup>3</sup>/<sub>4</sub>"  
20" x 15" x 65<sup>3</sup>/<sub>4</sub>"

Benching Electrical

Power Raceway



Power Grommets



2 Power



1 Power 1 USB



1 Power a Open Data

Tables



D W H  
36" x 72" x 28<sup>3</sup>/<sub>4</sub>"  
42" x 72" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 72" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 96" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 120" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 144" x 28<sup>3</sup>/<sub>4</sub>"



D/W H  
36" x 28<sup>3</sup>/<sub>4</sub>"  
42" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 28<sup>3</sup>/<sub>4</sub>"

**Note:** See the Tables Price Book for the complete Tables offering.

## Surface Material Program

The Trendway Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Trendway offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

### Standard Program

Trendway's Standard Program of timeless and popular fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded and swatched by Trendway. Materials in the Trendway Standard Program offering are readily available for orders to ship within 2-4 weeks. Refer to individual panels for fire rating classifications.

### Scheduled Program

Trendway's Schedule Program is made up of additional colors of standard patterns, as well as an evolving collection of fabrics from our textile partners designed to solve all your needs. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years and is not considered part of the standard program. To see the Scheduled fabrics go to the surface material page on our website at [www.Trendway.com](http://www.Trendway.com) and filter for "Scheduled" under "Lead-Times". Scheduled fabrics may have different lead time than standard fabrics. Please call Trendway customer care for estimated ship dates.

Both Standard and Scheduled Materials in this program comply with the industry standards for quality and performance.

They all pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

### COM

Customers Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. For detailed information see item #11 (COM) in the Pricing, Procedures and Policies section in the back of the price list or on [Trenddealer.com](http://Trenddealer.com).

### Pre-Approved COM

Select from popular COM fabrics pre-approved by Trendway. Customers are able to search the COM library on [dealer.trendway.com](http://dealer.trendway.com) for fabrics and specific applications that have passed manufacturability testing on Trendway product.

## HOW TO ORDER SAMPLES

### Standard Program Binder Cards

Seating and panel binder cards are available through Trendway fulfillment. [dealer.trendway.com](http://dealer.trendway.com)

### Standard Program Samples

Samples of fabrics and finishes are available through Trendway fulfillment. [dealer.trendway.com](http://dealer.trendway.com)

### Scheduled Samples

**Samples must be ordered directly through the supplier.** Contact information is listed below and also on our website [www.trendway.com/surface-materials](http://www.trendway.com/surface-materials). Click on the link next to the swatch samples.

#### Camira

[www.camirafabrics.com](http://www.camirafabrics.com)  
1-616-288-0655

#### Culp Contract

[www.culpcontract.com](http://www.culpcontract.com)  
336-888-6274

#### Guilford Of Maine®

[www.guilfordofmaine.com](http://www.guilfordofmaine.com)  
1-800-544-0200

#### Mayer Fabrics

[www.mayerfabrics.com](http://www.mayerfabrics.com)  
1-800-428-4415

#### Momentum® Textiles

[www.memosamples.com](http://www.memosamples.com)  
1-800-366-6839

#### Nevamar

[www.nevamar.com](http://www.nevamar.com)  
1-800-638-4380

#### Pionite

[www.pionite.com](http://www.pionite.com)  
1-800-746-6483

#### Ultrafabrics®

[www.ultrafabricsinc.com](http://www.ultrafabricsinc.com)  
914-460-1730

#### Wilsonart®

[www.wilsonart.com](http://www.wilsonart.com)  
1-800-433-3222

## Surface Material Legend

 = 100% Recycled Content

 = Bleach Cleanable. Refer to specific cleaning instructions for each fabric on [www.Trendway.com](http://www.Trendway.com).

Pattern	Capture Tiles	Choices Panels & All Systems Components	Fabric Screens	Tackboards		TrendWall	Volo	Cushion Tops
				> 60"	< 60"			
Amaze	↓	↓	↓	R	↓	↓	↓	•
Anchorage	↓	↓	↓	R	↓	•	↓	•
Aurora	↓	↓	↓	R	↓	↓	↓	•
Chase	↓	↓	↓	R	↓	↓	↓	•
Framework	↕	↕	↕	↕	↕	•	↕	•
Glint	↓	↓	↓	R	↓	↓	↓	•
Intermix	↓	↓	•	R	↓	↓	↓	•
Intuition*	↓	•	•	R	↓	•	↓	↓
Merge	↕	↕	↕	↕	↕	↕	↕	↕
Mingle	↓	↓	↓	R	↓	•	•	•
Netiquette**	↓	•	•	R	↓	↓	↓	•
Pact	↓	↓	↓	R	↓	↓	↓	•
Pursuit	↓	↓	↓	R	↓	↓	↓	•
Tabby Weave	↕	↕	↕	↕	↕	↕	↕	•

• Not Available

↕ Non Directional - Pattern will be applied for best yield

↓ Down Roll - The height dimension of the tile or component is parallel to the warp of the fabric

R Railroaded - The height dimension of the tile or component is perpendicular to the warp of the fabric


\* Multi-use fabric (seating and panel) available on Capture, Fabric Screens, and Volo

\*\* Not available on Choices Panels, but approved on Choice's Tackboards and Flipper Doors

### Down-Roll (↓)

Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).


Fig. A



### Railroad

Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).


Fig. B



### COM Fabrics

COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

Fig. C



## Standard Panel Fabrics

Framework		Grade 0	Intermix		Grade 1	Tabby Weave		Grade 2
Value Fabric			Guilford of Maine					
KK1	Cappuccino		KDM	Foggy		QQ3	Cement Mix	
BJ7	Dove Gray		KDK	Husky		175	Crystal Blue	
KK2	Espresso		KDT	Neptune		238	Grey Mix	
B4Y	Eucalyptus		KDJ	Rocket Ship		K99	Medium Grey	
B4X	Gray Blue		KDH	Seagull		380	Quartz	
KJX	Grotto		KDV	Smoky Quartz		BV2	Silver Papier	
BFP	Hunter		KDR	Swan		150	Wedgewood	
BFR	Marble							
B4V	Sandy Pebble							
BG8	Twilight							
Merge		Grade 0	Mingle		Grade 1	Anchorage		Grade 3
			Guilford of Maine			Guilford Of Maine		
Z42	Dove		Z53	Biscuit		AR1	Angora	
Z43	Driftwood		Z4X	Carbon		AR0	Asteroid	
Z44	Eucalyptus		Z4Y	Crystal		BF4	Aubergine	
Z45	Fawn		Z52	Wheatberry		AQ8	Birch	
Z46	Fire Engine		Z51	Winter		BF9	Cobalt	
Z47	Graphite					AQ7	Deep Water	
Z49	Green Apple		Netiquette		Grade 1	BFM	Graphite	
Z4A	Ivy		KK5	Analog		BFF	Green Apple	
Z4C	Mandarin		KK3	Chipset		BFA	Lapis	
Z4D	Marshmallow		KK4	Dashboard		BFD	Midnight	
Z4F	Midnight		KK8	Gamma		GEB	Onyx	
Z4H	Slate		KK7	Inkjet		KX1	Pool	
			KKC	Pixel		BF2	Pumpkin	
			KKA	Refresh		AQ6	Quarry Blue	
			KK6	Schema		BFN	Red Delicious	
			KK9	Vector		AQ5	Slate	
						BFC	Thistle	
						AQ1	Vanilla	
						BXP	Waterfall	
						BFG	Willow	
						BFJ	Wolf	
Amaze		Grade 1	Pursuit		Grade 1	Glint		Grade 3
Guilford of Maine			Guilford of Maine			Momentum		
Z4W	Morel		KDG	Cement		KG4	Caspian	
Z4T	Platinum		KDA	Dove		KG5	Column	
Z4V	Steel		KDF	Elephant		KG7	Gypsum	
Z4U	Sky		KDC	Mist Grey		KG9	Opal	
			KD9	Whisper		KJ2	Pumice	
			KDD	White Linen		KGC	Relic	
						KGE	Serene	
						KGf	Shale	
Aurora		Grade 1	Pact		Grade 2	Intuition*		Grade 4
Guilford of Maine			Guilford of Maine			Guilford of Maine		
Z55	Cloud		BM5	Aloe		Z27	Bisque	
Z54	Frost		BM8	Coastal		Z2C	Honey	
Z56	Latte		BMA	Dove		Z2E	Peacock	
Z57	Pewter		BME	Fern		Z2G	Sage	
Z58	Granite		BMF	Harbour				
			BMJ	Midnight				
			BMM	Patina				
			BMN	Putty				
			BMU	Sketch				
			BMW	Taupe				
			BMX	Toasty				

\* Available on Capture, Fabric Screens, and Volo

To see all Trendway fabric options, go to [Trendway.com](https://www.trendway.com)

**Standard Systems Finishes**

Trendway standard paints include smooth and textured styles in our six trim colors.

**Systems Paints and Trim**

K	Charcoal
DW	Designer White
G	Gray
L	Light Gray
Y	Sand
J	Stucco
TK	Textured Charcoal
TDW	Textured Designer White
TG	Textured Gray
TL	Textured Light Gray
TY	Textured Sand
TJ	Textured Stucco

**Glazed Panels****Plexiglass**

01 Clear  
E3A \*Frosted

**\*Tempered Glass**

03 Clear  
05 Frosted

**Ecoresin**

The color options are semi-transparent with (or without) patterns.

**\*3form**

E02 Solo Aqua Supermatte Ecoresin  
E01 Solo Supermatte Ecoresin  
E03 Spider Ecoresin

**\*Note:** These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

**Premium Systems Finishes**

**Premium finishes are offered at a modest upcharge.** Please refer to a specific item in your price list to determine the amount of upcharge.

**Smooth Metallic Paint**

PA Platinum

**Thermofused and High Pressure Laminates and Edge Color****Standard Program**

Solid	Grade 1	Woodgrain	Grade 1
XZ4	Black	XZ8	Beigewood
XZH	Designer White	XZE	Brazilwood
		XZ3	Empire Mahogany
		XY6	Espresso Pearwood
		XZY	Finnish Oak
		XZ2	Fusion Maple
		XZZ	Walnut
		XZ1	Wild Cherry

**Woodgrain Grade 2**

XY2	Phantom Charcoal
XY1	Phantom Ecru
XY0	Phantom Pearl

*\* Available on Capture, Fabric Screens, and Volo*

To see all Trendway finish options, go to [Trendway.com](https://www.trendway.com)

## CROSS REFERENCE

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid Color Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Finish Code	Panel Vinyl Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	J0C	XZH	E1	DW	V52
Graphite	J9D		E6		
Gray**				G	
Light Gray**	573		L	L	V51
Platinum**				PA	V53
Sand**	J20		Y	Y	V48
Shadow	J04		E7		
Stucco**	J11		J	J	V49

Pattern Color Name	HPL Capture, Choices, Pack, Worksurfaces	Edgeband
Casual Linen	J6B	E8
Classic Linen	J6A	E9
Crisp Linen	J69	EB
Earthen Twill	J9H	EG
Graphite Twill	J9J	EH
Sarum Twill	J9G	EE

Woodgrain Pattern Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Wood Veneer Volo	Panel Vinyl TrendWall
Beigewood	J0G	XZ8	W8	M4	
Brazilwood	J0D	XZE	WE	M5	
Empire Mahogany		XZ3	W7	M8	
Espresso Pearwood	J9X	XY6	ER		
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2	E5		
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XY0	E3		
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

\*\* Trendway standard trim paint color

**Trig Keying Order Form**

This form can be used as a worksheet or an order form to determine what key-alike Trig Core/Key Sets are needed for key-alike Trig filing and storage, Trig locks on Choices flipper units and for additional Trig Lock Keys, Core Keys and Master Keys\*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Trendway's design software, or through Trendway On-line Order Entry on [trenddealer.com](http://trenddealer.com) using the catalog numbers listed below or it can be used as an order form and faxed to Trendway Customer Care.

**Trig Core/Key Set**

Trig Core/Key Set includes a lock core and 2 lock key. Trig Core/Key Set numbers are randomly selected from existing inventory unless otherwise specified on this form. Requesting specific numbers\*\* may delay shipment of your key-alike order and may require partial or delayed shipment of your lock cores and keys separately from your order. Additional lock keys are available.

**Trig Core Installation/Removal Key**

Trig Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Trig lock cores.

**\*Trig Master Key**

Trig Master Key is used to open any Trig style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.



Trendway Corporation  
13467 Quincy St. Holland MI 49424  
Phone: (800) 893-8115 Fax: (800) 893-8121  
[www.trendway.com](http://www.trendway.com)

**Trig Keying Order Form**

Customer P.O. Number 12345 Trendway Order Number \_\_\_\_\_

Ship to address if different from P.O. \_\_\_\_\_

**Trig Core/Key Set – TLCK**

Qty.	List Price \$16	Key Number S101 - S200	Key-Alike Special Tagging Instructions		
			Floor	Office	
2	\$32	S101	3	5	John's Office
6	\$96	S101	2		Offices 201, 252

**Additional Trig Lock Key(s) – TKEY**

Qty.	List Price \$8	Key Number S101 - S200	
1	\$8	S101	

**Additional Trig Core Installation/Removal Key(s) – TCK**

Qty.	List Price \$4	One core removal key is included at no charge for every 50 lock sets ordered.
3	\$12	

**Trig Master Key(s)**

Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.



**Trendway Corporation**  
13467 Quincy St. Holland MI 49424  
Phone: (800) 968-5344 Fax: (616) 399-0668  
[www.trendway.com](http://www.trendway.com)

# Trig Keying Order Form

Customer P.O. Number \_\_\_\_\_ Trendway Order Number \_\_\_\_\_

Ship to address if different from P.O. \_\_\_\_\_

## Trig Core/Key Set – TLCK

[illegible]

### Additional Trig Lock Key(s) – TKEY

Qty.	List Price \$8	Key Number S101 - S200	

### Additional Trig Core Installation/Removal Key(s) – TCK

Qty.	List Price \$4	One core removal key is included at no charge for every 50 lock sets ordered.

**Trig Master Key(s)**


Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.



**Trig Core/Key Set**  
The Trig Core/Key Set must be ordered when the Key-Alike Lock option is chosen to replace the “disposable” core that ships with Trig filing units in order for these units to lock. This set can also be ordered to replace an existing Trig Core/Key Set. Includes a Trig lock core and 2 lock keys.


**Trig Core Installation/Removal Key**  
The Trig Core Installation/Removal Key is needed to install or remove Trig Cores in Trig filing units. One Core Key is included at no charge with every 1 to 50 Trig Core/Key Sets ordered. This key is available if additional Installation/Removal Keys are needed.

**Trig Lock Key**  
Replacement Trig Keys are available for order.




**Trig Core/Key Set**

	List Price	Catalog Number	Key Number
	\$16	TLCK	S101 - S200



**Trig Core Installation/Removal Key**

	List Price	Catalog Number	
	\$4	TCK	



**Trig Lock Key**

	List Price	Catalog Number	Key Number
	\$8	TKEY	S101 - S200

Sample  
Part Number:

TKEY _ _ _	. S112 _ _ _
---------------	-----------------

Total Cost \$8 =


\$8	+	N/C
-----	---	-----

**Trig Desking**

<i>Typical Workstations</i>	<a href="#">14</a>
<i>Overview &amp; Ordering Information</i>	<a href="#">15</a>
<i>Desks</i>	<a href="#">24</a>
<i>Work Surfaces</i>	<a href="#">30</a>
<i>Work Surface Support Legs</i>	<a href="#">36</a>
<i>Work Surface Support Accessories</i>	<a href="#">38</a>
<i>Screens &amp; Modesties</i>	<a href="#">39</a>
<i>Credenzas</i>	<a href="#">50</a>
<i>Freestanding Units</i>	<a href="#">55</a>
<i>Bench-Height Storage</i>	<a href="#">57</a>
<i>Combination Storage</i>	<a href="#">60</a>
<i>Marker Board &amp; Tackboard</i>	<a href="#">61</a>
<i>Storage Towers</i>	<a href="#">62</a>
<i>Under Desk Storage</i>	<a href="#">68</a>
<i>Stack Storage</i>	<a href="#">70</a>
<i>Overhead Storage</i>	<a href="#">71</a>
<i>Panel Brackets</i>	<a href="#">74</a>


## Typical – 7'x7' "L" Shape Workstation List Price \$6,785

Quantity	Catalog Number
1	TRGRECS2484
1	TRGULEG24
1	TRGCOS30
1	TRG612LAT20
1	TRGUDPED24
1	TRGTSSDR66




## Typical – Mirrored 17' x 9' (8.5' x 9' per station) Workstation List Price \$10,010

Quantity	Catalog Number
1	TRGANGDL309424
1	TRGANGDR249430
2	TRGRECS2078
2	TRGWSBRKTS
2	TRGUDPED20
1	TRGCS6612OSR20
1	TRGCS6612OSL20




## Typical – 6'x8' "L" Shape Workstation List Price \$7,710

Quantity	Catalog Number
1	TRGWEGDL307224
1	TRGCOS30
1	TRG612LAT20
2	TRGTS66OS66




## Typical – 10' x 10' (5' x 5' per station) Benching Workstation List Price \$14,960

Quantity	Catalog Number
4	TRGRECD2060
2	TRGBMSM4828
2	TRGCLATOSR45
2	TRGCLATOSL45




## Typical – 8' x 7' "U" Shape Workstation List Price \$7,400

Quantity	Catalog Number
1	TRGEPSR487230
1	TRGESSL487220
1	TRGULEG30
1	TRGUDLAT20
1	SICSP
1	TRG612PED20
1	TRGTSSDL66




## Typical – 6.5' x 16' "L" (6.5' x 8' per station) Shape Workstation List Price \$13,666

Quantity	Catalog Number
2	TRGRECS2478
1	TRGULEG48
2	TRGUDPED24
2	TRGBF2LAT60
1	TRGTSSDR54
1	TRGTSSDL54
1	TRGTMS7813




## Typical – Desk Workstation List Price \$5,387

Quantity	Catalog Number
1	TRGRECD2472
1	TRGRECS2072
1	TRGUDPED20
1	TRGUDD20
1	TRGMOD60



## Typical – 8' x 15' (4' x 7.5' per station) 4 Pack Workstation List Price \$15,406

Quantity	Catalog Number
2	TRGEPSL307248
2	TRGEPSR487230
4	TRGWSBRKTS
2	TRGCS6612OSR30
2	TRGCS6612OSL30
2	TRGTMS7213



Trig Desking Overview

Trig Desking is a fully integrated line of quality freestanding desks and modular case goods. The collection includes desks, credenzas, conference tables, and bench height, underdesk, combination and tower storage.

Ordering Information

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TRGC2DDCS75 is a Trig Credenza unit with 2 Double Doors, Center Shelves, 75" (1905) wide.

By following the Sample Part Number Example below, you create a Part Number for each product. This Part Number will match your acknowledgment and packaging slip.

When ordering filing and storage units, list the following:


1. Quantity (combine same products)
2. Complete Part Number, see Sample Part Number at the bottom of each page for correct number sequence.
3. For ease of reading, place a period between each option number (TRGCOS30.XZ1.XZ1.XZ4.G)

Trig Key Option

Trig Desking filing and storage units have two lock options to choose from. Units can be randomly keyed (option "R") or they can be key-alike (option "T") for no additional upcharge (see page 10 for more information). When the randomly keyed option "R" is chosen the Trig Desking filing and storage unit will ship with a randomly numbered core/key.

When the key-alike option "T" is chosen the Trig Desking storage unit will ship with a "disposable" core in place of the core/key and the specified Trig Core/Key set(s) will be packaged separately for field installation. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing and storage unit to lock. The Core/Key set (TLCK) must be ordered separately or by using the Trig Keying order form.

	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color		
Sample Part Number:	<u>TRGCOS30</u>	<u>.XZ1</u>	<u>.XZ1</u>	<u>.XZ4</u>	<u>.G</u>		
Total Cost \$1250 =	\$1250	+	N/C	+	N/C	+	N/C



**STANDARD FEATURES****Edgebanding**

Components are finished with PVC edgebanding. The edgeband color will always match the color of the Thermofused Laminate unless an option pick is noted. All work surfaces and storage component tops have 3mm edgebanding. All remaining components have 1mm edgebanding.

**Wire Management**

Grommets are available in black or silver. (Optional)

**Drawers**

All drawers are built for trouble-free performance:

- Chrome plated fully progressive ball bearing suspensions with over-travel on all lateral file drawers with 150 lbs rated load capacity.
- Chrome plated ball bearing suspensions on all box drawers and file drawers with 75 lbs rated load capacity.
- Drawer construction is laminated particleboard sides with MDF bottom.
- Integrated PVC top rails for file storage on lateral drawers and 12" pedestal drawers.
- Interlock standard on all freestanding laterals.

**Doors**

Storage doors have 95 degree hinges and shock absorbent bumpers.


**Leveling Glides**

Desks and Table allow up to 1" height adjustment.


Pedestals, Laterals, Credenza, Storage Cabinets and Towers allow up to 1<sup>5</sup>/<sub>8</sub>" height adjustment, and are adjustable from inside the storage unit.

**Pull Style Options**


Trig filing and storage units have four 128mm center applied pull options (Classic, Streamline, and Designer), and one 256mm center pull (Modern). These are all plated nickel finish.




Classic  
(Satin nickel)




Streamline  
(Brushed nickel)



Designer  
(Lacquered satin nickel)



Mod2  
(Satin nickel)



Modern  
(Satin nickel)

**Dimensions**

All dimensions listed are nominal unless otherwise noted.

**Certification**

All components of the Trig Desking offering meet or exceed ANSI/BIFMA X5.6-2016 performance standards unless noted.

**Special Products and Finishes**

Please contact Trendway Custom Solutions 1-800-893-8117 for product availability and pricing on non-standard products.

Special finishes (i.e. non-standard) may be ordered at an upcharge. Minimum quantity may be required. Please verify with our Custom Solutions Department. Delivery may take longer depending on the choice of finish or type of material.

**SPECIFICATIONS****Load Capacities**

All Trig Laminate storage units meet or exceed the following load requirements. For a complete listing of load capacities, contact Trendway Customer Care or visit [trendealer.com](http://trendealer.com)

**Desks:**

5 lbs. (2.3kg) per linear inch, uniformly distributed.

**Pedestal:**

6" (152) Pedestal Drawer — 20 lbs. (9kg)  
12" (305) Pedestal Drawer — 40 lbs. (18kg)  
Top — 90 lbs. (41kg)

**Laterals:**

Drawer — approx. 2.6 lbs. (1.17kg) per linear inch  
Top — approx. 4.6 lbs. (2.1kg) per linear inch

**Storage Towers:**

6" (152) Pedestal Drawer — 20 lbs. (9kg)  
12" (305) Pedestal Drawer — 40 lbs. (18kg)  
Top — 140 lbs. (64kg)  
Unit Shelf — 60 lbs. (27kg)  
Unit Bottom — 90 lbs. (41kg)

**Double-Door Storage Units:**

Shelf — 100 lbs. (45kg)  
Top — 160 lbs. (73kg)  
Bottom of Cabinet — 160 lbs. (73kg)

**Tables:**

36" (914) - 60" (1524) — 200 lbs. (276kg)  
72" (1829) and longer — 400 lbs. (552kg)

## Maximum Load Capacity For Any Storage Unit

The maximum load capacity for any storage unit is calculated by multiplying the above stated lbs. for each shelf or drawer that is included with the unit and adding them together (includes the top of the unit and the inside bottom).

Eg: Maximum load capacity for a TRGTSDD66 = load capacity for bottom + 3 shelves + unit top  
= 160 lbs. + 100 lbs. x 3 + 160 lbs.  
= 620 lbs. maximum load

Eg: Maximum load capacity for a TRG612LAT20 = load capacity for drawer x 2 drawers + unit top  
= 2.6 lbs./linear in. x 36" x 2 + 4.6lbs./linear in. x 36"  
= approx. 352 lbs. maximum load (for actual load capacities for each size Trig Laminate Lateral File contact Trendway Customer Care or visit [trendealer.com](http://trendealer.com)).

**Note: The addition of more shelves does not increase the maximum amount a unit can be loaded.**


### WARNING:

Failure to observe the recommended practices, such as loading beyond listed capacities, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not be responsible for product warranty if modifications are made to the product or if the capacities referenced are exceeded.

## Laminate Lateral Files Specifications


Trig Laminate Lateral Files are factory configured for side-to-side filing. If front-to-back filing is desired, the side-to-side filing bars may be removed. No additional parts are necessary to convert drawer to front-to-back filing.



### For use with Trig Laminate Lateral Files

#### Letter Size Filing


30" - Wide & File Center



1 Pair Trig Laminate Front-to-Back Filing Bars

#### Legal Size Filing

30" - Wide & File Center



1 Trig Laminate Front-to-Back Filing Bars

### Lateral Files

**CAUTION:** Any freestanding lateral file, if improperly used or loaded, can tip. Since files may contain significant weight, this tipping can result in serious damage and/or personal injury. For proper and safe performance, read and follow instructions provided with each file.

Do not attempt to open more than one lateral file drawer at a time. Do not use drawers as steps. Failure to follow these instructions may cause tipping of cabinet, resulting in personal injury.

Use counterbalance weights whenever lateral files or pedestals are not anchored or ganged back-to-back. Side-by-side ganging does not improve stability.


To avoid tipping, always load bottom drawers before loading top drawer.

Trig offers pre-configured desks with support legs on both ends. Work surfaces with various support options may also be specified.


**Specifying Work Surfaces with Support Options**

Trig work surfaces are ordered by selecting a work surface shape and then ordering supports separately for the left and right. Storage units can be used as support on both ends of the Rectangle & Wedge work surfaces, but only one end of the Blade, Primary and Secondary work surfaces.


**Work Surface With No Supports**



**Work Surfaces With One Support**




**Work Surface Support Options**



- Under desk support storage includes a 1" riser to attach the work surface to the storage unit
- Support leg depth must match the work surface depth



- Shared support legs are utilized when two work surfaces of equal depth are paired together
- Support leg depth must match the work surface depth




- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth


## Creating an “L” shaped office with a return

It is easy to configure “L” shaped offices using these simple guidelines.


**Returns** can be used on Rectangle, Primary and Secondary Desks



Return with Flush Plate and Leg Support




Primary Desk




Rectangular Desk


Return with Flush Plate and Under Desk Storage or Credenza



Primary Desk



Rectangular Desk



Primary Desk

Return with Flush Plate and Combination Storage


Use the following chart for a quick reference for **Available Work Surface Support Options**

### Desks

Support Combinations		Surface Width						
Support 1	Support 2	48"	54"	60"	66"	72"	78"	84"
Leg	Leg	Y	Y	Y	Y	Y	-	-
Leg	Under Desk / Credenza	Y	Y	Y	Y	Y	Y	Y
Leg	Combination Storage	Y	Y	Y	Y	Y	-	-
Under Desk / Credenza	Under Desk / Credenza	Y	Y	Y	Y	Y	Y	Y
Under Desk / Credenza	Combination Storage	Y	Y	Y	Y	Y	Y	Y
Combination Storage	Combination Storage	Y	Y	Y	Y	Y	-	-

## Using a Bridge

A Bridge work surface can be used to connect two freestanding rectangular desks.





Bridge with Flush Plates




Credenza Support Option

- The support riser attaches the work surface to the storage unit.
- The 1" Support Riser needs to be ordered separately and field installed.
- Credenza top will need to be drilled in the field. Only Under Desk Support Storage comes pre-drilled.
- Field installed riser is 13" long, and when mounted to the bottom of the work surface, it is centered relative to the depth. To give the riser the appropriate support on the credenza, the following chart shows the maximum that the work surface can overhang the storage unit:



Work Surface Depth	Maximum Overhang
20"	3.5"
24"	5.5"
30"	8.5"



Under Desk Storage Depth for Rectangle, Blade & Secondary Work Surfaces




Surface Depth	Leg Depth	Storage Depth
20"	20"	20"
24"	24"	24"
30"	30"	30"

Under Desk Storage Depth for Wedge Work Surfaces



Surface Depth	Leg Depth	Storage Depth
20"	20"	20"
24"	24"	20"
30"	30"	24"

Under Desk Storage Depth for Primary Work Surfaces





Surface Depth	Leg Depth	Storage Depth
30"	30"	24"


## Primary & Secondary Work Surfaces

Primary and Secondary work surfaces are available in 42" and 48" depths.

Primary & Secondary 48"-deep work surfaces can be paired together to create a U-shaped work station. This U-shaped configuration is not recommended for 42"-deep work surfaces as it creates a narrow opening. However, they can be paired with rectangular work surfaces to create L-shaped work stations.




## Surface Mount Screen



Surface mount screens are used when two work surfaces are positioned back-to-back and no gap exists between them. The base of each post spans seam between two surfaces and mounts on top with two screws. Screens are available in 13" and 19" heights, and lengths that span from 24" to 84" in 6" increments. Screen lengths of 48" and less are a single screen and two vertical posts. Screen lengths greater than 48" are two screens and three posts (center post is shared) see chart below:

Application	Number of Screens	Number of Posts
24" Span	(1) 24"	2
30" Span	(1) 30"	2
36" Span	(1) 36"	2
42" Span	(1) 42"	2
48" Span	(1) 48"	2
54" Span	(1) 24" + (1) 30"	3
60" Span	(2) 30"	3
66" Span	(1) 30" + (1) 36"	3
72" Span	(2) 36"	3
78" Span	(1) 36" + (1) 42"	3
84" Span	(2) 42"	3


(Total length of each screen is .25" shorter than nominal length)



## Desk Top Screen

Desk Top Screens are used in benching or multiple-workstation configurations, where surfaces

are positioned adjacent to each other end to end. Screens are available in 8" and 13" heights in each of the following widths: 16", 20", 26", 38" & 44". Screen length selected should be 4" shorter than the depth of the adjacent surfaces.



## Screen / Modesty Combination

The Screen / Modesty Combinations are mounted 1" off the back edge of the work surface to

provide clearance for cord pass-through. The size needed will depend on the right and left hand support options selected. For work surfaces with legs on both ends, subtract 12" from the width of the top. For work surfaces where underdesk storage or surface support brackets are used with Combination Storage, the screen/modesty width required can be determined by subtracting 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work surface with 30"-wide underdesk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your screen or screen / modesty combination width.



## Modesty

The Modesty will be mounted 2" from the back edge of the work surface, and will be sized

to limit physical interference with legs or storage support units. The size needed will depend on the right- and left-hand support options selected. For work surfaces with legs on both ends, the modesty width required can be determined by subtracting 12" from the width of the top. For work surfaces where under desk storage or work surface support brackets are used with Combination Storage, subtract 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work surface with 30"- wide under desk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your modesty width.


## Using Support Leg and Storage to Panel Brackets

These brackets are designed to provide stability to panel layouts that otherwise would require return panels. When using these brackets, the panel layout rules for Loaded and Non-loaded panel runs must be followed to ensure a safe installation.

## Non-Loaded Panel Runs

A Non-Loaded panel run is defined as having no panel hung components regardless of size or weight. The maximum length of a Non-Loaded panel run is 192" with a maximum of 66" high panels. Two Panel bracket connections, one on each end of the run, are required when used in place of a return panel (with the exception of Parallel-mounted Trig Desk). The Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of Non-loaded panel run. Storage units can be side-mounted or back-mounted (Fig. 1).


Fig. 1



For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 2):

- The minimum Trig Desk size is 48"W x 20"D.
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit.

Fig. 2



For a parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. IF the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig 3).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 4).

Fig. 3






Fig. 4



### Loaded Panel Runs

A Loaded panel run is defined as having panel hung components with two or more panels connected in a straight line. The maximum length of a loaded panel run with one panel connection before a panel bracket is needed is 120", and with 2 panel connections is 96". The maximum panel height depends on whether there is an overhead storage on the adjacent panel. Maximum height with no overhead storage on adjacent panel is 66", and with overhead storage on the adjacent panel is 62". "Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of a loaded panel run. Storage units can be side-mounted or back-mounted (Fig 5).


Fig. 5



For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 6):

- The minimum Trig Desk size is 48"W x 20"D.
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit

Fig. 6



For parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. If the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig. 7).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 8).

Fig. 7





Fig. 8



## Grommets

Grommets are optional on all work surfaces. They can be specified in Black or Silver.

Multiple Grommets or a single Power Grommet can be specified for Rectangle and Wedge Surfaces. If the Power Grommet option is selected the Surface will ship with a factory cut opening to house the unit, but the Grommet must be ordered separately.


**Note:** A power grommet will not fit into a standard grommet opening specified with GY or GY2.

**Note:** A power grommet cannot be installed in a worksurface with a 26.75" high storage unit below.

The following drawings show standard Grommet locations.

Code	Position
<b>GY</b>	Single Grommet, centered left to right, 4" from the back of the table top.
<b>GY2</b>	Pair of Grommets, 14" to the center from each end, and 4" from the back of the table top
<b>PNDR</b>	One cutout for the Power Grommet 14" from the right edge of the top, and 4 3/8" in from the back edge.
<b>PNDL</b>	One cutout for the Power Grommet 14" from the left edge of the top, and 4 3/8" in from the back edge.

Grommet Dimensions




## Power Grommet Locations

Rectangle Work Surfaces




Right- & Left-Hand Wedge Work Surfaces




## Standard Grommet Locations



Rectangle Work Surfaces





Right- & Left-Hand Wedge Work Surfaces





Right- & Left-Hand Primary Work Surfaces



Right- & Left-Hand Secondary Work Surfaces



Right- & Left-Hand Blade Work Surfaces



Rectangular Desks


Trig Rectangular desks are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Desks include two work surface support legs for right- and left-hand support. Additional accessories include field installed Screens and Modesties.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

**Note:** For 36" wide surfaces with the PNDR, PNDL or GY2 option, the Trig Power sets, TRGDR12, should not be used.

Trig Rectangular Desk

Dimensions		List Price		Catalog Number	Power Grommet Option	Non-Power Grommet Option	Grommet Color	Top Color	Top Edge Color	Leg Trim Color				
Depth	Width	1	2											
20" (508)	36" (914)	\$989	\$1005	TRGRECD2036	NN No Power	No Cost GN No Grommet	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost				
	42" (1067)	994	1010	TRGRECD2042										
	48" (1372)	1002	1018	TRGRECD2048										
	54" (1372)	1119	1135	TRGRECD2054	PNDR Power Right	GY One Grommet				Premium Finish + \$40				
	60" (1524)	1125	1141	TRGRECD2060										
	66" (1676)	1151	1167	TRGRECD2066										
	72" (1829)	1200	1216	TRGRECD2072	PNDL Power Left	GY2 Two Grommets (Not available with PNDR or PNDL)								
24" (610)	36" (914)	\$1038	\$1054	TRGRECD2436										
	42" (1067)	1043	1059	TRGRECD2442										
	48" (1219)	1050	1066	TRGRECD2448										
	54" (1372)	1151	1167	TRGRECD2454										
	60" (1524)	1156	1172	TRGRECD2460										
	66" (1676)	1168	1184	TRGRECD2466										
	72" (1829)	1200	1216	TRGRECD2472										
30" (762)	36" (914)	\$1139	\$1155	TRGRECD3036										
	42" (1067)	1144	1160	TRGRECD3042										
	48" (1219)	1151	1167	TRGRECD3048										
	54" (1372)	1214	1245	TRGRECD3054										
	60" (1524)	1225	1256	TRGRECD3060										
	66" (1676)	1250	1281	TRGRECD3066										
	72" (1829)	1280	1311	TRGRECD3072										
Build your complete Part Number here:				-----	--	--	--	---	---	-				



Sample Part Number:	TRGRECD2048	.NN	.GN	N/A	.XZ4	.XZ2	.K				
Total Cost \$1002 =	\$1002	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C


**Wedge Desks**

Trig Wedge desks are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Desks include two work surface support legs for right- and left-hand support. Additional accessories include field installed Screens and Modesties.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

**Trig Wedge Desk – Right-Hand**

Depth1	Dimensions Width	Depth2	List Price Thermofused 1 Grade 2		Catalog Number	Power Grommet Option	Non-Power Grommet Option	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372)	24" (610)	\$1176	\$1192	TRGWEGDR205424	NN No Power	No Cost GN No Grommet	GB Black	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost
	60" (1524)		1200	1216	TRGWEGDR206024						
	66" (1676)		1225	1241	TRGWEGDR206624			GS Silver			Premium Finish + \$40
	72" (1829)		1244	1260	TRGWEGDR207224	PNDR Power Right	GY 1 Grommet				
20" (508)	54" (1372)	30" (762)	\$1182	\$1213	TRGWEGDR205430						
	60" (1524)		1214	1245	TRGWEGDR206030						
	66" (1676)		1240	1271	TRGWEGDR206630	PNDL Power Left	GY2 2 Grommets (Not available if PNDR or PNDL selected)				
	72" (1829)		1256	1287	TRGWEGDR207230						
24" (610)	54" (1372)	30" (762)	\$1182	\$1213	TRGWEGDR245430						
	60" (1524)		1214	1245	TRGWEGDR246030						
	66" (1676)		1240	1271	TRGWEGDR246630						
	72" (1829)		1256	1287	TRGWEGDR247230						
Build your complete Part Number here:						---	--	--	--	--	--



Sample  
Part Number:

TRGWEGDR205424	.NN	.GY	.GB	.XZ2	.XZ4	.K
---	--	--	--	--	--	--

Total Cost \$1176 =

\$1176	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

Wedge Desks

Trig Wedge desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.


They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See grommet information in the planning section for standard grommet locations.


Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed Screens and Modesties.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

Trig Wedge Desk – Left-Hand

			List Price Thermofused Grade		Catalog Number	Power Grom- met Option	Non-Power Grommet Option	Grommet Color	Top Color	Top Edge Color	Leg Trim Color						
Depth1	Dimensions Width	Depth 2	1	2													
24" (610)	54" (1372)	20" (508)	\$1176	\$1192	TRGWEGDL245420	NN No Power  PNDR Power Right  PNDL Power Left	No Cost GN No Grommet  GY 1 Grommet  GY2 2 Grommets (Not available if PNDR or PNDL selected)	GB Black  GS Silver	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost  Premium Finish + \$40						
	60" (1524)		1200	1216	TRGWEGDL246020												
	66" (1676)		1225	1241	TRGWEGDL246620												
	72" (1829)		1244	1260	TRGWEGDL247220												
30" (762)	54" (1372)	20" (508)	\$1182	\$1213	TRGWEGDL305420												
	60" (1524)		1214	1245	TRGWEGDL306020												
	66" (1676)		1240	1271	TRGWEGDL306620												
	72" (1829)		1256	1287	TRGWEGDL307220												
30" (762)	54" (1372)	24" (610)	\$1182	\$1213	TRGWEGDL305424												
	60" (1524)		1214	1245	TRGWEGDL306024												
	66" (1676)		1240	1271	TRGWEGDL306624												
	72" (1829)		1256	1287	TRGWEGDL307224												
Build your complete Part Number here:					_____	__	__	__	__	__	__						





Sample  
Part Number:

TRGWEGLD245420	.NN	.GN	N/A	.XZ2	.XZ4	.K				
\$1176	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

Total Cost \$1176 =





Blade Desks

Trig Blade desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed Screens and Modesties.

Trig Blade Desk – Right-Hand										
Depth1	Dimensions		List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2	1	2						
24" (610)	94" (2388)	30" (914)	\$1638	\$1716	TRGANGDR249430	No Cost GN No Grommet  GY Grommet	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost  Premium Finish + \$40
										
Trig Blade Desk – Left-Hand										
Depth1	Dimensions		List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2	1	2						
30" (914)	94" (2388)	24" (610)	\$1638	\$1716	TRGANGDL309424					
										
Build your complete Part Number here:					_____	--	--	---	---	-

Sample Part Number:

TRGANGDR249430	.GN	N/A	.XZ2	.XZ4	.K
_____	__	__	__	__	__

Total Cost \$1638 =

\$1638	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----




Primary Desks


Trig Primary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed Screens and Modesties.



Right-Hand



Left-Hand

Trig Primary Desk – Right-Hand

Dimensions				List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
Depth 1	Width	Depth 2	Depth 3	1	2						
42" (1067)	54" (1372)	30" (762)	24" (610)	\$1602	\$1657	TRGEPDR425430	No Cost GN No Grommet  GY Grommet	GB Black	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost
	60" (1524)	30" (762)		1602	1657	TRGEPDR426030					
	66" (1676)	30" (762)		1614	1669	TRGEPDR426630					
	72" (1829)	30" (762)		1614	1669	TRGEPDR427230					
48" (1219)	54" (1372)	30" (762)	24" (610)	\$1614	\$1669	TRGEPDR485430		Premium Finish + \$40			
	60" (1524)	30" (762)		1614	1669	TRGEPDR486030					
	66" (1676)	30" (762)		1627	1682	TRGEPDR486630					
	72" (1829)	30" (762)		1627	1682	TRGEPDR487230					

Trig Primary Desk – Left-Hand

Dimensions				List Price Thermofused Grade		Catalog Number
Depth 1	Width	Depth 2	Depth 3	1	2	
30" (762)	54" (1372)	42" (1067)	24" (610)	\$1602	\$1657	TRGEPDL305442
30" (762)	60" (1524)			1602	1657	TRGEPDL306042
30" (762)	66" (1676)			1614	1669	TRGEPDL306642
30" (762)	72" (1829)			1614	1669	TRGEPDL307242
30" (762)	54" (1372)	48" (1219)	24" (610)	\$1614	\$1669	TRGEPDL305448
30" (762)	60" (1524)			1614	1669	TRGEPDL306048
30" (762)	66" (1676)			1627	1682	TRGEPDL306648
30" (762)	72" (1829)			1627	1682	TRGEPDL307248

Build your complete Part Number here:

Sample Part Number:


TRGEPDR425430	.GN	N/A	.XZ2	.XZ4	.K
---------------	-----	-----	------	------	----

Total Cost \$1602 =

\$1602	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----


**Secondary Desks**

Trig Secondary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.



Right-Hand

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.



Left-Hand

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed Screens and Modesties.

**Trig Secondary Desk – Right-Hand**

Depth 1	Dimensions			List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2	Depth 3	1	2						
20" (508)	54" (1372)	42" (1067)	24" (610)	\$1589	\$1644	TRGESDR205442	No Cost GN No Grommet  GY Grommet	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost  Premium Finish + \$40
	60" (1524)			1589	1644	TRGESDR206042					
	66" (1676)			1602	1657	TRGESDR206642					
	72" (1829)			1602	1657	TRGESDR207242					
20" (508)	54" (1372)	48" (1219)	24" (610)	\$1602	\$1657	TRGESDR205448					
	60" (1524)			1602	1657	TRGESDR206048					
	66" (1676)			1614	1669	TRGESDR206648					
	72" (1829)			1614	1669	TRGESDR207248					

**Trig Secondary Desk – Left-Hand**

Depth 1	Dimensions			List Price		Catalog Number
	Width	Depth 2	Depth 3	1	2	
42" (1067)	54" (1372)	20" (508)	24" (610)	\$1589	\$1644	TRGESDL425420
	60" (1524)			1589	1644	TRGESDL426020
	66" (1676)			1602	1657	TRGESDL426620
	72" (1829)			1602	1657	TRGESDL427220
48" (1219)	54" (1372)	20" (508)	24" (610)	\$1602	\$1657	TRGESDL485420
	60" (1524)			1602	1657	TRGESDL486020
	66" (1676)			1614	1669	TRGESDL486620
	72" (1829)			1614	1669	TRGESDL487220

Build your complete Part Number here:

Sample Part Number:

Total Cost \$1589 =


TRGESDL425420	.GY	.GB	.XZ2	.XZ4	.K
---------------	-----	-----	------	------	----

\$1589	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----

**Rectangular Work Surface**  
Trig Rectangular Work Surfaces are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/ or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Work Surfaces do not include supports. Order supports separately. Additional

accessories include field-installed Screens and Modesties.  
**Note:** For 78" and 84" wide work surfaces, support is required under one end using under desk storage or a Credenza with riser.  
Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

**Note:** For 36" wide surfaces with the PNDR, PNDL or GY2 option, the Trig Power sets, TRGDR12, should not be used.

Trig Rectangular Work Surface									
Dimensions		List Price		Catalog Number	Power Grommet Option	Non-Power Grommet Option	Grommet Color	Top Color	Top Edge Color
Depth	Width	1	2						
	20" (508)	24" (610)	\$200	\$216	TRGRECS2024	NN No Power  PNDR Power Right (Not available on 24" and 30" wide)  PNDL Power Left (Not available on 24" and 30" wide)	No Cost GN No Grommet  GY 1 Grommet  GY2 2 Grommets (Not available if PNDR or PNDL selected)	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 8)
		30" (762)	206	222	TRGRECS2030				
		36" (914)	213	229	TRGRECS2036				
		42" (1067)	219	235	TRGRECS2042				
		48" (1219)	226	242	TRGRECS2048				
		54" (1372)	342	358	TRGRECS2054				
		60" (1524)	350	366	TRGRECS2060				
		66" (1676)	375	391	TRGRECS2066				
		72" (1829)	424	440	TRGRECS2072				
		78" (1981)	450	481	TRGRECS2078				
		84" (2134)	481	512	TRGRECS2084				
24" (610)	24" (610)	24" (610)	\$248	\$264	TRGRECS2424				
		30" (762)	254	270	TRGRECS2430				
		36" (914)	260	276	TRGRECS2436				
		42" (1067)	266	282	TRGRECS2442				
		48" (1219)	275	291	TRGRECS2448				
		54" (1372)	375	391	TRGRECS2454				
		60" (1524)	382	398	TRGRECS2460				
		66" (1676)	392	408	TRGRECS2466				
		72" (1829)	424	440	TRGRECS2472				
		78" (1981)	481	512	TRGRECS2478				
		84" (2134)	500	531	TRGRECS2484				
30" (762)	24" (610)	24" (610)	\$324	\$340	TRGRECS3024				
		30" (762)	329	345	TRGRECS3030				
		36" (914)	336	352	TRGRECS3036				
		42" (1067)	341	357	TRGRECS3042				
		48" (1219)	350	366	TRGRECS3048				
		54" (1372)	413	444	TRGRECS3054				
		60" (1524)	424	455	TRGRECS3060				
		66" (1676)	450	481	TRGRECS3066				
		72" (1829)	481	512	TRGRECS3072				
		78" (1981)	548	579	TRGRECS3078				
		84" (2134)	582	613	TRGRECS3084				
Build your complete Part Number here:					---	--	--	--	---

Sample Part Number:

TRGRECS2048	.NN	.GN	N/A	.XZ4	.XZ2			
\$226	+	N/C	+	N/C	+	N/C	+	N/C

Total Cost \$226 =


**Wedge Work Surface**


Trig Wedge Work Surfaces are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Work Surfaces do not include supports. Supports must be specified separately. Additional accessories include field-installed Screens and Modesties.

**Note:** For 78" and 84" wide work surfaces, support is required on under end using under desk storage or a Credenza with riser.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

**Trig Wedge Work Surface – Right-Hand**

			List Price Thermofused Grade			Power Grommet Option	Non-Power Grommet Option	Grommet Color	Top Color	Top Edge Color					
Depth1	Dimensions Width	Depth 2	1	2	Catalog Number										
20" (508)	54" (1372)	24" (610)	\$397	\$413	TRGWEGSR205424	NN No Power  PNDR Power Right  PNDL Power Left	No Cost GN No Grommet  GY 1 Grommet  GY2 2 Grommets (Not avail- able if PNDR or PNDL selected)	GB Black  GS Silver	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)					
	60" (1524)		424	440	TRGWEGSR206024										
	66" (1676)		450	466	TRGWEGSR206624										
	72" (1829)		469	485	TRGWEGSR207224										
	78" (1981)		532	563	TRGWEGSR207824										
	84" (2134)		574	605	TRGWEGSR208424										
20" (508)	54" (1372)	30" (762)	\$397	\$428	TRGWEGSR205430										
	60" (1524)		424	455	TRGWEGSR206030										
	66" (1676)		450	481	TRGWEGSR206630										
	72" (1829)		469	500	TRGWEGSR207230										
	78" (1981)		532	563	TRGWEGSR207830										
	84" (2134)		574	605	TRGWEGSR208430										
24" (610)	54" (1372)	30" (762)	\$397	\$428	TRGWEGSR245430										
	60" (1524)		424	455	TRGWEGSR246030										
	66" (1676)		450	481	TRGWEGSR246630										
	72" (1829)		469	500	TRGWEGSR247230										
	78" (1981)		532	563	TRGWEGSR247830										
	84" (2134)		574	605	TRGWEGSR248430										
															
Build your complete Part Number here:					-----	--	--	--	----	----					



Sample  
Part Number:

Total Cost \$397 =

TRGWEGRSR205424	.NN	.GN	N/A	.XZ2	.XZ4			
\$397	+	N/C	+	N/C	+	N/C	+	N/C

Wedge Work Surface

Trig Wedge Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.


They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See grommet information in the planning section for standard grommet locations.


Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed Screens and Modesties.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 84 for details.

Trig Wedge Work Surface – Left-Hand

			List Price Thermofused Grade		Catalog Number	Power Grommet Option	Non- Power Grommet Option	Grommet Color	Top Color	Top Edge Color					
Depth1	Dimensions Width 1	Depth 2	1	2											
24" (610)	54" (1372)	20" (508)	\$397	\$413	TRGWEGL245420	NN No Power  PNDR Power Right  PNDL Power Left	No Cost GN No Grommet  GY 1 Grom- met  GY2 2 Grom- mets (Not available if PNDR or PNDL selected)	GB Black  GS Silver	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)					
	60" (1524)		424	440	TRGWEGL246020										
	66" (1676)		450	466	TRGWEGL246620										
	72" (1829)		469	485	TRGWEGL247220										
	78" (1981)		532	563	TRGWEGL247820										
	84" (2134)		574	605	TRGWEGL248420										
30" (762)	54" (1372)	20" (508)	\$397	\$428	TRGWEGL305420										
	60" (1524)		424	455	TRGWEGL306020										
	66" (1676)		450	481	TRGWEGL306620										
	72" (1829)		469	500	TRGWEGL307220										
	78" (1981)		532	563	TRGWEGL307820										
	84" (2134)		574	605	TRGWEGL308420										
30" (762)	54" (1372)	24" (610)	\$397	\$428	TRGWEGL305424										
	60" (1524)		424	455	TRGWEGL306024										
	66" (1676)		450	481	TRGWEGL306624										
	72" (1829)		469	500	TRGWEGL307224										
	78" (1981)		532	563	TRGWEGL307824										
	84" (2134)		574	605	TRGWEGL308424										
															
Build your complete Part Number here:					_____	__	__	__	__	__					



Sample Part Number:	TRGWEGL245420	.GY	.GS	.XZ2	.XZ4				
Total Cost \$397 =	\$397	+	N/C	+	N/C	+	N/C	+	N/C

**Blade Work Surface**  
Trig Blade Work Surface are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Blade Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Blade Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Trig Blade Work Surface – Right-Hand										
Depth1	Dimensions Width	Depth 2	List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
			1	2						
24" (610)	94" (2388)	30" (914)	\$1250	\$1328	TRGANGSR249430	No Cost GN No Grommet  GY Grommet	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost  Premium Finish + \$20
Trig Blade Work Surface – Left-Hand										
Depth1	Dimensions Width	Depth 2	List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
			1	2						
30" (914)	94" (2388)	24" (610)	\$1250	\$1328	TRGANGSL309424					
Build your complete Part Number here:						-----	--	--	---	---

Sample Part Number:

TRGANGSR249430	.GN	N/A	.XZ2	.XZ4	.K
----------------	-----	-----	------	------	----

Total Cost \$1250 =

\$1250	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----

## Primary Work Surface

Trig Primary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-Handed Primary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Left-handed Primary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Primary Work Surfaces can be used alone or paired with Secondary Work Surfaces to create a U-shape work station. Primary Work Surfaces are available in right- and left-hand versions. Right-hand Primary surfaces are paired with left-hand Secondary surfaces to form a U-shaped work station. Or left-hand Primary surfaces are paired with right-hand Secondary surfaces to form the mirrored affect.

If Primary Work Surfaces are paired with Secondary Work Surfaces to create U-shaped work stations, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.


(See Planning Guide for limitations)

Additional accessories include field-installed Screens and Modesties.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.


## Trig Primary Work Surface – Right-Hand

Depth 1	Dimensions		Depth 3	List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2		1	2						
42" (1067)	54" (1372)	30" (762)	24" (610)	\$1200	\$1255	TRGEPSR425430	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost  Premium Finish + \$20
	60" (1524)	30" (762)		1200	1255	TRGEPSR426030					
	66" (1676)	30" (762)		1214	1269	TRGEPSR426630					
	72" (1829)	30" (762)		1214	1269	TRGEPSR427230					
	78" (1981)	30" (762)		1389	1467	TRGEPSR427830					
	84" (2134)	30" (762)		1406	1484	TRGEPSR428430					
48" (1219)	54" (1372)	30" (762)	24" (610)	\$1214	\$1269	TRGEPSR485430					
	60" (1524)	30" (762)		1214	1269	TRGEPSR486030					
	66" (1676)	30" (762)		1225	1280	TRGEPSR486630					
	72" (1829)	30" (762)		1225	1280	TRGEPSR487230					
	78" (1981)	30" (762)		1401	1479	TRGEPSR487830					
	84" (2134)	30" (762)		1420	1498	TRGEPSR488430					



## Trig Primary Work Surface – Left-Hand

Depth 1	Dimensions		Depth 3	List Price		Catalog Number
	Width	Depth 2		1	2	
30" (762)	54" (1372)	42" (1067)	24" (610)	\$1200	\$1255	TRGEPSL305442
30" (762)	60" (1524)			1200	1255	TRGEPSL306042
30" (762)	66" (1676)			1214	1269	TRGEPSL306642
30" (762)	72" (1829)			1214	1269	TRGEPSL307242
30" (762)	78" (1981)			1389	1467	TRGEPSL307842
30" (762)	84" (2134)			1406	1484	TRGEPSL308442
30" (762)	54" (1372)	48" (1219)	24" (610)	\$1214	\$1269	TRGEPSL305448
30" (762)	60" (1524)			1214	1269	TRGEPSL306048
30" (762)	66" (1676)			1225	1280	TRGEPSL306648
30" (762)	72" (1829)			1225	1280	TRGEPSL307248
30" (762)	78" (1981)			1401	1479	TRGEPSL307848
30" (762)	84" (2134)			1420	1498	TRGEPSL308448



Build your complete Part Number here:

Sample Part Number:

Total Cost \$1200 =

TRGEPSR425430	.GN	N/A	.XZ2	.XZ4	.K			
\$1200	+	N/C	+	N/C	+	N/C	+	N/C



## Secondary Work Surface

Trig Secondary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Secondary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Secondary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Secondary Work Surfaces can be used alone or paired with Primary Work Surfaces to create U-shaped workstations. Secondary Work Surfaces are available in right- and left-hand versions. Right-hand Secondary surfaces are paired with left-hand Primary Surfaces to form U-shaped workstations. Or Left-hand Secondary surfaces can be paired with right-hand

Primary Surfaces to form the mirrored affect. If Secondary Work Surfaces are paired with Primary Work Surfaces to create a U-shaped workstation, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.


(See Planning Guide for limitations)

Additional accessories include field-installed Screens and Modesties.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.


## Trig Secondary Work Surface – Right-Hand

Depth 1	Dimensions			List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2	Depth 3	1	2						
20" (508)	54" (1372)	42" (1067)	24" (610)	\$1200	\$1255	TRGESSR205442	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Standard Finish No Cost Premium Finish + \$20
	60" (1524)			1200	1255	TRGESSR206042					
	66" (1676)			1214	1269	TRGESSR206642					
	72" (1829)			1214	1269	TRGESSR207242					
	78" (1981)			1389	1467	TRGESSR207842					
	84" (2134)			1406	1484	TRGESSR208442					
20" (508)	54" (1372)	48" (1219)	24" (610)	\$1214	\$1269	TRGESSR205448					
	60" (1524)			1214	1269	TRGESSR206048					
	66" (1676)			1225	1280	TRGESSR206648					
	72" (1829)			1225	1280	TRGESSR207248					
	78" (1981)			1401	1479	TRGESSR207848					
	84" (2134)			1420	1498	TRGESSR208448					



## Trig Secondary Work Surface – Left-Hand

Depth 1	Dimensions			List Price Thermofused Grade		Catalog Number
	Width	Depth 2	Depth 3	1	2	
42" (1067)	54" (1372)	20" (508)	24" (610)	\$1200	\$1255	TRGESSL425420
	60" (1524)			1200	1255	TRGESSL426020
	66" (1676)			1214	1269	TRGESSL426620
	72" (1829)			1214	1269	TRGESSL427220
	78" (1981)			1389	1467	TRGESSL427820
	84" (2134)			1406	1484	TRGESSL428420
48" (1219)	54" (1372)	20" (508)	24" (610)	\$1214	\$1269	TRGESSL485420
	60" (1524)			1214	1269	TRGESSL486020
	66" (1676)			1225	1280	TRGESSL486620
	72" (1829)			1225	1280	TRGESSL487220
	78" (1981)			1401	1479	TRGESSL487820
	84" (2134)			1420	1498	TRGESSL488420



Build your complete Part Number here:

Sample Part Number:

Total Cost \$1200 =

TRGESSL425420	.GY	.GS	.XZ2	.XZ4	.K	
\$1200	+	N/C	+	N/C	+	N/C



Work Surface Support Legs

Trig Work Surface Support Legs are available in all Trendway Standard and Premium Systems Finishes.


All necessary attachment hardware is included.

Shared Work Surface Support Legs

Trig Shared Work Surface Support Legs are used when two work surfaces of equal depth are paired together back-to-back and a single support is desired. Legs are available in all Trendway Standard and Premium Systems Finishes.


All necessary attachment hardware is included.

When the Shared Work surface Support Leg is used, Flush Support Plate (SICSP) must be ordered to connect the two surfaces together in the middle.



Trig Work Surface Support Legs

Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508)	27 <sup>3</sup> / <sub>4</sub> " (705)	\$388	TRGULEG20	Standard Finish No Cost  Premium Finish + \$20  (See Surface Materials Page 8)
	24" (610)		388	TRGULEG24	
	30" (762)		397	TRGULEG30	
Build your complete Part Number here:				_____	_____



Trig Shared Work Surface Support Legs

Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	40" (1016)	27 <sup>3</sup> / <sub>4</sub> " (705)	\$487	TRGULEG40	Standard Finish No Cost  Premium Finish + \$20  (See Surface Materials Page 8)
	48" (1219)		511	TRGULEG48	
	60" (1524)		526	TRGULEG60	
Build your complete Part Number here:				-----	—

Sample  
Part Number:

TRGULEG20 _____	.Y __
--------------------	----------

Total Cost \$388 =

\$388	+	N/C
-------	---	-----

**Trig Work Surface Post Leg**

The Work Surface Post Leg can be used for additional mid-span support along wider Trig work surfaces. Price includes post leg, leveling glide and attachment hardware.

**Note:** A pair of Work Surface Post Legs cannot be used to replace Trig Work Surface Support Legs as the main support on the end of a work surface.

**Trig Bench Storage Work Surface Short Support**

The Bench Storage Work Surface leg is used with Trig Bench Height Storage units to support the end of a

work surface. 20" and 24" deep work surfaces use TRGBSWSL13 and 30" deep surfaces use TRGBSWSL19. Legs are available in all Trendway Standard and Premium Finishes.

All necessary attachment hardware is included.


**Side to Side Shared Work Surface Support Leg**

Side to Side Shared Work Surface Support Legs are used when work surfaces of equal depth are positioned next to each other and a single support is desired. Legs are available for single depth applications (equal depth

surfaces are side to side) and dual depth applications (equal depth surfaces are back to back).


In a layout with (4) equal depth work surfaces that are both front-to-back and side-to-side, a single Side to Side Shared Support Leg can be used centrally to support all (4) surfaces. Legs are available in all Trendway Standard and Premium Systems Trim Finishes.

All necessary attachment hardware is included.




**Trig Work Surface Post Leg**

Dimensions		List Price	Catalog Number	Trim Color
Leg Depth	Height			
2" (51)	27¾" (705)	\$106	TRGSPRTLEG	Standard Finishes No Cost  Premium Finishes +\$20



**Trig Bench Storage Work Surface Short Support**

Dimensions		List Price	Catalog Number	Trim Color
Depth	Height			
13" (330)	6½" (165)	\$239	TRGBSWSL13	Standard Finishes No Cost  Premium Finishes +\$20
19" (483)		256	TRGBSWSL19	



**Side to Side Shared Work Surface Support Leg**

Depth	Dimensions		List Price	Catalog Number	Trim Color
	Width	Height			
2" (51)	20" (508)	27¾" (705)	\$570	TRGULEGSS20	Standard Finish No Cost
	24" (610)		579	TRGULEGSS24	
	30" (762)		587	TRGULEGSS30	
	40" (1016)		726	TRGULEGSS40	Premium Finish + \$20
	48" (1219)		741	TRGULEGSS48	
	60" (1524)		771	TRGULEGSS60	
				(See Surface Materials Page 8)	
Build your complete Part Number here:				-----	—

Sample Part Number:

TRGULEGSS20

.Y

Total Cost \$570 =

\$570

+

N/C

Support Riser

Trig Support Riser ships with necessary hardware to mount work surface to top of Under Desk Storage or Credenza.

Available in Black only.

Work Surface Support Brackets

Trig Work Surface Support Brackets are used with Combination Storage to support work surfaces instead of Work Surface Support Legs. All necessary attachment hardware included.

Available in Black only.

Flush Support Plates

Flush Support Plates connect a work surface that extends from an adjacent work surface at the same level. Includes two mounting plates and screws. Available in Black only.




Trig Support Riser

Dimensions Height	List Price	Catalog Number
8" (203) x 13" (330) 1" (25)	\$107	TRGWSRISER
Build your complete Part Number here:		_____



Trig Work Surface Support Brackets

Dimensions	List Price	Catalog Number
Includes Two Support Brackets	\$67	TRGWSBRKTS
Build your complete Part Number here:		_____



Flush Support Plates

Dimensions	List Price	Catalog Number
Includes 2 Connecting Plates	\$60	SICSP
Build your complete Part Number here:		_____

Sample  
Part Number:

TRGWSRISER


Total Cost \$107 =

\$107

Surface Mount Screens

Trig Surface Mount Screens are used when two work surfaces are positioned back-to-back with no gap between them. Screen widths can span from 24" to 84", in 6" increments. Screen widths 24" - 48" are a single screen and two posts. Screen widths 54" - 84" are 2 screens and three posts (center post is shared). All necessary mounting hardware is included.

All Screens available in either Plexiglass or 3-Form Ecoresin.

Trig Surface Mount Screens					
Dimensions Width      Height		List Price	Catalog Number	Insert Material	Trim Color
	24" (610)	13" (330)	\$886	TRGTMS2413	Plexiglass (01, 02) No Cost  Frosted Plexiglass (E3A) 24" + \$51 30" - 48" + \$108 54" - 84" + \$219  3-Form (E01-E03) 24" + \$204 30" - 48" + \$440 54" - 84" + \$882  Standard Finish No Cost  Premium Finish + \$14  (See Surface Materials Page 8)
	30" (762)		994	TRGTMS3013	
	36" (914)		1013	TRGTMS3613	
	42" (1067)		1031	TRGTMS4213	
	48" (1219)		1046	TRGTMS4813	
	54" (1372)		1582	TRGTMS5413	
	60" (1524)		1669	TRGTMS6013	
	66" (1676)		1689	TRGTMS6613	
	72" (1829)		1689	TRGTMS7213	
	78" (1961)		1705	TRGTMS7813	
	84" (2134)		1705	TRGTMS8413	
	24" (610)	19" (483)	\$957	TRGTMS2419	
			1083	TRGTMS3019	
			1091	TRGTMS3619	
			1103	TRGTMS4219	
			1119	TRGTMS4819	
			1669	TRGTMS5419	
			1812	TRGTMS6019	
			1847	TRGTMS6619	
			1847	TRGTMS7219	
			1866	TRGTMS7819	
			1866	TRGTMS8419	
Build your complete Part Number here:			-----	---	-

Sample  
Part Number:

TRGTMS2413	.E3A	.G
\$886	+	\$51
		+
		N/C

Total Cost \$937 =


Desk Top Screens

Trig Desk Top Screens are intended to provide privacy between adjacent desks. Mostly used in benching applications. All Screens available in either plexiglass or 3-Form Ecoresin.

Back Edge Mount Screens

Trig Back Edge Mount Screens assemble to the back of a work surface with a 1" gap between it and another work surface. The gap allows for power cords to pass between them.

**Note: See planning guide for proper size selection. All necessary mounting hardware is included.**



Trig Desk Top Screen

Dimensions		List Price	Catalog Number	Insert Material	Trim Color
Width	Height				
16" (406)	8" (203)	\$277	TRGLDS168	Plexiglass (01, 02) <b>No Cost</b>	<b>Standard Finish No Cost</b>
20" (508)		292	TRGLDS208		
26" (660)		307	TRGLDS268		
38" (965)		324	TRGLDS388		
44" (1118)		338	TRGLDS448		
16" (406)	13" (330)	\$355	TRGLDS1613	Frosted Plexiglass (E3A) 16" - 20" + \$43 26" - 44" + \$87  3-Form (E01-E03) 16" - 20" + \$131 26" - 44" + \$263	<b>Premium Finish + \$14</b>  (See Surface Materials Page 8)
20" (508)		370	TRGLDS2013		
26" (660)		385	TRGLDS2613		
38" (965)		401	TRGLDS3813		
44" (1118)		416	TRGLDS4413		



Trig Back Edge Mount Screens

Dimensions		List Price	Catalog Number	Insert Material	Trim Color
Width	Height				
24" (610)	13" (330)	\$679	TRGBMS2413	Plexiglass (01, 02) <b>No Cost</b>	
30" (762)		741	TRGBMS3013		
36" (914)		818	TRGBMS3613		
42" (1067)		873	TRGBMS4213		
48" (1219)		919	TRGBMS4813		
54" (1372)		973	TRGBMS5413		
60" (1524)		1017	TRGBMS6013		
66" (1676)		1074	TRGBMS6613		
72" (1829)	19" (483)	1136	TRGBMS7213	Frosted Plexiglass (E3A) 24" + \$43 30" - 48" + \$116 54" - 72" + \$145  3-Form (E01-E03) 24" + \$177 30" - 48" + \$471 54" - 72" + \$588	
24" (610)		\$733	TRGBMS2419		
30" (762)		818	TRGBMS3019		
36" (914)		886	TRGBMS3619		
42" (1067)		951	TRGBMS4219		
48" (1219)		998	TRGBMS4819		
54" (1372)		1067	TRGBMS5419		
60" (1524)		1143	TRGBMS6019		
66" (1676)		1226	TRGBMS6619		
72" (1829)		1299	TRGBMS7219		

Build your complete Part Number here:

Sample Part Number:

Total Cost \$320 =

TRGLDS168

.E3A

.G

\$277

+

\$43

+

N/C

Modesty

The Trig Modesty mounts 2" from the back edge of the work surface.

**Note: See planning guide to proper size selection. All necessary mounting hardware is included.**

Note: Modesty Only

If electrical components are to be used with a Modesty-Only configuration on a Rectangle, Wedge or Blade work surface, the optional grommet should be selected for cord pass-through.

Screen/Modesty Combination


The Trig Screen/Modesty Combination mounts to the underside back edge of a work surface. There is a 1" gap between the Screen/Modesty and the work surface, allowing power cords to pass between them.

See planning guide for proper size selection. All necessary mounting hardware is included. All Modesty and Screen Modesty Combinations available in either plexiglass or 3-Form Ecoresin.



Trig Modesty

Dimensions		List Price	Catalog Number	Insert Material	Trim Color
Width	Height				
24" (610)	14" (356)	\$601	TRGMOD24	Plexiglass (01, 02)	Standard Finish No Cost
30" (762)		648	TRGMOD30	No Cost	
36" (914)		695	TRGMOD36	Frosted Plexiglass (E3A)	Premium Finish + \$14  (See Surface Materials Page 8)
42" (1067)		758	TRGMOD42	24"	
48" (1219)		834	TRGMOD48	+ \$43	
54" (1372)		896	TRGMOD54	30" - 60"	
60" (1524)		973	TRGMOD60	+ \$87	
66" (1676)		1037	TRGMOD66	66" - 72"	
72" (1829)	1095	TRGMOD72	+ \$116		
				3-Form (E01-E03)	
				24"	
				+ \$177	
				30" - 60"	
				+ \$353	
				66" - 72"	
				+ \$471	
Build your complete Part Number here:			-----	--	-



Trig Screen/Modesty Combination

Dimensions		List Price	Catalog Number	Insert Material	Trim Color
Width	Height				
24" (610)	28" (711)	\$803	TRGBMSM2428	Plexiglass (01, 02)	Standard Finish No Cost
30" (762)		911	TRGBMSM3028	No Cost	
36" (914)		1028	TRGBMSM3628	Frosted Plexiglass (E3A)	Premium Finish + \$14  (See Surface Materials Page 8)
42" (1067)		1095	TRGBMSM4228	24"	
48" (1219)		1182	TRGBMSM4828	+ \$87	
54" (1372)		1213	TRGBMSM5428	30" - 60"	
60" (1524)		1280	TRGBMSM6028	+ \$219	
66" (1676)		1383	TRGBMSM6628	66" - 72"	
72" (1829)	1482	TRGBMSM7228	+ \$292		
				3-Form (E01-E03)	
				24"	
				+ \$353	
				30" - 60"	
				+ \$882	
				66" - 72"	
				+ \$1028	
Build your complete Part Number here:			-----	--	-

Sample Part Number:

TRGMOD24	.E01	.G
----------	------	----


Total Cost \$778 =

\$601	+	\$177	+	N/C
-------	---	-------	---	-----

**Acrylic Modesty**  
The Acrylic Modesty mounts to the underside of any work surface or table to provide privacy. Included with the modesty is a 1/4" thick Frosted Acrylic and brackets. The brackets are a raw aluminum finish.

Note: The actual width of the acrylic modesty is 2" shorter than nominal.

Note: There is no gap between the acrylic and the underside of the desk for cable pass through.



Acrylic Modesty

Dimensions		List Price	Catalog Number
Width	Height		
24" (610)	12" (305)	\$237	MODACRC2412
30" (762)		259	MODACRC3012
36" (914)		281	MODACRC3612
42" (1067)		305	MODACRC4212
48" (1219)		329	MODACRC4812
54" (1372)		372	MODACRC5412
60" (1524)		403	MODACRC6012
66" (1676)		434	MODACRC6612
72" (1829)		465	MODACRC7212



Single Acrylic Screen -  
Post Style Bracket- Screw Mount

The Post Style Bracket can be mounted with screws to any laminate work surface, desk or table top to provide a division. Included with the Screen are two posts, one acrylic screen, and the necessary mounting hardware.


Note: The No Gap option will have a 3/4" gap to allow for cord pass through.

Note: The actual width of the acrylic screen is 3 3/8" shorter than nominal.

Access Slot Width Opening	
Width	Access Slot Opening
24"	10.13"
30"	16.13"
36"	22.13"
42"	20.13"
48"	26.13"
54"	32.13"
60"	30.13"
66"	36.13"
72"	42.13"

Single Acrylic Screen - Post Style Bracket- Screw Mount

Dimensions		List Price		Catalog Number	Work Surface Gapping	Insert Material	Trim Color
Width	Height	Clear Plexi 01	Frosted Plexi E3A				
24" (610)	24" (610)	\$ 518	\$ 561	SCNSMPS2424	NP No Gap  4A 4" Access Slot along back	01 Clear Plexi  E3A Frosted Plexi	Standard Finish No Cost  Premium Finishes +\$14
30" (762)		530	609	SCNSMPS3024			
36" (914)		614	704	SCNSMPS3624			
42" (1067)		629	708	SCNSMPS4224			
48" (1219)		641	714	SCNSMPS4824			
54" (1372)		654	1017	SCNSMPS5424			
60" (1524)		666	1029	SCNSMPS6024			
66" (1676)		843	1034	SCNSMPS6624			
72" (1829)		856	1047	SCNSMPS7224			
24" (610)	30" (762)	518	608	SCNSMPS2430			
30" (762)		551	798	SCNSMPS3030			
36" (914)		614	805	SCNSMPS3630			
42" (1067)		629	813	SCNSMPS4230			
48" (1219)		641	819	SCNSMPS4830			
54" (1372)		712	1588	SCNSMPS5430			
60" (1524)		728	1597	SCNSMPS6030			
66" (1676)		843	1601	SCNSMPS6630			
72" (1829)		856	1614	SCNSMPS7230			
24" (610)	36" (914)	614	702	SCNSMPS2436			
30" (762)		629	797	SCNSMPS3036			
36" (914)		811	989	SCNSMPS3636			
42" (1067)		827	992	SCNSMPS4236			
48" (1219)		839	998	SCNSMPS4836			
54" (1372)		844	1587	SCNSMPS5436			
60" (1524)		856	1596	SCNSMPS6036			
66" (1676)		1234	1603	SCNSMPS6636			
72" (1829)		1234	1616	SCNSMPS7236			
Build your complete Part Number here:				_____	_____	_____	_____



Sample  
Part Number:

SCNSMPS2424	.4A	.01	.K
-------------	-----	-----	----

Total Cost \$518 =

\$518	+	N/A	+	N/A	+	N/A
-------	---	-----	---	-----	---	-----

Single Acrylic Screen - Freestanding Plate

The Freestanding Acrylic Screen can be placed on any work surface or table to provide a division. Included with the screen is either 2 or 4 Gray Brackets depending on the width of the screen. The brackets come with two types of foam pads for the underside of the bracket plates based on installation needs. One pad helps to prevent the screen from skidding on the worksurface, and the other pad uses double-sided tape for more of a secure attachment.


Note: The actual width of the acrylic screen is 3 3/8" shorter than nominal.

Note: Screens 24-54" in width will have 2 brackets and Screens 60-72" in width will have 4 brackets.

Access Slot Width Opening	
Width	Access Slot Opening
24"	9.5"
30"	15.5"
36"	21.5"
42"	23.5"
48"	29.5"
54"	35.5"
60"	14.187"
66"	16.187"
72"	18.187"

Single Acrylic Screen - Freestanding Plate

Dimensions		List Price		Catalog Number	Work Surface Gapping	Insert Material
Width	Height	Clear Plexi 01	Frosted Plexi E3A			
24" (610)	24" (610)	\$ 406	\$ 475	SCNAFS2424	NP No Gap  4A 4" Access Slot along back	01 Clear Plexi  E3A Frosted Plexi
30" (762)		429	516	SCNAFS3024		
36" (914)		453	557	SCNAFS3624		
42" (1067)		476	596	SCNAFS4224		
48" (1219)		501	640	SCNAFS4824		
54" (1372)		536	691	SCNAFS5424		
60" (1524)		622	797	SCNAFS6024		
66" (1676)		645	836	SCNAFS6624		
72" (1829)		670	879	SCNAFS7224		
24" (610)	30" (762)	429	516	SCNAFS2430		
30" (762)		459	566	SCNAFS3030		
36" (914)		489	618	SCNAFS3630		
42" (1067)		519	671	SCNAFS4230		
48" (1219)		548	723	SCNAFS4830		
54" (1372)		589	783	SCNAFS5430		
60" (1524)		681	899	SCNAFS6030		
66" (1676)		711	950	SCNAFS6630		
72" (1829)		741	1003	SCNAFS7230		
Build your complete Part Number here:				-----	---	---



Sample Part Number:

Total Cost \$406 =

SCNAFS2424	.4A	.01
\$406	+	N/A
		+
		N/A

Single Acrylic Screen - Edge Mount Bracket


The Edge Mount Bracket uses clamps to attach to the back edge of a work surface. It is compatible with work surfaces up to 1 1/3" thick. The screen sits slightly offset from the back edge, creating a 3/4" gap to facilitate power/data cable management and other accessories. The final installed height of the

screen is measured from the desktop to the top of the screen. The screen width is 3/8" shorter than nominal. All necessary mounting hardware is included.

Note: Screens 24"-54" wide will ship with 2 brackets. Screens 60" and wider will ship with 3 brackets.

Single Acrylic Screen - Edge Mount Bracket

Dimensions		List Price		Catalog Number	Insert Material	Bracket Color
Width	Height	Clear Plexi 01	Frosted Plexi E3A			
24" (610)	24" (610)	\$ 379	\$ 448	SCNBECMS2424	No Cost 01 Clear Plexi	G Gray
30" (762)		402	490	SCNBECMS3024		
36" (914)		427	532	SCNBECMS3624		
42" (1067)		451	574	SCNBECMS4224		
48" (1219)		475	616	SCNBECMS4824	E3A Frosted Plexi	K Charcoal
54" (1372)		511	670	SCNBECMS5424		
60" (1524)		561	738	SCNBECMS6024		
66" (1676)		584	778	SCNBECMS6624		
72" (1829)		608	821	SCNBECMS7224		
24" (610)	30" (762)	\$ 402	\$ 490	SCNBECMS2430		DW Designer White
30" (762)		433	543	SCNBECMS3030		
36" (914)		463	594	SCNBECMS3630		
42" (1067)		494	648	SCNBECMS4230		
48" (1219)		524	702	SCNBECMS4830		
54" (1372)		565	764	SCNBECMS5430		
60" (1524)		621	842	SCNBECMS6030		
66" (1676)		650	894	SCNBECMS6630		
72" (1829)		680	947	SCNBECMS7230		
Build your complete Part Number here:				_____	____	____



Sample Part Number:

SCNBECMS2424	.01	.G
\$379	+	N/A

Total Cost \$ 379 =

Single Acrylic Screen - Top Mount Bracket

The Top Mount Bracket uses clamps to attach to the top of the work surface. It is compatible with work surfaces up to 1 1/3" thick. The screen sits on the work surface creating a 1 3/4" gap between the work surface and the bottom of the screen. The final installed height of the screen is measured from the desktop to the top of the screen. The screen width is 3/8" shorter than nominal. All necessary mounting hardware is included.


Note: Screens 24"-54" wide will ship with 2 brackets. Screens 60" and wider will ship with 3 brackets.

Corner Connector Kit

The Corner Connector Kit attaches Edge Mount Screens to Top Mount Screens at the intersecting corners. This creates 'L' and 'U' shape configurations connected as one unit. The SCNCCK Kit provides 2 brackets to create one corner connection for an 'L' Shape. The SCNCCK2 Kit


provides 4 brackets to accommodate 2 corner connections for a 'U' Shape.

Note: these are the same corner brackets used with the Post Style and Low Profile Bracket Screens, and can be utilized as service parts for these screens if needed.



Single Acrylic Screen - Top Mount Bracket

Dimensions		List Price		Catalog Number	Insert Material	Bracket Color
Width	Height	Clear Plexi 01	Frosted Plexi E3A			
24" (610)	24" (610)	\$ 379	\$ 448	SCNDTCMS2424	No Cost 01 Clear Plexi	G Gray
30" (762)		402	490	SCNDTCMS3024		
36" (914)		427	532	SCNDTCMS3624		K Charcoal
42" (1067)		451	574	SCNDTCMS4224		
48" (1219)		475	616	SCNDTCMS4824	E3A Frosted Plexi	DW Designer White
54" (1372)		511	670	SCNDTCMS5424		
60" (1524)		561	738	SCNDTCMS6024		
66" (1676)		584	778	SCNDTCMS6624		
72" (1829)		608	821	SCNDTCMS7224		
24" (610)	30" (762)	\$ 402	\$ 490	SCNDTCMS2430		
30" (762)		433	543	SCNDTCMS3030		
36" (914)		463	594	SCNDTCMS3630		
42" (1067)		494	648	SCNDTCMS4230		
48" (1219)		524	702	SCNDTCMS4830		
54" (1372)		565	764	SCNDTCMS5430		
60" (1524)		621	842	SCNDTCMS6030		
66" (1676)		650	894	SCNDTCMS6630		
72" (1829)		680	947	SCNDTCMS7230		
Build your complete Part Number here:				_____	___	___



Corner Connector Kit

	List Price	Catalog Number	Trim Color
2 Brackets to Connect 1 Corner	\$ 60	SCNCCK	Standard Finish No Cost
4 Brackets to Connect 2 Corners	\$ 97	SCNCCK2	Premium Finishes \$14

Note: For the Clamp Mount Screens specify Gray, Charcoal or Designer White to match the bracket color.

Sample Part Number:

SCNDTCMS2424	.01	.G
--------------	-----	----

Total Cost \$379 =

\$379	+	N/A	+	N/A
-------	---	-----	---	-----

U-Shape Acrylic Screen - Post Style Bracket

The U-Shape Post Style Bracket can be mounted with screws or adhesive to any laminate work surface, desk or table top to provide a division. Included with the screen are six posts, three acrylic screens, and the necessary mounting hardware.


Note: The No Gap option will have a 3/4" gap to allow for cord pass through.

Note: The minimum overall width of a desk needed to house a screen is 2.25" less than nominal. The minimum overall depth needed to house the screen is 2.5" less than the nominal depth.

Access Slot Width Opening	
Width	Access Slot Opening
36"	22.13"
42"	20.13"
48"	26.13"
54"	32.13"
60"	30.13"
66"	36.13"
72"	42.13"

U-Shape Acrylic Screen - Post Style Bracket

Dimensions			List Price		Catalog Number	Work Surface Gapping	Insert Material	Trim Color
Width	Depth	Height	Clear Plexi 01	Frosted Plexi E3A				
36" (914)	24" (610)	24" (610)	\$ 1580	\$ 1758	SCNSMPU362424	NP No Gap  2B 2" Gap  4A 4" Access Slot along back	01 Clear Plexi  E3A Frosted Plexi	Standard Finish No Cost  Premium Finishes +\$14
42" (1067)			1586	1764	SCNSMPU422424			
48" (1219)			1592	1770	SCNSMPU482424			
54" (1372)			1610	2070	SCNSMPU542424			
60" (1524)			1623	2079	SCNSMPU602424			
66" (1676)			1807	2084	SCNSMPU662424			
72" (1829)			1820	2090	SCNSMPU722424			
36" (914)	30" (762)	24" (610)	1580	1850	SCNSMPU363024			
42" (1067)			1586	1856	SCNSMPU423024			
48" (1219)			1592	1862	SCNSMPU483024			
54" (1372)			1610	2165	SCNSMPU543024			
60" (1524)			1623	2171	SCNSMPU603024			
66" (1676)			1807	2176	SCNSMPU663024			
72" (1829)			1820	2183	SCNSMPU723024			
36" (914)	24" (610)	30" (762)	1580	1949	SCNSMPU362430			
42" (1067)			1586	1955	SCNSMPU422430			
48" (1219)			1592	1961	SCNSMPU482430			
54" (1372)			1675	2731	SCNSMPU542430			
60" (1524)			1691	2740	SCNSMPU602430			
66" (1676)			1807	2745	SCNSMPU662430			
72" (1829)			1820	2751	SCNSMPU722430			
36" (914)	30" (762)	30" (762)	1643	2324	SCNSMPU363030			
42" (1067)			1654	2332	SCNSMPU423030			
48" (1219)			1666	2337	SCNSMPU483030			
54" (1372)			1742	3116	SCNSMPU543030			
60" (1524)			1759	3122	SCNSMPU603030			
66" (1676)			1873	3127	SCNSMPU663030			
72" (1829)			1889	3135	SCNSMPU723030			
36" (914)	24" (610)	36" (914)	1972	2323	SCNSMPU362436			
42" (1067)			1980	2331	SCNSMPU422436			
48" (1219)			1987	2338	SCNSMPU482436			
54" (1372)			2002	2923	SCNSMPU542436			
60" (1524)			2017	2930	SCNSMPU602436			
66" (1676)			2391	2935	SCNSMPU662436			
72" (1829)			2408	2944	SCNSMPU722436			
36" (914)	30" (762)	36" (914)	1972	2512	SCNSMPU363036			
42" (1067)			1980	2516	SCNSMPU423036			
48" (1219)			1987	2523	SCNSMPU483036			
54" (1372)			2002	3116	SCNSMPU543036			
60" (1524)			2017	3121	SCNSMPU603036			
66" (1676)			2391	3127	SCNSMPU663036			
72" (1829)			2408	3136	SCNSMPU723036			



Build your complete Part Number here:

Sample Part Number:

Total Cost \$1580 =

-----	---	---	--			
SCNSMPU362424 -----	.NP ---	.01 ---	.K --			
\$1580	+	N/A	+	N/A	+	N/A

Overview & Order Information  
Statement of Line  
Surface Materials  
Desks & Work Surfaces  
Screens & Modesties  
Storage  
Benching Electrical  
Electrical  
Accessories  
Terms & Policies

U-Shape Acrylic Screen - Low Profile Bracket

The U-Shape Low Profile Bracket can be mounted with adhesive to any laminate work surface, desk or table top to provide a division. Included with the screen are six brackets, three acrylic screens, and the necessary mounting hardware.


Note: The No Gap option will have a .6" gap to allow for cord pass through.

Note: The minimum overall width of a desk needed to house a screen is 2.25" less than nominal. The minimum overall depth needed to house the screen is 2.125" less than the nominal depth.

Access Slot Width Opening	
Width	Access Slot Opening
36"	18.88"
42"	16.88"
48"	22.88"
54"	28.88"
60"	26.88"
66"	32.88"
72"	38.88"

U-Shape Acrylic Screen - Low Profile Bracket

Dimensions			List Price		Catalog Number	Work Surface Gapping	Insert Material	Trim Color									
Width	Depth	Height	Clear Plexi 01	Frosted Plexi E3A													
36" (914)	24" (610)	24" (610)	\$ 955	\$ 1133	SCNTDMU362424	NP No Gap  4A 4" Access Slot along back screen	01 Clear Plexi  E3A Frosted Plexi	Standard Finish No Cost									
42" (1067)			963	1141	SCNTDMU422424												
48" (1219)			968	1146	SCNTDMU482424												
54" (1372)			988	1448	SCNTDMU542424												
60" (1524)			1000	1456	SCNTDMU602424												
66" (1676)			1185	1462	SCNTDMU662424												
72" (1829)			1197	1467	SCNTDMU722424												
36" (914)	30" (762)	24" (610)	955	1225	SCNTDMU363024												
42" (1067)			963	1233	SCNTDMU423024												
48" (1219)			968	1238	SCNTDMU483024												
54" (1372)			988	1543	SCNTDMU543024												
60" (1524)			1000	1548	SCNTDMU603024												
66" (1676)			1185	1554	SCNTDMU663024												
72" (1829)			1197	1560	SCNTDMU723024												
36" (914)	24" (610)	30" (762)	955	1324	SCNTDMU362430												
42" (1067)			963	1332	SCNTDMU422430												
48" (1219)			968	1337	SCNTDMU482430												
54" (1372)			1053	2108	SCNTDMU542430												
60" (1524)			1067	2116	SCNTDMU602430												
66" (1676)			1185	2123	SCNTDMU662430												
72" (1829)			1197	2128	SCNTDMU722430												
36" (914)	30" (762)	30" (762)	1020	1700	SCNTDMU363030												
42" (1067)			1030	1708	SCNTDMU423030												
48" (1219)			1037	1715	SCNTDMU483030												
54" (1372)			1118	2492	SCNTDMU543030												
60" (1524)			1128	2497	SCNTDMU603030												
66" (1676)			1249	2504	SCNTDMU663030												
72" (1829)			1264	2510	SCNTDMU723030												
Build your complete Part Number here:					_____	___	___										__



Full Screen shown

Sample Part Number:

SCNTDMU362424	.NP	.01	.K			
\$955	+	N/A	+	N/A	+	N/A

Total Cost \$955 =



### Trig Top Mounted Fabric Screen

The Trig Top Mounted Fabric Screens are mounted on top of a Trig Desk. The 18, 22 and 28 inch screens are designed to work as side screens. The larger widths are designed to mount to the front edge of a surface, or across the seam of two surfaces positioned back to back. The screen is fully tackable, fabric covered, and comes with all the hardware to attach it. The

hardware has a small reveal at the very bottom of the screen and what the trim color is related to.


### Trig Fabric Screen / Modesty Combination

The Trig Fabric Screen Modesty Combination mounts to the underside back edge of the desk top. The screen is fully tackable, fabric covered, and comes with all the hardware to attach

it. It provides 13" of privacy above the surface and 14" below the surface. Match the screen width to the Trig desk width.


Note: The Fabric Screen/ Modesty Combination cannot be used in conjunction with the Trig Power Raceway.

### Trig Top Mount Fabric Screen



Dimensions		List Price Fabric Grade						Catalog Number	Fabric Color	Trim Color
Width	Height	0/1	2	3	4	5	6			
18" (457)	13" (330)	\$ 726	\$ 786	\$ 823	\$ 880	\$ 944	\$ 1011	TRGFTMS1813	(See Surface Materials Page 7)	Standard Smooth Finishes Only
22" (559)		738	798	835	892	956	1023	TRGFTMS2213		
28" (711)		782	842	879	936	1000	1067	TRGFTMS2813		
35 7/8" (911)		891	951	988	1045	1109	1176	TRGFTMS3613		
41 7/8" (1064)		944	1004	1041	1098	1162	1229	TRGFTMS4213		
47 7/8" (1216)		996	1056	1093	1150	1214	1281	TRGFTMS4813		
53 7/8" (1368)		1053	1113	1150	1207	1271	1338	TRGFTMS5413		
59 7/8" (1521)		1106	1166	1203	1260	1324	1391	TRGFTMS6013		
65 7/8" (1673)		1163	1223	1260	1317	1381	1448	TRGFTMS6613		
71 7/8" (1826)		1216	1276	1313	1370	1434	1501	TRGFTMS7213		
18" (457)	19" (483)	\$ 736	\$ 796	\$ 833	\$ 904	\$ 987	\$ 1065	TRGFTMS1819		
22" (559)		749	809	846	917	1000	1078	TRGFTMS2219		
28" (711)		797	857	894	965	1048	1126	TRGFTMS2819		
35 7/8" (911)		909	969	1006	1077	1160	1238	TRGFTMS3619		
41 7/8" (1064)		965	1025	1062	1133	1216	1294	TRGFTMS4219		
47 7/8" (1216)		1019	1079	1116	1187	1270	1348	TRGFTMS4819		
53 7/8" (1368)		1080	1140	1177	1248	1331	1409	TRGFTMS5419		
59 7/8" (1521)		1137	1197	1234	1305	1388	1466	TRGFTMS6019		
65 7/8" (1673)		1197	1257	1294	1365	1448	1526	TRGFTMS6619		
71 7/8" (1826)		1252	1312	1349	1420	1503	1581	TRGFTMS7219		

### Trig Fabric Screen/Modesty Combination



Dimensions		List Price Fabric Grade						Catalog Number		
Width	Height	0/1	2	3	4	5	6			
23 3/4" (603)	28" (711)	\$ 821	\$ 884	\$ 938	\$ 1051	\$ 1180	\$ 1304	TRGFSMC2428		
29 3/4" (756)		873	936	990	1103	1232	1356	TRGFSMC3028		
35 3/4" (908)		932	995	1049	1162	1291	1415	TRGFSMC3628		
41 3/4" (1060)		992	1057	1109	1240	1381	1526	TRGFSMC4228		
47 3/4" (1213)		1052	1117	1174	1319	1483	1644	TRGFSMC4828		
53 3/4" (1365)		1206	1271	1328	1473	1637	1798	TRGFSMC5428		
59 3/4" (1518)		1265	1330	1387	1562	1758	1958	TRGFSMC6028		
65 3/4" (1670)		1330	1395	1452	1627	1823	2023	TRGFSMC6628		
71 3/4" (1822)		1390	1455	1512	1687	1883	2083	TRGFSMC7228		
Build your complete Part Number here:								----	---	-

Sample Part Number:

TRGFTMS1813	.KK6	.G
-----	---	-
\$726	+	N/C
	+	N/C

Total Cost \$726 =



## Credenzas




Trig Credenza come with a 1" Thermofused laminate top and 2" support legs with leveling glides. Credenzas are 20" deep and 26.75" high. Units are intended for freestanding applications. Units ship fully assembled except for 2" support legs.

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

## Credenzas with Doors

Features include hinged doors with optional locking. (Locking not available on aluminum door option) Credenzas 60", 72" and 75" wide have (1) adjustable shelf in each double door. The 45" wide Credenza has one adjustable shelf in the double door and one in the single door. Shelves adjust vertically in 2 1/2" increments.

### Trig Credenzas with Doors

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
<b>Double Door and Single Door RH</b>															
20" (508)	30" (762)	26 3/4" (680)	\$1931	\$2009	TRGCDDSDR45	LD No Cost	Plexi-glass No Cost	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost	R No Cost
<b>Double Door and Single Door LH</b>															
20" (508)	36" (914)	26 3/4" (680)	1931	2009	TRGCDDSDL45	Laminate Door	Frosted Plexi-glass (E3A)	L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Door Edge will match door color	Premium Finish + \$14	TRG Lock + \$52	Trig Random
															
Right-Hand Shown															
<b>2 Double Door</b>															
20" (508)	60" (1524)	26 3/4" (680)	\$2434	\$2539	TRGC2DD60	FD Framed Door	3 Doors + \$1324	AE Stream-line Designer	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Specify only if LD selected	(See Surface Materials Page 8)		Note: Be sure to order core/ key sets (TLCK) separately (2 per unit)
															
<b>2 Double Door w/ 2 Center Shelves</b>															
20" (508)	72" (1829)	26 3/4" (680)	\$2724	\$2864	TRGC2DDCS72		4 Doors + \$1766	MD Modern							
20" (508)	75" (1905)	26 3/4" (680)	\$2797	\$2937	TRGC2DDCS75		3-Form (E01-E03) 3 Doors + \$440	Not available with framed door (FD) option							
															
<b>Build your complete Part Number here:</b>															

Sample Part Number:


TRGC2DDCS75	.FD	.MM	.XZ2	.XZ4	.XZ4	N/A	.K	.TRG	.R
-------------	-----	-----	------	------	------	-----	----	------	----

Total Cost \$4583 =

\$2797	+	\$1766	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$52	+	\$-32
--------	---	--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-------

## Trig Credenzas with Doors and Shelves

Depth	Dimensions		List Price		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
<b>Double Door and Open Shelf RH</b>			\$2211	\$2316	TRGCDDOSR60	LD No Cost	Plexi-glass No Cost	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost	R No Cost
20" (508)	60" (1524)	26 <sup>3</sup> / <sub>4</sub> " (680)				Laminate Door		L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Door Edge will match door color		No Lock	Trig Random
<b>Double Door and Open Shelf LH</b>			2211	2316	TRGCDDOSL60	FD Framed Door + \$882	Frosted Plexi-glass (E3A) + \$145	E Stream-line	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Specify only if LD selected	Pre-mium Finish + \$14	TRG (One Lock) + \$33	T \$-16
20" (508)	60" (1524)	26 <sup>3</sup> / <sub>4</sub> " (680)					3-Form (E01-E03) + \$292	AZ Designer					(See Surface Materials Page 8)	Trig Lock	Key Alike
								MM Mod2							Note: Be sure to order core/key sets (TLCK) separately (2 per unit)
								MD Modern							
								Not available with framed door (FD) option							
Build your complete Part Number here:			-----												



Right-Hand Shown

Sample  
Part Number:

TRGCDDOSR60	.FD	.E3A	.MM	.XZ2	.XZ4	.XZ4	N/A	.K	.TRG	.T
-------------	-----	------	-----	------	------	------	-----	----	------	----

Total Cost \$3402 =





\$2211	+	\$882	+	\$292	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$33	+	\$-16
--------	---	-------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-------

**Credenzas with Laterals**

Lateral units include full extension ball bearing slides, and interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front to back filing bars, and adjustable leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. Shelves adjust vertically in 2 1/2" increments.

For 45" wide Lateral Single Door units, the single door includes hinged door with optional locking and (1) adjustable shelf. Shelf adjusts vertically in 2 1/2" increments.

**Trig Credenzas with Laterals**

Depth	Dimensions		Locks	List Price Thermofused Grade		Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Color	Trim Color	Lock Type	Lock Option	
	Width	Height		1	2										
12 Lat with Open Shelves			1 Lock	\$1623	\$1678	TRGCLATOS30	No Cost Applied	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random	
20" (508)	30" (762)	26¾" (680)					L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Drawer Edge will match Drawer Color	Pre- mium Finish + \$14	TRG (One Lock) + \$33 Trig Lock	T (One Lock) \$-16	
							E Stream- line								
(612) Lateral and 2 Open Shelves RH			1 Lock	\$2024	\$2102	TRGCLATOSR45	AZ De- signer					(See Surface Materials Page 8)	Two Locks	(Two Locks) \$-32	
20" (508)	45" (1143)	26¾" (680)													TRGCLATOSR48
20" (508)	48" (1219)	26¾" (680)													TRGCLATOSR60
20" (508)	60" (1524)	26¾" (680)	2 Locks	2280	2385										
(612) Lateral and 2 Open Shelves LH			1 Lock	\$2024	\$2102	TRGCLATOSL45	MM Mod2					(See Surface Materials Page 8)	Two Locks	(Two Locks) \$-32	
20" (508)	45" (1143)	26¾" (680)													TRGCLATOSL48
20" (508)	48" (1219)	26¾" (680)													TRGCLATOSL60
20" (508)	60" (1524)	26¾" (680)	2 Locks	2280	2385		MD Modern								
															
Right-Hand Shown															
2 (612) Lateral			2 Locks	\$2666	\$2771	TRGC2LAT60									
20" (508)	60" (1524)	26¾" (680)													
															
2 (612) Lateral w/ 2 Center Shelves			2 Locks	\$3001	\$3141	TRGC2LATCS72									
20" (508)	72" (1829)	26¾" (508)													
20" (508)	75" (1905)	26¾" (508)	2 Locks	\$3084	\$3224	TRGC2LATCS75									
															
Build your complete Part Number here:						_____	__	___	___	___	___	__	___	__	

Sample  
Part Number:

Total Cost \$2057 =


TRGCLATOSR45	.MD	.ZX2	.XZ2	.XZ2	.XZ2	.K	.TRG	.R				
\$2024	+	N/C	+	N/C	+	N/C	+	N/C	+	\$33	+	N/C

Credenzas Continued

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

Single lock can be specified for laterals.

Trig Credenzas with Doors and Laterals



			List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer/ Door Color	Trim Color	Lock Type	Lock Option	
Depth	Dimensions Width	Height	1	2												
(612) Lateral and Single Door RH 20" (508) 45" (1143) 26 <sup>3/4</sup> " (680)			\$2117	\$2195	TRGCLATSDR45	LD No Cost	Plexi- glass (01, 02) No Cost	No Cost Applied	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Standard Finish No Cost	NL No Cost	R No Cost	
(612) Lateral and Single Door LH 20" (508) 45" (1143) 26 <sup>3/4</sup> " (680)			2117	2195	TRGCLATSDL45	Lami- nate Door	No Cost	L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Pre- mium Finish + \$14	TRG (One Lock) + \$33 Trig Lock	T (One Lock) \$-16	
						FD + \$440 Framed Door	Frosted Plexi- glass (E3A) +\$73	E Stream- line					Specify for Lateral/ Laminate Door only	(See Surface Materials Page 8)	(Two Locks) \$-32 Trig Key Alike	
							3-Form (E01- E03) +\$145	AZ De- signer								
								MD Modern								
									MM Mod2 When specifying a Modern Pull , the Framed Door (FD) will include coordinat- ing Mod2 pull.							Note: Be sure to order core/ key sets (TLCK) sepa- rately.
Build your complete Part Number here:					_____	__	__	__	_____	_____	_____	_____	_____	__	__	

Open Storage Credenza

All Shelves are fixed.

The upper storage units are 10 1/2" high  
and the bottom storage units are 11 3/4" high.

Trig Credenzas – Open Storage

Dimensions			List Price		Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
Depth	Width	Height	Thermofused Grade 1	2					
Open Storage 612						Thermo- fused Laminate  (See Surface Materials Page 8)	Thermo- fused Laminate  (See Surface Materials Page 8)	Thermo- fused Laminate  (See Surface Materials Page 8)	Standard Finish No Cost  Premium Finish + \$14  (See Surface Materials Page 8)
20" (508)	30" (762)	26 3/4" (680)	\$ 1250	\$1305	TRGCOS30				
20" (508)	36" (914)	26 3/4" (680)	\$1351	\$1406	TRGCOS36				
									
Open Storage 612									
20" (508)	45" (1143)	26 3/4" (680)	\$1502	\$1580	TRGCOS45				
									
Build your complete Part Number here:					-----	-	-	-	-

Sample  
Part Number:

TRGCOS45	.ZX2	.XZ4	.XZ4	.Y
\$1502	+	N/C	+	N/C

Total Cost \$1502 =

Freestanding Lateral

The Trig Freestanding Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side, letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Freestanding Pedestal


The Trig Freestanding Pedestal includes full extension ball bearing slides, side-to-side filing bars, front-to-back filing bars, and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Optional locking available for drawers.


Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Trig Freestanding Lateral

Depth	Dimensions		List Price		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
	Width	Height	1	2									
20" (508)	30" (762)	26 <sup>3</sup> / <sub>4</sub> " (680)	\$1564	\$1619	TRG612LAT20	No Cost Applied	Thermo-Fused Laminate	Thermo-Fused Laminate	Thermo-Fused Laminate	Thermo-Fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
20" (508)	36" (914)	26 <sup>3</sup> / <sub>4</sub> " (680)	\$1802	\$1857	TRG612LAT2036								
						L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Drawer Edge will match Drawer Color	Premium Finish + \$14	TRG + \$33 Trig Lock	T \$-16 Trig Key Alike
						E Stream-line							
						AZ Designer							
						MM Mod2							

Trig Freestanding Pedestal

Dimensions			List Price Thermofused Grade		Catalog Number	MM Mod2	MD Modern	Surface Materials Page 8)	Note: Be sure to order core/ key sets (TLCK) separately.
Depth	Width	Height	1	2					
20" (508)	15 1/2" (394)	26 3/4" (680)	\$1240	\$1271	TRG612PED20				
									

Build your complete Part Number here:

---	---	---	---	---	---	---	---	---	---
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Sample Part Number:

TRG612LAT20	.MD	.ZX2	.XZ2	.XZ2	.XZ4	.K	.TRG	.R
-------------	-----	------	------	------	------	----	------	----

Total Cost \$1597 =

\$1564	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$33	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----

**Freestanding Double Door Storage**

The Trig Freestanding Double Door Storage include hinged doors with optional locking. (Locking not available with aluminum door option) Unit comes with (1) shelf that adjusts vertically in 2 1/2" increments. Unit also includes leveling glides in each 2" support leg.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

**Trig Bookcase**

The bookcase unit includes one adjustable shelf. The shelf is 5/8" thick and adjust vertically in 2 1/2" (64) increments.

Shipped ready to assemble.

**Trig Freestanding Double Door Storage**

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
20" (508)	30" (762)	26 3/4" (680)	\$1389	\$1444	TRGDD20	LD	Plexi-glass (01, 02)	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
20" (508)	36" (914)	26 3/4" (680)	1568	1646	TRGDD2036	No Cost Laminate Door	No Cost	L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Door Edge will match door color	Pre-mium Finish + \$14	TRG + \$33 Trig Lock	T \$-16 Trig Key Alike
						FD + \$882 Framed Door	Frosted Plexi-glass (E3A) + \$145	E Stream-line					(See Surface Materials Page 8)		Note: Be sure to order core/ key sets (TLCK) separately.
							3-Form (E01-E03) + \$292	AZ Designer							
								MM Mod2							
								MD Modern							
								Not available with Framed Door (FD) option.							
Build your complete Part Number here:						_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**Trig Bookcases**

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Height	1	2					
20" (508)	30" (762)	26 3/4" (680)	\$ 939	\$ 994	TRGCBC30	Thermofused Laminate	Thermofused Laminate	Thermofused Laminate	Standard Finish No Cost
	36" (914)		1040	1095	TRGCBC36	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Premium Finish + \$14
									(See Surface Materials Page 8)
Build your complete Part Number here:						_____	_____	_____	_____

Sample Part Number:

Total Cost \$939 =

TRGCBC30	.XZY	.XZY	.XZY	.K
\$939	+	N/C	+	N/C



**Bench-Height Storage**

The Trig Bench-Height Storage is available in five different widths. Lateral units include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars, and leveling glides.



Optional locking available on drawers.

45" wide Lateral Open Shelf unit comes with (1) shelf that adjusts vertically in 2 1/2" increments.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

**Trig Bench-Height Storage**

Dimensions			Lock	List Price Thermofused Grade		Catalog Number	Pull Style	Unit/Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
Depth	Width	Height		1	2									
<b>(12) Lateral</b>														
20" (508)	30" (762)	21" (533)	1 Lock	\$1522	\$1577	TRGBFLAT30	<b>No Cost Applied</b>  L Classic  E Stream-line	Thermofused Laminate  (See Surface Materials Page 8)	Thermofused Laminate  (See Surface Materials Page 8)	Thermofused Laminate  (See Surface Materials Page 8)	Thermofused Laminate  Drawer Edge will match Drawer Color	<b>Standard Finish No Cost</b>  <b>Premium Finish + \$14</b>  (See Surface Materials Page 8)	<b>NL No Cost No Lock</b>  <b>TRG (One Lock) + \$33 Trig Lock</b>	<b>R No Cost Trig Random</b>  <b>T (One Lock) \$-16</b>  Trig Key Alike
20" (508)	36" (914)	21" (533)	1 Lock	1699	1754	TRGBFLAT36								
<b>(12) Lateral w/ Open Shelf RH</b>														
20" (508)	45" (1143)	21" (533)	1 Lock	\$1846	\$1924	TRGBFLATOSR45	<b>AZ</b> De-signer  <b>MM</b> Mod2  <b>MD</b> Modern							Note: Be sure to order core/key sets (TLCK) separately.
20" (508)	48" (1219)	21" (533)	1 Lock	1894	1972	TRGBFLATOSR48								
20" (508)	60" (1524)	21" (533)	1 Lock	2087	2165	TRGBFLATOSR60								
<b>(12) Lateral w/ Open Shelf LH</b>														
20" (508)	45" (1143)	21" (533)	1 Lock	\$1846	\$1924	TRGBFLATOSL45								
20" (508)	48" (1219)	21" (533)	1 Lock	1894	1972	TRGBFLATOSL48								
20" (508)	60" (1524)	21" (533)	1 Lock	2087	2165	TRGBFLATOSL60								
														
														
Right-Hand Shown														
<b>Build your complete Part Number here:</b>						_____	__	___	___	___	___	___	___	___

Sample Part Number:

Total Cost \$2104 =



TRGBFLATOSL60	.MD	.XZ3	.XZ3	.XZ3	.XZ4	.K	.TRG	.T				
\$2087	+	N/C	+	N/C	+	N/C	+	N/C	+	\$33	-	\$-16

## Bench-Height Storage (continued)

## Bench-Height Cushion

Trig Bench-Height Cushion includes upholstered cushion and four attached velcro tabs to affix cushion to top of Bench-Height Storage Units.

## Trig Bench-Height Storage (continued)

Depth	Dimensions Width	Height	Lock	1	2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
<b>2 (12) Lateral</b>			2 Locks	\$2355	\$2460	<b>TRGBF2LAT60</b>	<b>No Cost Applied</b>	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	<b>Stand- ard Finish No Cost</b>	<b>NL No Cost No Lock</b>	<b>R No Cost Trig Ran- dom</b>
20" (508)	60" (1524)	21" (533)												
							<b>L Classic</b>	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Drawer Edge will match Drawer Color			
<b>2 (12) Lateral w/ Center Shelf</b>			2 Locks	\$2541	\$2681	<b>TRGBF2LATCS72</b>	<b>AZ De- signer</b>					<b>Prem- ium Finish + \$14</b>	<b>TRG (Two Locks) + \$52 Trig Lock</b>	<b>T (Two Locks) Trig Key Alike</b>
20" (508)	72" (1829)	21" (533)												
20" (508)	75" (1905)	21" (533)	2 Locks	2588	2728	<b>TRGBF2LATCS75</b>	<b>MM Mod2</b>					(See Surface Material- als Page 8)		
							<b>MD Modern</b>							Note: Be sure to order core/ key sets (TLCK) separately.
Build your complete Part Number here:						_____	__	---	---	---	---	-	---	-

## Trig Bench-Height Cushion

Width	Dimensions		List Price Fabric Grade											Catalog Number	Seating Fabric Color
	Depth	Height	A	B	C	D	E	F	G	H	I	J	K		
15" (381)	20" (508)	1" (25)	\$338	\$352	\$371	\$395	\$418	\$441	\$469	\$500	\$523	\$544	\$566	<b>TRGBC2015</b>	See Seating price book Surface Material Section
30" (762)			409	414	442	473	512	562	628	696	725	755	792		

Build your complete  
Part Number here:

Sample  
Part Number:

<b>TRGBF2LATCS75</b>	<b>.MD</b>	<b>.XZ3</b>	<b>.XZ3</b>	<b>.XZ3</b>	<b>.XZ4</b>	<b>.K</b>	<b>.TRG</b>	<b>.T</b>
----------------------	------------	-------------	-------------	-------------	-------------	-----------	-------------	-----------

Total Cost \$2608 =


\$2588	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$52	+	\$-32
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-------

Trig Bench-Height Bookcase

The book case unit includes one adjustable shelf. The shelf is 5/8" thick and adjusts vertically in 2 1/2" (64) increments. The bookcase unit is designed to accommodate standard binders on one of the shelves.

Shipped ready to assemble.

Trig Bench-Height Bookcase

Depth	Dimensions Width	Height	List Price Thermofused Grade		Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
			1	2					
20" (508)	30" (762) 36" (1219)	21" (533)	\$865 966	\$920 1021	TRGBFBC30 TRGBFBC36	Thermofused Laminate  (See Surface Materials Page 8)	Thermofused Laminate  (See Surface Materials Page 8)	Thermofused Laminate  (See Surface Materials Page 8)	Standard Finish No Cost  Premium Finish + \$14  (See Surface Materials Page 8)
			Build your complete Part Number here:		-----	---	---	---	--

Sample  
Part Number:

Total Cost \$865 =

TRGBFBC30	-----	.XZY	-----	.XZY	-----	.XZY	-----	.K	-----
\$865	+	N/C	+	N/C	+	N/C	+	N/C	

**Pedestal Shelf Combination Storage**  
The Trig Pedestal Shelf Combination Storage combines the functionality of a pedestal with the added storage of shelves. The storage unit is available in Right- and Left- Hand versions. The Right Hand version is intended for placement on the right-hand of a workstation with the shelves facing inward. The Left-Hand version is intended for placement on the left-hand of a workstation with the shelves facing inward. The 6612 Pedestal includes full extension ball bearing slides, side-to-side and front-to-back filing bars and leveling glides. Drawers accommodate


side-to-side letter, A4, legal and EDP filing. The shelf storage includes one adjustable shelf that adjusts vertically in 2 1/2" increments.

Available accessories include a Marker Board or Tackboard that can be added to the aisle side of the unit. Option locking available on pedestal drawers.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

Trig Pedestal Shelf Combination Storage – Right-Hand

Dimensions			List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option	Work Surface Bracket
Depth	Width	Height	1	2									
6612 Ped and Open Shelves on Side						No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	NL No Cost No Lock	R No Cost Trig Random	BN No Cost No Bracket
20" (508)	15 1/2" (394)	47 3/4" (1213)	\$ 1537	\$ 1615	TRGCS6612OSR20								
24" (610)	15 1/2" (394)	47 3/4" (1213)	1637	1715	TRGCS6612OSR24								
30" (762)	15 1/2" (394)	47 3/4" (1213)	1715	1793	TRGCS6612OSR30								
						L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Drawer Edge will match Drawer Color	TRG + \$33 Trig Lock		
						E Stream-line							
						AZ Designer							
						MM Mod2							
						MD Modern							

Sample Part Number:

TRGCS6612OSR20	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.TRG	.R	.BN				
\$1537	+	N/C	+	N/C	+	N/C	+	\$33	+	N/C	+	N/C


Marker Boards

The Trig Marker Board provides a white, writing surface for use with dry erase markers. Marker Boards can be mounted to the aisle side of Combination Storage units.


Tackboards

The Trig Tackboard can be mounted to the aisle side of Combination Storage units. The Tackboard has a tackable panel fabric front and velcro attachment tabs.

Width	Usage
12	Front of Pedestal Shelf Combination Storage
16	Aisle Side 20" Deep Ped Shelf Combination Storage
20	Aisle Side 24" Deep Ped Shelf Combination Storage
24	Aisle Side 30" Deep Ped Shelf or 30" Wide Combination Storage



Trig Marker Boards				
Dimensions		List Price	Catalog Number	
Width	Height			
12" (305)	17" (432)	\$230	TRGMB1217	
16" (406)	17" (432)	277	TRGMB1617	
20" (508)	17" (432)	346	TRGMB2017	
24" (610)	17" (432)	401	TRGMB2417	
36" (914)	17" (432)	508	TRGMB3617	
Build your complete Part Number here:			-----	

										Trig Tackboards									
Dimensions		List Price						Catalog Number	Fabric Color										
Width	Height	0/1	2	3	4	5	6												
12" (305)	17" (432)	\$ 107	\$ 135	\$ 150	\$ 164	\$ 183	\$ 200	TRGTB1217	(See Surface Materials Page 7)										
16" (406)	17" (432)	114	142	157	171	190	207	TRGTB1617											
20" (508)	17" (432)	122	150	165	179	198	215	TRGTB2017											
24" (610)	17" (432)	139	167	182	196	215	238	TRGTB2417											
36" (914)	17" (432)	153	181	196	210	229	260	TRGTB3617											
Build your complete Part Number here:										-----									


Sample Part Number:	TRGMB1217	N/A
Total Cost \$230 =	\$230	+ N/C

**Storage Tower with Double-Door**  
The Trig Storage Tower with Double-Doors include hinged double doors, with three shelves that adjust vertically in 2 1/2" increments, and leveling glides.

Optional locking and aluminum doors available (Locking not available in combination with aluminum doors)

Units are intended for freestanding applications.

Units ship fully assembled.

Trig Storage Tower with Double-Door															
Dimensions Depth      Width      Height			List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option
			1	2											
20" (508)	30" (762)	53 <sup>3</sup> / <sub>4</sub> " (1365)	\$2087	\$2227	TRGTSDD54	LD	Plexi- glass (01, 02)	No Cost	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	No Cost	NL	R
20" (508)	30" (762)	65 <sup>3</sup> / <sub>4</sub> " (1670)	2312	2452	TRGTSDD66	No Cost Lami- nate Door	No Cost	L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Door Edge will match door color	(See Surface Materials Page 8)  Specify only if FD selected	No Cost No Lock	No Cost Trig Ran- dom
						FD + \$1178 Framed Door	Frosted Plexi- glass (E3A) \$292	E Stream- line						TRG + \$33 Trig Lock	T \$-16 Trig Key Alike
							3-Form (E01- E03) + \$588	AZ Designer							
								MM Mod2							
								MD Modern							
								Not available with Framed Door (FD) option							Note: Be sure to order core/ key sets (TLCK) separa- tely.
Build your complete Part Number here:					_____	__	-	__	_____	_____	_____	_____	_____	-	

Sample Part Number:	TRGTSDD54	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ4	N/A	.TRG	.R				
Total Cost \$2120 =	\$2087	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$33	+	N/C

**Lateral, Double Door Storage Tower**  
The Storage Towers are available with two lateral drawer configurations: 12/12 with 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars. Pre-installed counterbalance weights included.

Double-Door storage includes hinged double doors, with two shelves that adjust vertically in 2 1/2" increments.

Optional locking available for both double door and lateral portion. (Lock option not available with framed doors)

Units include leveling glides.

Units ship fully assembled.

Single lock can be specified for laterals.

Trig Lateral, Double-Door Storage Tower

Depth	Dimensions		List Price		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer/Door Color	Framed Door Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
<b>6612 Lateral and double-door storage (2 adjustable shelves)</b>															
20" (508)	30" (762)	53 1/4" (1365)	\$2685	\$2790	TRGTS6612DD54	LD	Plexi-glass (01, 02)	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	No Cost Standard or Premium Finish	NL No Cost No Lock	R No Cost Trig Random
20" (508)	30" (762)	65 3/4" (1670)	2783	2923	TRGTS6612DD66	Laminate Door	Frost-ed Plexi-glass (E3A) + \$145	L Classic E Stream-line	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Drawer/Door Edge will match door/drawer color	(See Surface Materials Page 8)	TRG (One Locks) + \$33 Trig Lock	T (One Lock) \$-16
<b>1212 Lateral and double-door storage (2 adjustable shelves)</b>															
20" (508)	30" (762)	53 1/4" (1365)	\$2573	\$2713	TRGTS1212DD54	FD + \$882 Framed Door	3-Form (E01-E03) + \$292	AZ Designer				Specify for Lateral/Laminate door only	Specify only if FD selected	(Two Locks) + \$52 Trig Lock	(Two Locks) \$-32 Trig Key Alike
20" (508)	30" (762)	65 3/4" (1670)	2626	2731	TRGTS1212DD66		MM Mod2	MD Modern							Note: Be sure to order core/key sets (TLCK) separately.
Build your complete Part Number here:															

Sample Part Number:

TRGTS6612DD54	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ4	N/C	.TRG	.R
\$2685	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ \$52	+ N/C

Total Cost \$2737 =



**Lateral, Open Shelf Storage Tower**

Trig Lateral, Open Shelf Storage Tower are available in two lateral drawer configurations: 12/12 with two 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars.



**Display Towers**

*Display Tower with Drawers and Open Shelves* The 6" Drawers have full extension ball bearing slides. Locking not available on 6" Drawers.

*Display Tower with Open Shelves*

Features include three shelves that adjust vertically in 2 1/2" increments.

All units are intended for freestanding applications. All units ship fully assembled.

**Trig Lateral, Open Shelf Storage Tower**

Dimensions			List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
Depth	Width	Height	1	2								
6612 Lateral and 2 Open Shelves						No Cost Applied  L Classic  E Stream- line  AZ Designer  MM Mod2  MD Modern	Thermo- fused Lami- nate  (See Surface Materials Page 8)	Thermo- fused Lami- nate  (See Surface Materials Page 8)	Thermo- fused Lami- nate  (See Surface Materials Page 8)	Thermo- fused Lami- nate  Drawer Edge will match Drawer Color	NL No Cost No Lock  TRG (One Lock) + \$33	R No Cost Pack Ran- dom  T \$-16 Trig Key Alike  Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	30" (762)	53¾" (1365)	\$2472	\$2577	TRGTS6612OS54							
20" (508)	30" (762)	65¾" (1670)	2588	2693	TRGTS6612OS66							
1212 Lateral and 2 Open Shelves						E Stream- line  AZ Designer  MM Mod2  MD Modern	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Drawer Edge will match Drawer Color	TRG (One Lock) + \$33	T \$-16 Trig Key Alike  Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	30" (762)	53¾" (1365)	\$2355	\$2460	TRGTS1212OS54							
20" (508)	30" (762)	65¾" (1670)	2434	2539	TRGTS1212OS66							
Trig Display Towers						MD Modern						
Dimensions			List Price Thermofused Grade		Catalog Number							
Depth	Width	Height	1	2								
Display Tower w/ (2) 6" Drawers and Open Shelves												
20" (508)	15" (381)	53¾" (1365)	\$1599	\$1677	TRGTS66OS54							
20" (508)	15" (381)	65¾" (1670)	1820	1898	TRGTS66OS66							
Display Tower with Open Shelves												
20" (508)	15" (381)	53¾" (1365)	\$1349	\$1427	TRGTSOS54							
20" (508)	15" (381)	65¾" (1670)	1530	1608	TRGTSOS66							
Build your complete Part Number here:					-----	--	---	---	---	---	-	-

Sample  
Part Number:

TRGTS6612OS54	.MD	.XZ2	.XZ2	.XZ2	.XZ2	.XZ2	N/L	N/A
---------------	-----	------	------	------	------	------	-----	-----

Total Cost \$2472 =

\$2472	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

**Trig Wardrobe Storage Tower and Wardrobe Storage Tower with Bookcase**



The Wardrobe Storage Tower provides, wardrobe, drawer and cupboard storage in a single cabinet. Each of these storage areas can be locked independently to allow for varying levels of security. Wardrobe Storage Towers are available in either Right-Hand version with the wardrobe on the right side or a Left-Hand version with the wardrobe on the left side.

Wardrobe Storage Towers have adjustable leveling glides. The wardrobe unit includes a wardrobe bar and one adjustable shelf. The cupboard unit includes two adjustable shelves. The bookcase unit and cupboard unit includes two adjustable shelves. Shelves adjust vertically in 2 1/2" (64) increments. The pedestals have full extension ball bearing slides on both the 6" and 12" drawers.



Unit ships fully assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing unit to lock. The Core/Key set (CLCK) must be order separately or by using the keying order form. Check Customer Care for availability.

**Trig Wardrobe Storage Tower**

Depth	Dimensions		List Price Thermofused Grade	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
	Width	Height	1	2							
<b>Right Handed Units</b>					<b>No Cost Applied</b>  <b>L</b> Classic  <b>E</b> Stream-line  <b>AZ</b> Designer  <b>MM</b> Mod2  <b>MD</b> Modern	Thermo-fused Laminate  (See Surface Materials Page 8)	Thermo-fused Laminate  (See Surface Materials Page 8)	Thermo-fused Laminate  (See Surface Materials Page 8)	Thermo-fused Laminate  (See Surface Materials Page 8)  Door Edge will match door color	<b>NL</b> <b>No Cost</b> No Lock  <b>TRG</b> (three Lock) + \$75 Trig Lock	<b>R</b> <b>No Cost</b> Trig Random  <b>T</b> (three Lock) \$-48 Trig Key Alike  *Note: Be sure to order Core/Key Sets (TLCK) separately
24" (610)	24" (610)	66" (1676)	\$2580 2637	\$2720 2777							
<b>Left Handed Units</b>											
24" (610)	24" (610)	66" (1676)	\$2580 2637	\$2720 2777							
											
Right-Hand											
											
Left-Hand											

**Trig Wardrobe Storage Tower with Bookcase**

Depth	Dimensions		List Price Thermofused Grade	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
	Width	Height	1	2							
<b>Right Handed Units</b>											
24" (610)	24" (610)	66" (1676)	\$2697 2757	\$2837 2897							
<b>Left Handed Units</b>											
24" (610)	24" (610)	66" (1676)	\$2697 2757	\$2837 2897							
											
Right-Hand											
											
Left-Hand											
Build your complete Part Number here:					---	---	---	---	---	---	---

Sample  
Part Number:

TRGWSTR661212	.MD	.XZ3	.XZ3	.XZ3	.XZ3	.XZ3	.TRG	.R
---------------	-----	------	------	------	------	------	------	----


Total Cost \$2655 =

\$2580	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$75	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----

**Display Towers Continue**

Display Tower with Door features include a hinged door, with three shelves that adjust vertically in 2 1/2" increments. Optional laminate or framed aluminum doors available. (Lock option not available with aluminum doors)

**Trig Display Tower with Door**

Dimensions			List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Depth	Width	Height	1	2											
<b>Display Tower with Door RH</b>															
20" (508)	15" (381)	53 3/4" (1365)	\$1474	\$1552	TRGTSSDR54	LD	Plexi-	No	Ther-	Ther-	Ther-	Ther-	No	NL	R
20" (508)	15" (381)	65 3/4" (1670)	1668	1773	TRGTSSDR66	No	glass	Cost	mo-	mo-	mo-	mo-	Cost	No	No
<b>Display Tower with Door LH</b>						Lami-	(01,	Ap-	fused	fused	fused	fused	Stan-	Cost	Cost
20" (508)	15" (381)	53 3/4" (1365)	\$1474	\$1552	TRGTSSDL54	nate	02)	plied	Lami-	Lami-	Lami-	Lami-	ard or	No	Trig
20" (508)	15" (381)	65 3/4" (1670)	1668	1773	TRGTSSDL66	Door	No	L	nate	nate	nate	nate	Prem-	Lock	Random
 Right-Hand Shown						FD	Frost-	Classic	(See	(See	(See	Door	Finish	TRG	T
						+ \$588	ed	E	Surface	Surface	Surface	Edge	(See	+	\$-16
						Framed	Plexi-	Stream-	Materials	Materials	Materials	will	Surface	\$33	Trig
						Door	glass	line	Page 8)	Page 8)	Page 8)	match	Materials	Trig	Key
							(E3A)	AZ				door	Page 8)	Lock	Alike
							+ \$145	De-				color			
							3-Form	signer				Specified	Specify		Note:
							(E01-					only if	only if		Be sure
							E03)					LD	FD		to order
							+ \$292	MM				selected	selected		core/
								Mod2							key sets
								MD							(TLCK)
								Modern							separa-
								Not							tely.
								available							
								with							
								Framed							
								Door							
								(FD)							
								option							
<b>Build your complete</b>															
<b>Part Number here:</b>															

Sample  
Part Number:

TRGTSSDR54	.FD	.E3A	MM	.XZ2	.XZ2	.XZ2	N/A	.K	.NL	N/A
------------	-----	------	----	------	------	------	-----	----	-----	-----

Total Cost \$2207 =

\$1474	+	\$588	+	\$145	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----


Trig Wardrobe Display Tower

The Wardrobe Display Tower features include a hinged locking door, one shelf, full width wardrobe bar and leveling glides. Optional laminate or framed aluminum door available. (Lock option not available with framed aluminum door). Wardrobe Display Towers are available in either Right-Hand version with the wardrobe opening to the right side or a Left-Hand version with the wardrobe opening to the left side.

Wardrobe Display Tower has adjustable leveling glides.

Units ship fully assembled.

Trig Wardrobe Display Tower

Depth	Dimensions		List Price		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
	Width	Height	1	2											
<b>Right Handed</b>			\$1332	\$1410	TRGTSWRR54 TRGTSWRR66	LD No Cost Laminate Door	Plexi-glass (01, 02) No Cost	No Cost Applied L Classic	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate Door Edge will match Door Color Specify only if LD Selected	No Cost Standard or Premium Finish (See Surface Materials Page 8)	NL No Cost No Lock TRG (one Lock) + \$33 Trig Lock	R No-Cost Trig Random T (one Lock) \$-16 Trig Key Alike
20" (508) 15" (381) 53 3/4" (1365) 65 3/4" (1670)			1520	1625											
<b>Left Handed</b>			\$1332	\$1410	TRGTSWRL54 TRGTSWRL66	FD + \$588 Framed Door	Frosted Plexi-glass (E3A) + \$145 3-Form (E01-E03) + \$292	E Stream-line AZ Designer MM Mod2 MD Modern	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate (See Surface Materials Page 8)	Thermo-fused Laminate Door Edge will match Door Color Specify only if LD Selected	No Cost Standard or Premium Finish (See Surface Materials Page 8)	NL No Cost No Lock TRG (one Lock) + \$33 Trig Lock	R No-Cost Trig Random T (one Lock) \$-16 Trig Key Alike
20" (508) 15" (381) 53 3/4" (1365) 65 3/4" (1670)			1520	1625											
															
Right-Hand Shown															
Build your complete Part Number here:						---	---	---	---	---	---	---	---	---	---

Sample Part Number:

TRGTSWRR54	.FD	.E3A	.MM	.XZ2	.XZ2	.XZ2	N/A	.K	.NL	N/A
\$1332	+\$588	+\$145	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Total Cost \$2065 =

Under Desk Lateral Support Storage

Trig Under Desk Lateral Support Storage is available in three depths. The Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front to back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Trig Under Desk Lateral Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Optional locking available for drawers.

Units are intended for work surface support applications.

Ships fully assembled except 2" support leg.


Under Desk Pedestal Support Storage

Trig Under Desk Pedestals include a 1" riser for mounting under the desk. Pedestals have full extension ball bearing slides, side-to-side and front to back filing bars and leveling glides.

Optional locking available for drawers.

Ships fully assembled except 2" support leg.

Trig Under Desk Lateral Support Storage

Dimensions			List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
Depth	Width	Height	1	2									
20" (508)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	\$1585	\$1640	TRGUDLAT20	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
24" (610)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	1692	1770	TRGUDLAT24								
30" (762)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	1763	1818	TRGUDLAT30								
						L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Drawer Edge will match Drawer Color	Premium Finish + \$14 (See Surface Materials Page 8)	TRG + \$33 Trig Lock	T \$-16 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
						E Stream-line							
						AZ Designer							
Trig Under Desk Pedestal Support Storage						MM Mod2							
						MD Modern							

Sample Part Number:

TRGUDLAT20	.MD	.XZ2	.XZ2	.XZ2	.XZ2	.XZ4	.K	.TRG	.R
----	---	---	---	---	---	---	---	---	---

Total Cost \$1618 =

\$1585	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$33	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----

Under Desk Double-Door Support Storage


Trig Under Desk Double-Door Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Features included hinged doors with optional locking. (Locking not available with aluminum doors) Units come with one shelf that adjusts vertically in 2 1/2" increments. Leveling glides are included in 2" support legs. Units are intended for under work surface support applications.

Ships fully assembled except 2" support leg.

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

Trig Under Desk Double-Door Support Storage

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
20" (508)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	\$ 1477	\$ 1532	TRGUDDD20	LD	Plexi-glass	No	Thermo-fused	Thermo-fused	Thermo-fused	Thermo-fused	Standard	NL	R
24" (610)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	1564	1642	TRGUDDD24	Cost	(01-02)	Cost	Laminate	Laminate	Laminate	Laminate	Finish	No	No
30" (762)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	1630	1708	TRGUDDD30	Laminate Door	No Cost	L Classic	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Door Edge will match door color	No Cost	No Lock	Trig Random
						FD	Frost-ed	E					Premium	TRG	T
						+ \$882	Plexi-glass (E3A)	Stream-line					Finish	+ \$33	\$-16
							+\$145	AZ					+ \$14	Trig Lock	Key Alike
							3-Form (E01-E03)	De-signer					(See Surface Materials Page 8)	Note: Be sure to order core/key sets (TLCK) separately.	
							MM	Mod2							
							MD	Modern							
							Not avail-able with Framed Door (FD) option								
Build your complete Part Number here:															

Sample Part Number:

TRGUDDD20	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ2	.K	.TRG	.R				
\$1477	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	\$33	+	N/C

Total Cost \$1510 =

Trig Stack Storage - Open Shelf

Open Shelves can be used where open shelf storage is desired above any Trig credenza or freestanding storage 30" or wider. The stackers are available in two different heights to align with 53 3/4" and 65 3/4" high combination storage and storage towers. Standard features include a 3/8" (10) cord pass-through gap behind the shelves and a 1" full length cord management gap at the base of the back panel. An optional gap guard is available. The 27" high stacker has one adjustable shelf and the 39" has two adjustable shelves. Shelves are 5/8" thick and adjust in 2 1/2" increments.

Stackers ship ready to assemble with all necessary mounting hardware.



Stack Storage – Open Shelf

			List Price Thermofused Grade		Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Gap Guard
Depth	Dimensions Width	Height	1	2					
14" (356)	30" (914)	27" (686)	\$646	\$677	TRGSOS3027	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	XN No Cost No Gap Guard  XG + \$60 Gap Guard
		39" (991)	808	863	TRGSOS3039				
Build your complete Part Number here:					-----	--	--	--	--

Sample Part Number:

TRGSOS3027	.XZ1	.XZ2	.XZ4	.XN
---	---	---	---	---
\$646	+	N/C	+	N/C
		N/C		N/C
		N/C		N/C

Total Cost \$646 =

**Trig Overhead - Single Sliding Door**

The Single Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

The thermofused laminate door travels in an aluminum track by means of a pull. Each unit has a center divider, so there is always one cubby open and one closed. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference the Overhead – Open Shelf or Hinged Door units.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors.

**Trig Overhead – Dual Sliding Doors**



The Dual Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

The two frosted plexiglass doors have pulls and run back to back in an aluminum track. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference the Overhead – Open Shelf or Hinged Door units.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color.

**Trig Overhead - Single Sliding Door**

			List Price Thermofused Grade		Catalog Number	Pull Style	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Door Grain Direction	Trim Color
Depth	Width	Height	1	2									
14" (356)	48" (1219)	37" (940)	\$ 1297	\$ 1352	TRGOSS48	No Cost Applied  L Classic  E Stream-line  AZ Designer  MM Mod2	66L	Thermo-Fused Laminate  (See Surface Materials Page 8)	Thermo-Fused Laminate  (See Surface Materials Page 8)	Thermo-Fused Laminate  (See Surface Materials Page 8)	Thermo-Fused Laminate  (See Surface Materials Page 8)	NA No Grain Direction  DGH Horizontal Grain  DGV Vertical Grain	Standard Finish  No Cost  Premium Finish + \$20  (See Surface Materials Page 8)
	54" (1372)		1416	1471	TRGOSS54								
	60" (1524)		1474	1529	TRGOSS60								
	66" (1676)		1602	1657	TRGOSS66								
			1652	1707	TRGOSS72								
													
Trig Overhead - Dual Sliding Door													
			List Price Thermofused Grade		Catalog Number								
Depth	Width	Height	1	2									
14" (356)	48" (1219)	37" (940)	\$1652	\$1683	TRGODS48								
	54" (1372)		1779	1834	TRGODS54								
	60" (1524)		1896	1951	TRGODS60								
	66" (1676)		2041	2096	TRGODS66								
	72" (1829)		2121	2176	TRGODS72								
													
Build your complete Part Number here:						_____	__	---	---	---	---	---	---

Sample Part Number:

TRGOSS48	.MM	.66L	.ZX2	.XZ2	.XZ2	.XZ4	.DGV	.PA
---	---	---	---	---	---	---	---	---

Total Cost \$1297 =

\$1297	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----



**Trig Overhead – Hinged Doors**  
The Hinged Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Each unit includes 2 pairs of locking hinged doors. The same door size is used for all units. Overheads that are 66" (1676) and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.


If a wood grain laminate is selected the grain will run vertically on the door front.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color.

Center Cubby Size Per Overhead	
Unit Width	Center Cubby Width
66" (1676)	6" (152)
72" (1829)	12" (305)
78" (1981)	18" (457)
84" (2134)	24" (610)

Trig Overhead - Hinged Door

			List Price Thermofused Grade		Catalog Number	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Leg Trim Color	Lock Type	Lock Option
Depth	Width	Height	1	2									
14" (356)	60" (1524)	37" (940)	\$1157	\$1212	TRGOHD60	66L	Thermo-Fused Laminate	Thermo-Fused Laminate	Thermo-Fused Laminate	Thermo-Fused Laminate	Standard Finish	NL	R
	66" (1676)		1246	1324	TRGOHD66						No Cost	No Cost	No Cost
	72" (1829)		1278	1356	TRGOHD72						No Cost	No Cost	Trig Random
	78" (1981)		1391	1469	TRGOHD78		(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	(See Surface Materials Page 8)	Premium Finish + \$20	T	\$-32
	84" (2134)		1424	1502	TRGOHD84						Trig Lock	TRG +\$73 Trig Lock	Trig Key-Alike
													Note: Be sure to order core/ key sets (TLCK) separately.
TRGOHD66 Shown													
Build your complete Part Number here:					-----	----	----	----	----	----	----	--	--


Trig Overhead - Open Shelf


The Open Shelf Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

Open Shelf Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors.

Trig Overhead - Open Shelf

			List Price Thermofused Grade		Catalog Number	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
Depth	Width	Height	1	2						
14" (356)	48" (1219)	37" (940)	\$500	\$531	TRGOOS48	66L	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	Thermo- fused Laminate (See Surface Materials Page 8)	<b>Standard Finish No Cost</b>  <b>Premium Finish + \$20</b>  (See Surface Materials Page 8)
	54" (1372)		607	662	TRGOOS54					
	60" (1524)		775	830	TRGOOS60					
	66" (1676)		939	994	TRGOOS66					
	72" (1829)		1003	1058	TRGOOS72					
	78" (1981)		1100	1178	TRGOOS78					
	84" (2134)		1130	1208	TRGOOS84					
										
Build your complete Part Number here:					-----	---	---	---	---	--



Sample Part Number:

TRGOOS48	.66L	.XZ2	.XZ4	.XZ4	.DW
----------	------	------	------	------	-----

Total Cost \$500 =

\$500	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----	---	-----

Trig Storage to Panel Brackets

Storage to Panel Brackets are used to connect Trig Storage units to Capture or Choices system panels for additional workstation rigidity. Brackets are designed to provide stability to layouts that would otherwise require return panels.

For detailed application information regarding use of the Storage to Panel Bracket, refer to the *Trig Desking Planning Guide*.

Storage to Panel Brackets are available in Charcoal only.

All necessary hardware for assembling brackets to Trig storage is included.

Trig Support Leg to Panel Brackets

The Leg to Panel Bracket is used to connect Trig Support Legs to Capture or Choices system panels for additional workstation rigidity. Brackets are designed to provide stability to configurations that would otherwise require return panels.

Two different brackets are available for use with either Capture or Choices. Their specific use depends on the orientation of the work surface relative to the panel.

Capture

TRGLCPTPB1 – Used when a work surface is parallel to a Capture panel

TRGLCPTPB2 – Used when a work surface is perpendicular to a Capture panel

TRGLCPTPB3 – Used when two work surface are parallel to a Capture panel, with a side to side shared leg between them

Choices

TRGLCSPB1 – Used when a work surface is parallel to a Choices panel

TRGLCSPB2 – Used when a work surface is perpendicular to a Choices panel

TRGLCSPB3 – Used when two work surface are parallel to a Choices panel, with a side to side shared leg between them

For detailed application information regarding use of the Support Leg to Panel Bracket, refer to the *Trig Desking Planning Guide*.

Support Leg to Panel Brackets are available in all Standard and Premium Systems Trim Finishes.

All necessary hardware for assembling brackets to Trig Support Legs is included.



Trig Storage to Panel Brackets

Description	List Price	Catalog Number
Storage to Capture Panel	\$176	TRGSCPTPB
Storage to Choices Panel	160	TRGSCSPB
Build your complete Part Number here:		_____



Trig Support Leg to Panel Brackets

Description	Usage	List Price	Catalog Number	Trim Color
Support Leg to Capture Panel	Parallel	\$179	TRGLCPTPB1	Standard Finish No Cost
	Perpendicular	179	TRGLCPTPB2	
Support Leg to Choices Panel	Parallel	163	TRGLCSPB1	Premium Finish + \$5
	Perpendicular	163	TRGLCSPB2	
Side to Side Support Leg to Capture Panel	Parallel	\$179	TRGLCPTPB3	(See Surface Materials Page 8)
Side to Side Support Leg to Choices Panel	Parallel	\$163	TRGLCSPB3	
Build your complete Part Number here:			_____	—

Sample Part Number:

TRGLCSPB1	.Y
-----------	----

Total Cost \$163 =

\$163	+	N/C
-------	---	-----

***Trig Benching Electrical***

<i>Overview &amp; Ordering Information</i>	<i>76</i>
<i>Benching Electrical Components</i>	<i>80</i>
<i>Benching Electrical Accessories</i>	<i>84</i>


Components

Trig Power Raceway

The Trig Power Raceway consists of four parts - Raceway to Table Connector, Trig Raceway Shroud, Power Block Brackets, and the Power Block.

The Bracket and Blocks ship attached to the Raceway to Table Connector. The Raceway to Table Connector attaches to the underside of the desk. Once installed, the Shroud attach to it to form a complete raceway. The width of the Raceway is actual. Please refer to the chart below to specify the correct width Raceway for each desk configuration.

The Trig Power Raceway is designed to work in a double sided application. It will be placed across the seam on the underside of two Trig Tops. If a single sided option is needed, please contact Trendway Customer Care for specifics.







Specifying Raceway Widths

The support on both sides of the Trig Desk will play a part in the Raceway width needed. This chart shows how much room the support takes up. Add up the supports on both sides of the desk and subtract from the overall width of the desk.

Leg	6"
Ped	18"
Riser	18"
Under Desk Storage	36"

Support 1	Support 2	Surface Width	Surface Width								
			36	42	48	54	60	66	72	78	84
		Minus	Raceway Width								
Leg (6)	Leg (6)	12	24	30	36	42	48	54	60	N/A	N/A
Leg (6)	Bench Hgt Riser(18)	24			24	30	36	42	48	54	60
Leg (6)	Ped (18)*	24			24	30	36	42	48	54	60
Leg (6)	UD Support (30)*	42						24	30	36	42


\* In order for a Raceway to span the full width, the depth of any Under Desk support used must be 4" shorter on a 24" deep surface, and 6" shorter on a 30" deep surface to allow sufficient clearance.



Trig Power Raceway Spanning Cover

The Trig Power Raceway Spanning Cover is used to enclose power and data cables when they span across to an adjacent Table's Raceway. There are three versions of the Cover to accommodate most configurations.




The TRGPRSC12SL is specified when a single U Leg is shared in the center of four adjacent Tops. There is a single notch opening to accommodate the U Leg.



The TRGPRSC12DL is specified when two U Legs are shared legs in the center of four adjacent Tops. There is a single notch opening large enough to accommodate two U Legs.




The TRGPRSC364R is specified when four risers are used, or a combination of four storage pieces that all must be at least 4" shorter than the depth of the Top. There is no opening. This version can be used to accommodate most configurations.



## Power Block


Power Blocks ship complete with the Raceway.

- Power Blocks provide power access on both sides, accommodating up to two snap-in Power Duplexes per side.
- 24" (610) Raceways include only one Power Block, a single Distribution Block that accommodates up to two snap-in Power Duplexes (maximum one per side).
- 30" (762), 36" (914), 42" (1067), 48" (1219), 54" (1372) and 60" (1524) Raceways ship with two Distribution Blocks to accommodate up to four snap-in Power Duplexes (maximum two per side).




## Trig Electrical Harness

Electrical Harnesses connect power horizontally from one adjacent Work Surface to another. The Harness attaches to a Block positioned 9" from the end of each Raceway, so when specifying the Harness length you will add 18" (9" + 9") to the distance between adjacent raceways. The type of Support used will determine the length of Harness required (see table below).



Leg	6"
Ped	18"
Riser	18"
Under Desk Storage	36"

In the figure below, connection A supports include a Ped and a Leg (18" + 6") + (18" for the distance inside the raceway), for a total of 42". For connection B, the supports consist of a Leg and a Leg (6" + 6") + (18" for the distance inside the raceway) for a total of 30".




**NOTE:** A Harness cannot be used if a full depth storage piece is located next to a Leg. This configuration does not allow sufficient clearance for the Harness to extend to the next table.

**NOTE:** If no full depth under desk storage is present and full-depth U legs are positioned diagonally from each other on facing Work Surfaces, you must add 6" to the length of a Harness in order to pass around the U Legs.

## Trig Power Infeed

### Trig End Mount Infeed

The Trig End Mount Infeed installs into the end of a Power Block. It includes 6' (1829) of flexible liquid tight conduit for hardwiring the standard 4-Circuit Base Feed to the building's electrical system. It can be used on its own or housed by a Trig Floor Power Pole.




### Trig Floor Power Pole

The Trig Floor Power Pole is used to channel electrical components and communication cables. It attaches to the side of a Trig U Leg.




### Trig Ceiling Feed

The Trig Ceiling Feed supplies power from the ceiling to the Power Block. The Feed is housed by the Trig Ceiling Power Pole. It has 13' (3962) of wire and 12' (3658) of flexible conduit.



### Trig Ceiling Power Pole


The Trig Ceiling Power Pole is used to house electrical components and communication cables accessed from the ceiling. It attaches to a Trig U Leg at the end of a run.



## Trig Electrical Duplex


The Trig Electrical Duplex provides user access to power. It plugs into the Power Blocks that ship complete with the Raceway. There are nine different duplexes used to create three different 4-Circuit options (See Electrical Circuit Planning section). Each Duplex is color coded and marked to distinguish whether it is a general, dedicated or isolated circuit.

Circuits are marked with the following symbols: I, II, III, IV, I, II, III, III, IV. Duplexes must be specified separately to match the desired electrical circuit plan.



## Communication Module

The Communication Module snaps into an open Duplex location in the Raceway to provide access to communication distribution.




# The 8-Wire Trig Electrical Circuit Planning and Hardwiring to Building Electrical Source


The Trig Electrical System is an 8-Wire, 4-Circuit system including a dedicated neutral and ground. Each circuit is rated for 20 amps. The PowerPac Electrical Schematic is included to show how the system installs to the building's power source (Fig. 1). There are three - four circuit options which include:

- Three general circuits, one dedicated circuit (Fig. 2).
- Three isolated circuits, one dedicated circuit (Fig. 3).
- Two general circuits, two isolated circuits (Fig. 4).

Fig. 1 Installing to Buildings Power Source  
208/120V 3-Phase Building Supply



240/120V Single-Phase Building Supply



Options for PowerPac Four Circuit System  
Fig. 2 Three General Circuits, One Dedicated




Fig. 3 Three Isolated Circuits, One Dedicated





Fig. 4 Two General Circuits, Two Isolated





Trig Power Raceway

The Trig Power Raceway provides a steel enclosure that houses and routes power and data in Trig Benching applications. Each Raceway 30" and wider has four openings per side, two for power duplexes and two for data. The 24" Power Raceway has one power and two data openings per side. Raceways are specified to accommodate Trendway's standard 8 wire 4 circuit power system (P1) or a hardwire solution (H). The Power Raceway ships with an Electrical Block or 2 hardwire boxes included, and attachment brackets installed. Power

Duplexes, Harnesses and Infeeds must be specified separately.

The unit ships with all attachment hardware included. The Raceway is available in all Trendway Standard and Premium Finishes.

Trig Power Raceway End Cover

The Trig Power Raceway End Cover provides a finished appearance at the end of a Trig Power Raceway.


Not to be used on the same side as an Infeed.

The unit ships with all attachment hardware included. The End Cover is available in all Trendway Standard and Premium Finishes.

Trig Power Raceway Spanning Covers


The Trig Power Raceway Spanning Cover is used to conceal power and data cables where they span to an adjacent Raceway. The Cover attaches two Trig Power Raceways to create a continuous steel enclosure beneath the surfaces.

The Spanning Cover is available in all Trendway Standard and Premium Finishes.




Trig Power Raceway

Dimensions			List Price	Catalog Number	Power Option	Trim Color
Width	Depth	Height				
24" (610)	2 3/4" (70)	5 1/4" (133)	\$404	TRGPR24	No Cost P1 8 Wire 4 Circuit	Standard Finish No Cost
30" (762)			458	TRGPR30		
36" (914)			516	TRGPR36		
42" (1067)			538	TRGPR42		
48" (1219)			569	TRGPR48	H Hardwired	Premium Finishes +\$40
54" (1372)			590	TRGPR54		
60" (1524)			638	TRGPR60		




Trig Power Raceway End Cover


Dimensions			List Price	Catalog Number	Trim Color
Width	Depth	Height			
2 3/4" (70)		5 1/4" (133)	\$60	TRGPREC	Standard Finish No Cost  Premium Finishes +\$6



TRGPRSC12SL



TRGPRSC12DL



TRGPRSC364R

Trig Power Raceway Spanning Cover

Description	Dimensions		List Price	Catalog Number	Trim Color
	Width	Height			
Single Shared Leg	14 1/4" (362)	5 1/4" (133)	\$143	TRGPRSC12SL	Standard Finish No Cost  Premium Finishes +\$20
Double "Single sided" Legs	14 1/4" (362)	5 1/4" (133)	143	TRGPRSC12DL	
4 Bench Height Risers	38 1/4" (972)	5 1/4" (133)	178	TRGPRSC364R	

Build your complete  
Part Number here:

Sample  
Part Number:

Total Cost \$404 =

TRGPR24		.P1		.G
-----		--		--
\$404	+	N/C	+	N/C

Trig Ceiling Power Pole

The Trig Ceiling Power Pole encloses and routes power and communication cables from the ceiling to the Trig Power Raceway. The Power Pole is 12' in height and will attach structurally into the ceiling and to the Trig U Leg at the end of a run. Pole capacity is 50 1/4" diameter cables with a ceiling feed.

**Note:** To connect the Trig electrical system to ceiling power, order the CFTP power feed.

Trig Floor Power Pole

The Trig Floor Power Pole has a 2 inch by 2 inch profile that attaches seamlessly to the side of a Trig U Leg. The Power Pole has a removable 4th side that allows for easy access to power and communication cables. The Pole is 26" high and attaches on the inside quarter of the leg. The Pole capacity is 31 1/4" diameter cables without an infeed, and 23 1/4" diameter cables with an infeed.

**Note:** To connect the Trig electrical system to building power, order the EBFH Infeed.



Trig Ceiling Power Pole

Width	Dimensions Depth	Height	List Price	Catalog Number	Trim Color
2 <sup>5</sup> / <sub>8</sub> " (67)	2 <sup>5</sup> / <sub>8</sub> " (67)	12' (3658)	\$468	TRGCPP144	Standard Finish No Cost  Premium Finishes +\$42  See Surface Material Page 8



Trig Floor Power Pole

Width	Dimensions Depth	Height	List Price	Catalog Number	Trim Color
2" (51)	2" (51)	26 <sup>5</sup> / <sub>8</sub> " (676)	\$159	TRGFPP27	Standard Finish No Cost  Premium Finishes +\$20 See Surface Material Page 8

Build your complete  
Part Number here:

-----	--
-------	----

Sample  
Part Number:

TRGFPP27 -----	. G --
-------------------	-----------


Total Cost \$159 =

\$159	+	N/C
-------	---	-----


**Trig Ceiling Feed**  
The Ceiling Feed supplies power from the ceiling to the Trig Raceway. The feed is channeled through the Trig Ceiling Power Pole. The CFTP which has 13' (3692) of wire and 12' (3658) of flexible conduit when fully extended. The Ceiling Feed includes junction box and attachment hardware.

**Trig End Mount Feed**  
The End Mount Base Feed plugs into a Power Block to feed power from the building's electrical system. It provides 6' (1829) of flexible liquid tight conduit for hardwiring the standard four-circuit system. UL and CUL Listed/CSA Certified.  
  
Available in Black only.


**Trig Benching Electrical Harness**  
Trig Electrical Harnesses connect Electrical Blocks, distributing power horizontally from one Trig unit to another. The Electrical Harness is UL Listed and CUL Listed/CSA Certified.



Trig Ceiling Feed			
Wire Length	Conduit Length	List Price	Catalog Number
15' (67)	14" (4267)	\$213	CFTP144



Trig End Mount Feed		
Cord Length	List Price	Catalog Number
6' (1829)	\$233	EBFH



Trig Benching Electrical Harness		
Length	List Price	Catalog Number
30" (762)	\$127	TRGPBH30
42" (762)	139	TRGPBH42
48" (762)	150	TRGPBH48
54" (762)	155	TRGPBH54
60" (762)	165	TRGPBH60
66" (762)	169	TRGPBH66
72" (762)	175	TRGPBH72
78" (762)	179	TRGPBH78
90" (762)	181	TRGPBH90
Build your complete Part Number here:		-----

Sample Part Number:


CFTP144

Total Cost \$213 =

\$213

Trig Power Duplexes

The Power Duplex plugs into Electrical Blocks for access to the circuit. Power Duplex is clearly marked for Circuit I, II, III, IVΔ, IΔ, IIΔ, IIIΔ, ΔIIIΔ or IV access. See Power Electrical Components and Electrical Circuit Planning for guidelines on specifying Electrical Duplexes. Packaged in boxes of six of the same duplex. UL and CUL Listed/CSA Certified.



Communication Modules

The Communication Module snaps into an open duplex location in the baseline and at the beltway. It provides access to communication cables. Jacks are color coded as noted below. Includes icon tabs for easy identification of Data, Phone, Voice, and LAN (Local Area Network) lines.


**Note:** Verify your configuration with your building telecommunication contractor.

**Note:** All modules can be installed back to back.

**Note:** The RJ11 Jacks are rated category 3. The RJ45 Jacks are rated category 5e.

Trig Power Duplexes

Description		List Price	Catalog Number	Trim Color
<b>15 AMP Receptacles</b>				Standard Finish No Cost  See Surface Material Page 8
Circuit I	Box of 6	\$ 189	TRGPD151	
Circuit II	Box of 6	189	TRGPD152	
Circuit III	Box of 6	189	TRGPD153	
Circuit IVΔ	Box of 6	213	TRGPD154	
Circuit IΔ	Box of 6	\$ 228	TRGPD151A	
Circuit IIΔ	Box of 6	228	TRGPD152A	
Circuit IIIΔ	Box of 6	228	TRGPD153A	
Circuit ΔIIIΔ	Box of 6	228	TRGPD153B	
Circuit IV	Box of 6	228	TRGPD154A	



CM552


CM553, CM553BW, CM554

CM555

Communication Modules

Description	List Price	Catalog Number
One RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Faceplate	\$ 100	CM552
Two RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Faceplate	138	CM553
Two RJ45, Cat. 5e, 110 Terminal, One Blue Jack, One White Jack, Black Faceplate	138	CM553BW
One RJ11, Cat. 3, One RJ45, Cat. 5e, 110 Terminal	138	CM554
Three RJ45, Cat. 5e, 110 Terminal, One Black Jack, One Blue Jack, One White Jack, Black Faceplate	175	CM555
Four RJ45, Cat. 6, One Black Jack, One White Jack, One Green Jack, One Gray Jack	389	CM6666

**Note:** Communication Modules require an open duplex location.



110 Terminal

Build your complete Part Number here:

-----

Sample Part Number:


TRGPD151

Total Cost \$189 =


\$189

**Trig Power Grommet**  
The Trig Power Grommet includes the Grommet and a 6' cord to plug into an adjacent standard 15 amp outlet. Grommets can be specified with two power outlets, one power outlet and one USB port, or one power outlet and one open data port. **The Power Grommet fits a factory cut opening on Trig tops with the PNDR or PNDL option selected.** It can also be purchased separately and field installed where desired. Available in Black or White.


**Note:** A power grommet cannot be installed in a worksurface with a 26.75" high storage unit below.



2 Power



1 Power 1 USB



1 Power a Open Data

Trig Power Grommets

Description	List Price	Catalog Number
<b>White Unit Color</b>		
2 Power	\$ 301	TRGPND2PW
1 Power 1 USB	425	TRGPND1P1UW
1 Power a Open Data	301	TRGPND1P1DW
<b>Black Unit Color</b>		
2 Power	\$ 301	TRGPND2PB
1 Power 1 USB	425	TRGPND1P1UB
1 Power a Open Data	301	TRGPND1P1DB
Build your complete Part Number here:		-----

Sample Part Number:

TRGPND2PW

Total Cost \$301 =

\$301

**Trig Electrical**

Electrical Specification Guide [86](#)

Electrical Components [89](#)

## Trig Electrical Planning Guide

Trig Workstations can be powered by the optional 4-wire, 2-circuit, 20 Amps each (circuit 1 and 2 only) electrical system. The systems supports up to 10 receptacles per circuit, 20 receptacles per Base Feed. Allowing for a total of 10 Power Sets per Base Feed.

The main system components are Power Sets, Electrical Harnesses, H-Connectors and Power Base Feeds. All components are UL listed.


All work surfaces are predrilled to accept Power Sets. These are attached to the underside of the surface by a metal spring clip. The overall height of the system is just over an inch. This provides a very low profile which will not interfere with the user's legs under the table.

There is currently no capacity in this system for data management.

### Electrical Harness Selection

Trig Electrical Harnesses are used to connect Power Sets mounted on different work surfaces. The length of the harness needed will depend on the layout and size of work surfaces used. The following diagrams and tables will help identify the specific length harness needed for a particular layout.

#### Side By Side



For this layout, the harness length is calculated by the following equation:


$$(\text{Half of Surface 1 width}) + (\text{Half of Surface 2 width}) - 6" = \text{Harness Length}$$

If calculated harness length does not match an exact size, select next longer length.

Example: Surface (1) is 60" wide  
Surface (2) is 66" wide

$$(30") + (33") - 6" = 57" \text{ (57" is not a standard size so a 60" length is selected)}$$

#### Back to Back (Surfaces of Equal Width)




In this layout, the power Base Feed connects to the H-Connector. From there, the power is split to the Electrical Harness to bring power to each surface.

The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	48"	54"	60"	66"	72"	78"	84"
Harness Length	18"	24"	24"	30"	30"	36"	36"


#### COMBINING LAYOUTS Side by Side and Back to Back



In this layout, both side-by-side and back-to-back planning information is needed to specify the correct electrical components. The harness length required to connect the work surfaces side-by-side is determined by using this equation:

$$(\text{Half of Surface 1 width}) + (\text{Half of Surface 2 width}) - 6" = \text{Harness Length}$$

To connect these work surfaces back-to-back, refer to the corresponding chart above.




In this U-Shape layout where only 48" deep ends can be used, the power Base Feed will connect to the H-Connector and the power is split to go to each surface. The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	54"	60"	66"	72"	78"	84"
Harness Length	60"	60"	66"	66"	66"	66"



L-Shape (Except Blade)



For this layout, the needed harness length will vary as the width and depth of the work surfaces change. The Trig Base Feed will end mount to Power Sets on one of the tables, but the harness length that connects the two work surfaces is determined from the following tables:

- Layout 1**  
Main Surface (1) = 20" deep  
Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

Main Surface (1) width		54"	60"	66"	66"	72"
	48"	48"	48"	54"	54"	60"
	54"	48"	48"	54"	54"	60"
	60"	48"	48"	54"	54"	60"
	66"	48"	54"	54"	54"	60"
	72"	48"	54"	54"	60"	60"
	78"	54"	54"	54"	60"	60"
	84"	54"	54"	60"	60"	66"

- Layout 2**  
Main Surface (1) = 24" deep  
Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

Main Surface (1) width		48"	54"	60"	66"	72"
	48"	48"	48"	54"	54"	60"
	54"	48"	48"	54"	54"	60"
	60"	48"	48"	54"	54"	60"
	66"	54"	54"	54"	54"	60"
	72"	54"	54"	54"	60"	66"
	78"	54"	60"	60"	60"	66"
	84"	54"	60"	60"	60"	66"

- Layout 3**  
Main Surface (1) = 30" deep  
Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

Work Surface (1) width		48"	54"	60"	66"	72"
	48"	54"	60"	60"	66"	66"
	54"	54"	60"	60"	66"	66"
	60"	54"	60"	60"	66"	66"
	66"	60"	60"	66"	66"	66"
	72"	60"	60"	66"	66"	72"
	78"	60"	66"	66"	66"	72"
	84"	60"	66"	66"	72"	72"

Power Set

The Trig Power Sets allow power to be connected between work surfaces without the need for a system panel. Each Power Set includes two receptacles for a total of 4 outlets. Each outlet has one receptacle for circuit 1 and one for circuit 2.

Power Sets are centrally located on the work surfaces. Spring clips for mounting are included. Power Sets are connected between work surfaces with Trig Electrical Harnesses. Trig Base Feed brings power to the Power Sets.

**Note:** Work surfaces are predrilled for Trig Power Set mounting to assure a standard location that is centrally located.

UL and CUL Listed/CSA Certified


Trig Base Feed

The Trig Base Feed conducts power from the building to the Trig Power Set. It includes 6' (1829) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.


Trig Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

Electrical Harnesses


Trig Electrical Harnesses connect Trig Power Sets between two surfaces. Harnesses are also used with Trig H-Connectors when a single Base Feed is split in two directions. The specific length of the harness needed will depend on the layout and work surface sizes. Refer to Trig Electrical Planning guide before specifying a harness length. (If your specific layout is not shown, please contact Trendway Customer Care for assistance.)



Trig Power Set		
Width	List Price	Catalog Number
12" (305)	\$193	TRGDR12

  
Male

Trig Base Feed		
Width	List Price	Catalog Number
6' (1829)	\$152	TRGPF
12' (3658)	\$229	TRGPF12

  
Male Male

Trig Electrical Harness		
Width	List Price	Catalog Number
18" (457)	\$83	TRGEH18
24" (610)	87	TRGEH24
30" (762)	91	TRGEH30
36" (914)	95	TRGEH36
42" (1067)	104	TRGEH42
48" (1219)	113	TRGEH48
54" (1372)	119	TRGEH54
60" (1524)	125	TRGEH60
66" (1676)	130	TRGEH66
72" (1829)	139	TRGEH72
78" (1981)	145	TRGEH78
Build your complete Part Number here:		-----

Sample Part Number:

TRGDR12-----

Total Cost \$193 =

\$193

New York Base Feed

The Trig New York Base Feed conducts power from the building to the Trig Power Set. It includes 18" (457) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig New York Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

H-Connector


The Trig H-Connector allows power to be routed in up to 3 different directions. This is useful in layouts that require a single Base Feed to reach multiple work surfaces.

(See Planning Guide for Specific Uses.)



Trig Base Feed New York

Width	List Price	Catalog Number
18" (457)	\$144	TRGPFNY



Trig H-Connector

Width	List Price	Catalog Number
2" (51)	\$29	TRGHC

Build your complete  
Part Number here:

Sample  
Part Number:

TRGPFNY

Total Cost \$144 =

\$144

***Trig Desking Accessories***

*Accessories* [92](#)

*Freestanding Touch Up Markers* [94](#)

Pedestal Pencil Tray

The Pencil Tray organizes small items in both the 6" (152) and 12" (305) Trig Pedestal drawers.

Available in black only.

Laminate Pedestal Side-to-Side Filing Bars

Side-to-Side Filing Bars convert Trig 12" Pedestal and storage tower drawers to side-to-side or legal-size filing.

Available in black only.

Vertical Wire Manager

The Vertical Wire Manager is designed to economically route wires from the floor to the work surface in a freestanding application. It can extend up to 30". The wire manager includes 15 vertibra rings, 1 base mount, 1 work surface mount, an edge clip and mounting screws.

Constructed of durable plastic, available in aluminum-toned finish only.

A line drawing of a rectangular pencil tray with several compartments for organizing pencils and pens.

### Pedestal Pencil Tray

Depth	Dimensions Width	Height	Description	List Price	Catalog Number
5 1/2" (140)	13 3/8" (340)	1" (25)	Includes 1 pencil tray.	\$23	HPPT

A line drawing showing a side-to-side filing bar installed in a pedestal drawer, with a hanging file folder attached to it.

### Laminate Pedestal Side-to-Side Filing Bars

Description	List Price	Catalog Number
Includes 6 hanging bars. Requires 1 per drawer.	\$79	ZFPSSB

A line drawing of a vertical wire manager, showing a series of stacked rings that can be adjusted to hold multiple vertical files or folders.

### Vertical Wire Manager

	List Price	Catalog Number
	\$214	TRGVWMAL

Build your complete  
Part Number here:

\_\_\_\_\_

Sample Part Number:	HPPT
Total Cost \$23 =	\$23

Vertical Wire Channel

The Vertical Wire Channel encloses power or light cords on the face of a panel. It attaches to back panel with self-adhesive backing. Packaged in boxes of three.

Horizontal Wire Manager




The Horizontal Wire Manager accommodates electrical cords and communication cables. It attaches under all work tops and desks. Includes mounting hardware.

Available in Black only.

Grommet for Work Surface

The Work Surface Grommet is available for situations that require grommets in addition to standard locations or as replacements.

Available in black or silver.

	Vertical Wire Channel				
	Length	Dimensions Width	Depth	List Price	Catalog Number
	24" (610)	1/2" (13)	1/2" (13)	\$30	VWC3
Package Contains 3 Wire Channels					Standard Smooth Finish Only See Surface Materials Page 8
	Horizontal Wire Manager				
	Depth	Dimensions Length	Height	List Price	Catalog Number
	3" (76)	30" (762)	2" (51)	\$44	HWM30
	Grommet for Work Surface				
	Depth	Dimensions Grommet Diameter	Drill Hole Diameter	List Price	Catalog Number
	15/16" (24)	2.8" (71)	2 3/8" (60)	\$75	SIZGWS (Black)
	15/16" (24)	2.8" (71)	2 3/8" (60)	\$75	SIGSGWS (Silver)
	Includes 6 grommets.				
	Build your complete Part Number here:			-----	-

Sample Part Number:

VWC3

.Y

Total Cost \$30 =

\$30

+

N/C

Freestanding Touch Up Markers

The Touch Up Markers are for use with the Thermofused Laminate. They are available individually or as a kit. The kit includes one marker of each color.

Freestanding Touch Up Markers

Description	List Price	Catalog Number
Wild Cherry	\$ 81	ZFTUPXZ1
Fusion Maple	81	ZFTUPXZ2
Empire Mahogany	81	ZFTUPXZ3
Black	81	ZFTUPXZ4
Kit (all 4 colors)	228	ZFTUPKIT
Build your complete Part Number here:		-----

Sample  
Part Number:

ZFTUPXZ3

Total Cost \$81 =

\$81

**Terms & Policies**

<i>Terms &amp; Policies</i>	<a href="#">96</a>
<i>Warranty</i>	<a href="#">99</a>



## 1. Prices

Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement price changes effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices include coverage of prepaid standard, Trendway-specified freight cost.

## 2. Order Placement

Trendway Corporation requires all orders to be submitted electronically via on-line order entry at [www.trenddealer.com](http://www.trenddealer.com), or in writing following Ordering Procedures on page 1. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

## 3. Confirmation

Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date. Orders can also be confirmed on-line at [www.trenddealer.com](http://www.trenddealer.com). Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

## 4. Lead-Times

Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

## 5. Buyer's Credit

If, in the judgment of Trendway, the financial condition of the Buyer at any time does not justify the terms specified, Trendway may at any time by notice to the Buyer require prepayment or other terms of payment

differing from those specified in Section 8 or other satisfactory security to insure prompt payment of invoices.

## 6. Order Changes

To change an order, the customer must call Trendway Customer Care for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

## 7. Cancellation

All cancellations must be approved by Trendway Corporation. **Orders in production cannot be cancelled without incurring substantial or full purchase price.** Customers shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Non-standard items may not be cancelled.

## 8. Terms of Sale

Terms of sale on all invoices to approved Trendway customers are Net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

## 9. Taxes

Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes that Trendway Corporation, Trendway Corporation subcontractors, or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

## 10. Past-Due Accounts

Past-due accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of past-due balances.

## 11. Customer's Own Material (COM)

The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

1. Select the COM material.
2. Check first with [www.trenddealer.com](http://www.trenddealer.com)/COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a *COM Order Submission Form* (available from Trendway Customer Care Representative).
4. If the material requested is not in the COM Library, customer must submit a *COM* test request on-line at [www.trenddealer.com](http://www.trenddealer.com), send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
5. Ship COM samples to:  
U.S. Mail and UPS, FedEx Shipment:  
Trendway Corporation  
13467 Quincy Street  
Holland, MI 49424  
Attn: COM Request
6. You will be notified within five working days of receiving the material sample by Trendway, whether your COM has been approved or disapproved for application.

### TEST YARDAGE REQUIREMENTS

Capture Tiles	1 yard
Choices panels	1½ yards
Fabric screens	2 yards
Flipper doors	2/3 yard
Intrinsic Freestanding	1 yard
Ped Cushions	1 yard
Tackboards	1 yard
TrendWall	4 yards
Volo tiles	4 yards

**NOTE:** Most fabric houses have a yardage minimum or an upcharge on less than one-yard cuts.

**NOTE:** All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or damage shall remain with Buyer. Buyer must assume responsibility for any use spoilage that takes place in the course

of processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyer-furnished materials will not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Trendway Customer Care PRIOR to placing your order.

### 11a. Custom Color

Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See [www.trenddealer.com](http://www.trenddealer.com) for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on [www.trenddealer.com](http://www.trenddealer.com)).
- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- If applicable, dealer will be sent an invoice for \$250 color matching fee per customer, per color. See Custom Color Request form for details.

### 12. Special Product

When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

### 13. Delays

Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or

any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

### 14. Postponement of Delivery

If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

### 15. Storage

When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges  $\frac{1}{4}$  of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as Buyer-specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

### 16. Transportation

All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Friday's will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 2 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of \$150. This charge does not apply to full-truckload shipments.

Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.

- Lift gate service will have an additional charge of \$85 for an LTL carrier. For lift gate service on a truckload, contact Customer Care.
- Inside delivery service starts at \$50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at \$50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

### Shipping Note:

Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products in using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

### 17. Product Ownership

Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

### 18. Damaged Materials

Trendway Corporation is not responsible for shipped products when the

Overview & Order Information	<p>common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.</p> <p>Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 5 days after receipt. Trendway assumes no liability for such damage.</p>	<p><b>general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.</b></p>
Statement of Line		<p><b>23. Special Marking or Tagging</b> Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. <b>Tag designations must be specified at the time an order is placed.</b></p>
Surface Materials	<p><b>19. Shortage on Order</b> Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.</p>	<p><b>24. Trendway Field Technical and Installation Support:</b> On-site field measurement and installation support is available as a service. The fees are listed below:</p> <p>Field Installation Assistance: 2 Day On-Site, \$1,200</p> <p>Field Installation Assistance: 3 Days On-Site, \$1,800</p> <p>Field Installation Assistance: 4 Days On-site, \$2,400</p> <p>Field Installation Assistance: 5 Days On-Site, \$3,000</p> <p>Days include 1/2 day travel to and 1/2 day travel from location. These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.</p> <p>Find the most current terms and conditions on <a href="http://www.Trendway.com">www.Trendway.com</a>, in the Price list section.</p>
Desks & Work Surfaces	<p><b>20. Product Usage and Compliance</b> Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.</p>	
Screens & Modesties	<p><b>21. Post-Delivery Assistance</b> Installation and servicing of Trendway products are normally handled directly by Trendway-authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan.</p>	
Storage	<p><b>22. Returned Goods</b> As a basic policy, Trendway does not accept returned material, because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 35% will apply. <b>To receive authorization to return goods, please contact Trendway's Customer Care Department.</b></p> <p><b>All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after 30 days will be refused and returned to sender collect.</b></p> <p>Electrical components, nonstandard items, and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Trendway packing cartons. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. <b>As a</b></p>	
Benching Electrical		
Electrical		
Accessories		
Terms & Policies		

## LIMITED LIFETIME WARRANTY

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	<b>Systems</b>	<b>Architectural Products</b>	<b>Seating</b>
<b>10 Year</b>	<ul style="list-style-type: none"> <li>•Height-Adjustable Table Frame</li> <li>•Electrical Components</li> </ul>	<ul style="list-style-type: none"> <li>•Electrical Components</li> </ul>	<ul style="list-style-type: none"> <li>•Pneumatic Cylinders</li> <li>•Mechanisms</li> </ul>
<b>5 Year</b>	<ul style="list-style-type: none"> <li>•Drawer Slides</li> <li>•Systems Textiles</li> <li>•Laminate, Paint, Plastic</li> <li>•Electronic Ballasts</li> <li>•Height-Adjustable Table Mechanical Components</li> <li>•Screens</li> </ul>	<ul style="list-style-type: none"> <li>•Systems Textiles</li> <li>•Laminate, Paint, Plastic</li> </ul>	
<b>3 Year</b>	<ul style="list-style-type: none"> <li>•Veneer</li> <li>•Magnetic Ballasts</li> </ul>	<ul style="list-style-type: none"> <li>•Veneer</li> </ul>	<ul style="list-style-type: none"> <li>•Trim</li> <li>•Foam</li> <li>•Upholstery</li> <li>•Arm Pads</li> </ul>
<b>2 Year</b>	<ul style="list-style-type: none"> <li>•Surface Trend Fabrics</li> <li>•Height-Adjustable Table Electrical Components</li> </ul>	<ul style="list-style-type: none"> <li>•Surface Trend Fabrics</li> </ul>	
<b>1 Year</b>	<ul style="list-style-type: none"> <li>•Non-Standard Product</li> <li>•Personal Task Lighting</li> </ul>	<ul style="list-style-type: none"> <li>•Non-Standard Product</li> </ul>	<ul style="list-style-type: none"> <li>•Non-Standard Product</li> </ul>
<b>Not Covered</b>	<ul style="list-style-type: none"> <li>•Light Bulbs</li> <li>•Customer's Own Material</li> </ul>	<ul style="list-style-type: none"> <li>•Customer's Own Material</li> </ul>	<ul style="list-style-type: none"> <li>•Customer's Own Material</li> </ul>

The following exceptions apply to all product lines:

- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift usage.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:

- Changes in wood color resulting from exposure to light or aging
- Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Overview & Order Information	
Statement of Line	
Surface Materials	
Desks & Work Surfaces	
Screens & Modesties	
Storage	
Benching Electrical	
Electrical	
Accessories	
Terms & Policies	